
Start: Oct 27, 7:56:01.961 pm End: Oct 27, 7:56:02.849 pm **Duration: 0.888 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 27 27 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration	
1	Recherche	3	0	3	0	0.888 s	

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par username	9	0	0	9	0.625 s
2	Recherche	recherche par user role	9	0	0	9	0.120 s
3	Recherche	recherche par user role	9	0	0	9	0.103 s

DETAILED SECTION -- 4 --

(F)- Recherche

FAILED	DURATION - 0.888 s	Scenarios		Steps	
		Total - 3		Total - 27	
7:56:01.961 pm	n // 7:56:02.849 pm /	Pass - 0	3	Pass - 0	27
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 27	

(S)- recherche par username




#	Step / Hook Details	Status	Duration
	BEFORE - utils.Setup.setup()	FAILED	0.593 s
	io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1421)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190)		
	at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437)		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190)		
	at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427)		
	at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27)		
	at utils.DriverManager.getDriver(DriverManager.java:25)		
	at utils.Setup.setup(Setup.java:21)		
	Caused by: java.net.UnknownHostException: googlechromelabs.github.io		
	at java.base/java.net.InetAddress\$CachedLookup.get(InetAddress.java:988)		
	at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1818)		
	at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1688)		
	at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43)		
	at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)		
	at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447)		
	at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)		

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172)		
	at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115)		
	at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
	at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170)		
	at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87)		
	at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55)		
	at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183)		
	at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:157)		
	at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:54)		
	at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:117)		
	at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1442)		
	at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1268)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1184)		
	at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437)		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190)		
	at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427)		
	at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27)		
	at utils.DriverManager.getDriver(DriverManager.java:25)		
	at utils.Setup.setup(Setup.java:21)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:98)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		

#	Step / Hook Details	Status	Duration
"	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner.runChild(FeatureRunner.java:238) at org.junit.runners.ParentRunner.runChild(ParentRunner.java:238) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:239) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:229) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:236) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:236) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:236) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:235) at org.junit.runners.ParentRunner\$1.schedule(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)	Status	Duration
1	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)	CKIDDED	0.001 -
1	Given je me connecte sur l'application	SKIPPED	0.001 s
2	When je saisis le username "Admin"	SKIPPED	0.000 s
3	And je saisis le password "Admin123++*/"	SKIPPED	0.002 s
4	And je clique sur le bouton login	SKIPPED	0.000 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	SKIPPED	0.000 s
6	When je click sur le bouton admin	SKIPPED	0.000 s
7	And je saisis le username souaite "Admin"	SKIPPED	0.000 s
8	And je click sur le bouton recherche	SKIPPED	0.001 s
9	Then je verifie les usernames affiches sur le tableau "Admin"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "utils.Setup.driver" is null at utils.Setup.embedScreenshot(Setup.java:36)		

DETAILED SECTION -- 7 --

(S)- recherche par user role




!	Step / Hook Details	Status	Duration
BEFORE - utils.Setup.setup	0	FAILED	0.112 s
io.github.bonigarcia.wdm.config	.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io		
at io.github.bonigarcia.wdm.\	VebDriverManager.handleException(WebDriverManager.java:1421)		
at io.github.bonigarcia.wdm.\	VebDriverManager.manage(WebDriverManager.java:1190)		
at io.github.bonigarcia.wdm.\	VebDriverManager.fallback(WebDriverManager.java:1437)		
at io.github.bonigarcia.wdm.\	VebDriverManager.handleException(WebDriverManager.java:1415)		
at io.github.bonigarcia.wdm.\	VebDriverManager.manage(WebDriverManager.java:1190)		
at io.github.bonigarcia.wdm.\	VebDriverManager.setup(WebDriverManager.java:427)		
at utils.ChromeDriverManage	er.createDriver(ChromeDriverManager.java:27)		
at utils.DriverManager.getDri	ver(DriverManager.java:25)		
at utils.Setup.setup(Setup.jav	va:21)		
Caused by: java.net.UnknownH	ostException: googlechromelabs.github.io		
at java.base/java.net.InetAdo	ress\$CachedLookup.get(InetAddress.java:988)		
at java.base/java.net.InetAdo	ress.getAllByName0(InetAddress.java:1818)		
at java.base/java.net.InetAdo	ress.getAllByName(InetAddress.java:1688)		
at org.apache.hc.client5.http.	SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43)		
at org.apache.hc.client5.http.	impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)		
at org.apache.hc.client5.http.	impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447)		
at org.apache.hc.client5.http.	impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)		
at org.apache.hc.client5.http.	impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172)		
at org.apache.hc.client5.http.	impl.classic.ConnectExec.execute(ConnectExec.java:142)		
at org.apache.hc.client5.http.	impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at org.apache.hc.client5.http.	impl.classic.ProtocolExec.execute(ProtocolExec.java:192)		
at org.apache.hc.client5.http.	impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at org.apache.hc.client5.http.	impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96)		
at org.apache.hc.client5.http.	impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at org.apache.hc.client5.http.	impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152)		
	impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
- ·	impl.classic.RedirectExec.execute(RedirectExec.java:115)		
at org.apache.hc.client5.http.	impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		

#	Step / Hook Details	Status	Duration
	at org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170)		
	at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87)		
	at org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55)		
	at org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183)		
	at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:157)		
	at io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:54)		
	at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:117)		
	at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1442)		
	at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1268)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1184)		
	at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437)		
	at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415)		
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190)		
	at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427)		
	at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27)		
	at utils.DriverManager.getDriver(DriverManager.java:25)		
	at utils.Setup.setup(Setup.java:21)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:98)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:211)		
1	Given je me connecte sur l'application	SKIPPED	0.000 s
2	When je saisis le username "Admin"	SKIPPED	0.000 s
3	And je saisis le password "Admin123++*/"	SKIPPED	0.000 s
4	And je clique sur le bouton login	SKIPPED	0.000 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	SKIPPED	0.000 s
6	When je click sur le bouton admin	SKIPPED	0.000 s
7	And je saisis le role souaite "ESS"	SKIPPED	0.000 s
8	And je click sur le bouton recherche	SKIPPED	0.001 s
9	Then je verifie les role affiches sur le tableau "ESS"	SKIPPED	0.001 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "utils.Setup.driver" is null at utils.Setup.embedScreenshot(Setup.java:36)	FAILED	0.001 s

(S)- recherche par user role



	Step / Hook Details	Status	Duration
BEF	FORE - utils.Setup.setup()	FAILED	0.096 s
io.git	thub.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: googlechromelabs.github.io		
at	io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1421)		
at	io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190)		
at	io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437)		
at	io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415)		
at	io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190)		
at	io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427)		
at	utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27)		
at	utils.DriverManager.getDriver(DriverManager.java:25)		
at	utils.Setup.setup(Setup.java:21)		
Caus	sed by: java.net.UnknownHostException: googlechromelabs.github.io		
at	java.base/java.net.InetAddress\$CachedLookup.get(InetAddress.java:988)		
at	java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1818)		
at	java.base/java.net.InetAddress.getAllByName(InetAddress.java:1688)		
at	org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43)		
at	org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141)		
at	org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447)		
at	org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162)		
at	org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172)		
at	org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142)		
at	org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at	org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192)		
at	org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at	org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96)		
at	org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at	org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152)		
at	org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at	org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115)		
at	org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51)		
at	org.apache.hc.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170)		
at	org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87)		
at	org.apache.hc.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55)		
at	org.apache.hc.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183)		
at	io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:157)		
at	io.github.bonigarcia.wdm.online.Parser.parseJson(Parser.java:54)		
	io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:117)		
at	io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1442)		
at	io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1268)		
at	io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1184)		
at	io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1437)		
at	io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1415)		

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1190)		
	at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:427)		
	at utils.ChromeDriverManager.createDriver(ChromeDriverManager.java:27)		
	at utils.DriverManager.getDriver(DriverManager.java:25)		
	at utils.Setup.setup(Setup.java:21)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:98)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	SKIPPED	0.000 s
2	When je saisis le username "Admin"	SKIPPED	0.001 s
3	And je saisis le password "Admin123++*/"	SKIPPED	0.000 s
4	And je clique sur le bouton login	SKIPPED	0.000 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	SKIPPED	0.000 s
6	When je click sur le bouton admin	SKIPPED	0.000 s
7	And je saisis le role souaite "Admin"	SKIPPED	0.000 s
8	And je click sur le bouton recherche	SKIPPED	0.001 s
9	Then je verifie les role affiches sur le tableau "Admin"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "utils.Setup.driver" is null at utils.Setup.embedScreenshot(Setup.java:36)		