
Cucumber Report




FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | Recherche | 1 | 0 | 1 | 0 | 17.577 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|-------|--------------|-------------------------|---|---|---|---|----------|
| 1 | Recherche | recherche par user role | 9 | 6 | 1 | 2 | 17.566 s |

DETAILED SECTION -- 4 --

(F)- Recherche

| FAILED | DURATION - 17.577 s | Scenarios | | Steps | |
|------------------|---------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 9 | |
| / 9:45:28.566 pm | // 9:45:46.143 pm / | Pass - 0 | 1 | Pass - 6 | 9 |
| | | Fail - 1. | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

(S)- recherche par user role



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given je me connecte sur l'application | PASSED | 4.370 s |
| 2 | When je saisis le username "Admin" | PASSED | 1.705 s |
| 3 | And je saisis le password "Admin123++*/" | PASSED | 0.142 s |
| 4 | And je clique sur le bouton login | PASSED | 0.131 s |
| 5 | Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche | PASSED | 6.003 s |
| 6 | When je click sur le bouton admin | PASSED | 2.515 s |
| 7 | And je saisis le l'employe name souaite "benhmidar benhmidar" | FAILED | 0.015 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class stepDefinitions.RechercheByEmployeNameStepDef at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:149) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:133) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|--------|---|--------|----------|
| \Box | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) | | |
| | at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) | | |
| | at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) | | |
| | at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:309) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) | | |
| | at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) | | |
| | at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) | | |
| | at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) | | |
| | at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) | | |
| | at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:309) | | |
| | at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) | | |
| | at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) | | |
| | at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) | | |
| | Caused by: java.lang.reflect.InvocationTargetException | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:74) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) | | |
| | at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader. | | |
| | java:141) | | |
| | 35 more Caused by: org.openqa.selenium.InvalidSelectorException: Compound class names not permitted For documentation on this | | |
| | error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'RIHAB', ip: '172.20.10.2', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: driver.version: | | |
| | unknown | | |
| | at org.openqa.selenium.By\$ByClassName. <init>(By.java:310)</init> | | |
| | at org.openqa.selenium.By.className(By.java:100) | | |
| | at org.openqa.selenium.support.How\$1.buildBy(How.java:26) | | |
| | at org.openqa.selenium.support.nowpr.buildByBuilder.buildByFromLongFindBy(AbstractFindByBuilder.java:79) | | |
| | at org.openga.selenium.support.FindBy\$FindByBuilder.buildIt(FindBy.java:87) | | |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator. <init>(DefaultElementLocator.java:58) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.<init>(DefaultElementLocator.java:46) at org.openqa.selenium.support.pagefactory.DefaultElementLocatorFactory.createLocator(DefaultElementLocatorFactory.java:33) at org.openqa.selenium.support.pagefactory.DefaultFieldDecorator.decorate(DefaultFieldDecorator.java:57) at org.openqa.selenium.support.PageFactory.proxyFields(PageFactory.java:111) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:103) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:90) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:78) at org.openqa.selenium.support.PageFactory.initElements(PageFactory.java:65) at stepDefinitions.RechercheByEmployeNameStepDef.<init>(RechercheByEmployeNameStepDef.java:23) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</init></init></init> | | |
| 8 | And je click sur le bouton recherche | SKIPPED | 0.000 s |
| 9 | Then je verifie le employe name affiche sur le tableau "benhmidar benhmidar" | SKIPPED | 0.000 s |
| | AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) recherche par user role | PASSED | 0.396 s |