

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Recherche	2	0	2	0	36.536 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Recherche	recherche par username	9	6	1	2	19.275 s
2	Recherche	recherche par username	9	6	1	2	17.211 s

DETAILED SECTION -- 4 --

(F)- Recherche

FAILED	DURATION - 36.536 s	Scenarios		Steps	
		Total - 2		Total - 18	
/ 10:10:42.884 PI	M // 10:11:19.420 PM /	Pass - 0	2	Pass - 12	18
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	

(S)- recherche par username




#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	2.186 s
2	When je saisis le username "Admin"	PASSED	0.635 s
3	And je saisis le password "admin123"	PASSED	0.095 s
4	And je clique sur le bouton login	PASSED	1.027 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	PASSED	0.595 s
6	When je click sur le bouton admin	PASSED	0.583 s
7	And je saisis le username souaite "Admin"	FAILED	10.246 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: (//input[@class='oxd-input oxd-inputactive'])[2] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedXpath(WaitMethods.java:57) at stepDefinitions.RechercheByUsernameStepDef.jeSaisisLeUsernameSouaite(RechercheByUsernameStepDef.java:32) at ?.je saisis le username souaite "Admin"(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/features/rechercheByUserName.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//input[@class='oxd-input oxd-inputactive'])[2]"} (Session info: chrome=141.0.7390.76) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host:		

#	Step / Hook Details	Status	Duration
	'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [28295149ee6ec43c708135b3534a7f02, findElement {using=xpath, value=(//input[@class='oxd-		
	input oxd-inputactive'])[2]]] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome:		
	{chromedriverVersion: 141.0.7390.78 (2b53b0e231fc, userDataDir: C:\Users\abhri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61940}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61940/devtoo, se:cdpVersion: 141.0.7390.76,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 28295149ee6ec43c708135b3534a7f02		
	at jdk.internal.reflect.GeneratedConstructorAccessor8.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:174)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedXpath(WaitMethods.java:57)		
	at stepDefinitions.RechercheByUsernameStepDef.jeSaisisLeUsernameSouaite(RechercheByUsernameStepDef.java:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunners.org.enterRunner.java:236) at org.junit.runners.ParentRunner.cocess\$000(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:239) at org.junit.runners.ParentRunner.run(ParentRunner.java:299) at org.junit.runners.ParentRunner.run(ParentRunner.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:238) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:236) at org.junit.runners.ParentRunner.scess\$000(ParentRunner.java:239) at org.junit.runners.ParentRunner.scess\$000(ParentRunner.java:239) at org.junit.runners.ParentRunner.scess\$000(ParentRunner.java:235) at org.junit.runners.ParentRunner.scess\$000(ParentRunner.java:235) at org.junit.runners.ParentRunner.scess\$000(ParentRunner.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:339) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:320) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTestS(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTestS(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) *Not displa		
8	And je click sur le bouton recherche	SKIPPED	0.003 s
9	Then je verifie les usernames affiches sur le tableau "Admin"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) recherche par username	PASSED	1.097 s

DETAILED SECTION -- 7 -

(S)- recherche par username



#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	2.129 s
2	When je saisis le username "Admin"	PASSED	0.650 s
3	And je saisis le password "admin123"	PASSED	0.201 s
4	And je clique sur le bouton login	PASSED	0.156 s
5	Then je me redirige vers la page d'acceuil et "Dashboard" s'affiche	PASSED	1.429 s
6	When je click sur le bouton admin	PASSED	0.624 s
7	And je saisis le username souaite "martabarrros"	FAILED	10.074 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: (//input[@class='oxd-input oxd-inputactive'])[2] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedXpath(WaitMethods.java:57) at stepDefinitions.RechercheByUsernameStepDef.jeSaisisLeUsernameSouaite(RechercheByUsernameStepDef.java:32) at ?.je saisis le username souaite "martabarrros"(file:///C:/Users/abhri/eclipse-workspace/FormationSeleniumBDD/src/test/ressources/ features/rechercheByUserName.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"(//input[@class='oxd-input oxd-inputactive'])[2]") (Session info: chrome=141.0.7390.76) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cect' System info: host: 'LENOVO', ip: '192.168.1.7', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12' Driver info: org.openqa. selenium.chrome.ChromeDriver Commant: [04857364268182980e42072e76292b31, findElement {using=xpath, value=(//input[@class='oxd-input oxd-inputactive'])[2]} Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.76, chrome: {chromedriverVersion: 141.0.7390.78 (2b53b0e231fc, userDataDir: C:\Users\abhri\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64772}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64772/devtoo, se:cdpVersion: 141.0.7390.76, setWindowRect: true, strictFielnteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unh		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:174)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedXpath(WaitMethods.java:57)		
	at stepDefinitions.RechercheByUsernameStepDef.jeSaisisLeUsernameSouaite(RechercheByUsernameStepDef.java:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.lnvoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:238) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:239) at org.junit.runners.ParentRunner.\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:211) * Not displayable characters are replaced by '?'.		
8	And je click sur le bouton recherche	SKIPPED	0.000 s
9	Then je verifie les usernames affiches sur le tableau "martabarrros"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario) recherche par username	PASSED	0.859 s