

Cucumber Report

2 Nov 2025, 22:30:05

Start : Nov 02, 10:29:44.095 pm

End : Nov 02, 10:30:04.505 pm

Duration : 20.410 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>ajout d'utilisateur</u>	1	0	1	0	20.410 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>ajout d'utilisateur</u>	<u>ajout d'un utilisateur</u>	17	6	1	10	20.400 s

(F)- ajout d'utilisateur

FAILED	DURATION - 20.410 s	Scenarios		Steps	
/ 10:29:44.095 pm // 10:30:04.505 pm /		Total - 1		Total - 17	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- ajout d'un utilisateur

<div>FAILED</div> <div>DURATION - 20.400 s</div>			Steps		
/ 10:29:44.105 pm // 10:30:04.505 pm /			Total - 17		
ajout d'utilisateur			Pass - 6		
			Fail - 1		
@add @addUser			Skip - 10		

#	Step / Hook Details	Status	Duration
1	Given je me connecte sur l'application	PASSED	2.999 s
2	When je saisis le username "Admin"	PASSED	1.109 s
3	And je saisis le password "Admin123++*/"	PASSED	0.071 s
4	And je clique sur le bouton login	PASSED	0.071 s
5	Then je me redirige vers la page d'accueil et "Dashboard" s'affiche	PASSED	1.809 s
6	When je click sur le bouton admin	PASSED	1.978 s
7	And je click sur le bouton add org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.className: oxd-button.oxd-button--medium.oxd-button--secondary (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedclass(WaitMethods.java:62) at stepDefinitions.AddUserStepDefinition.jeClickSurLeBoutonAdd(AddUserStepDefinition.java:24) at ?.je click sur le bouton add(file:///C:/Users/benhm/eclipse-workspace/TestAutomationOrangeHrm/src/test/ressources/features/addUser.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":".oxd-button.oxd-button\\-\\-medium.oxd-button\\-\\-secondary"} (Session info: chrome=141.0.7390.123) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.1', revision: 'e8fcc2cecf'	FAILED	10.394 s

#	Step / Hook Details	Status	Duration
	<p>System info: host: 'RIHAB', ip: '192.168.1.18', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e781d26740ac854e7ffe82425430de6, findElement {using=css selector, value=.oxd\button\oxd\button\-\medium\oxd\button\-\secondary}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 141.0.7390.123, chrome: {chromedriverVersion: 141.0.7390.122 (b477534e7e1..., userDataDir: C:\Users\benhm\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55828}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55828/devtoo..., se:cdpVersion: 141.0.7390.123, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e781d26740ac854e7ffe82425430de6</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.By\$PreW3CLocator.findElement(By.java:429) at org.openqa.selenium.By\$ByClassName.findElement(By.java:298) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:136) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:174) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utils.WaitMethods.explicitWaitUntilPresenceOfElementLocatedclass(WaitMethods.java:62) at stepDefinitions.AddUserStepDefinition.jeClickSurLeBoutonAdd(AddUserStepDefinition.java:24) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:520) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211) * Not displayable characters are replaced by '?'.		
8	And je selectionne un role "ESS"	SKIPPED	0.000 s
9	And je saisis l'employe name existant "benhmidar benhmidar"	SKIPPED	0.000 s
10	And je selectionne un status "Enabled"	SKIPPED	0.005 s
11	And je saisis le nouveau username "rihab"	SKIPPED	0.000 s
12	And je saisis le nouveau password "123Rihab/"	SKIPPED	0.002 s
13	And je confirme le password "123Rihab/"	SKIPPED	0.000 s
14	And je click sur le bouton save	SKIPPED	0.000 s
15	Then je saisis le username souaite "<username>"	SKIPPED	0.000 s
16	And je click sur le bouton recherche	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
17	And je verifie les usernames affiches sur le tableau "<username>"	SKIPPED	0.000 s
	AFTER - utils.Setup.embedScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	ajout d'un utilisateur		
	