

## Section 12.4 Tangent Vectors and Normal Vectors

MATH211 Calculus III

Instructor: Ben Huang



---

DEPARTMENT OF  
COMPUTING, MATHEMATICS  
AND PHYSICS

# Knowledge Checks

## Section 12.4

B.H.

What is the **unit tangent vector** and the **principal unit normal vector**?

$$\text{Unit Tangent Vector, } \mathbf{T} = \frac{\mathbf{r}'}{\|\mathbf{r}'\|},$$

$$\text{Principal Unit Normal Vector, } \mathbf{N} = \frac{\mathbf{T}'}{\|\mathbf{T}'\|},$$

$$(\text{Bonus}) \text{ Binormal Vector, } \mathbf{B} = \mathbf{T} \times \mathbf{N}.$$

# Knowledge Checks

## Section 12.4


B.H.

What is the **unit tangent vector** and the **principal unit normal vector**?

$$\text{Unit Tangent Vector, } \mathbf{T} = \frac{\mathbf{r}'}{\|\mathbf{r}'\|},$$

$$\text{Principal Unit Normal Vector, } \mathbf{N} = \frac{\mathbf{T}'}{\|\mathbf{T}'\|},$$

$$(\text{Bonus}) \text{ Binormal Vector, } \mathbf{B} = \mathbf{T} \times \mathbf{N}.$$



$$\mathbf{T} \cdot \mathbf{N} = 0$$

(Not very intuitive though. Make sure you read the textbook and understand why it is true.)

# Knowledge Checks

## Section 12.4

B.H.

What is the **tangential** and the **normal component** of the acceleration?

# Knowledge Checks

## Section 12.4

B.H.

What is the **tangential** and the **normal component** of the acceleration?

$$\mathbf{a} = a_T \mathbf{T} + a_N \mathbf{N}, \quad a_N > 0$$

# Knowledge Checks

## Section 12.4

B.H.

What is the **tangential** and the **normal component** of the acceleration?

$$\mathbf{a} = a_T \mathbf{T} + a_N \mathbf{N}, \quad a_N > 0$$

(Again, it's not very intuitive that  $\mathbf{a}$  can be decomposed in this way in 3D space. Make sure you read the textbook and understand the proof.)

# Knowledge Checks

## Section 12.4

B.H.

What is the **tangential** and the **normal component** of the acceleration?

$$\mathbf{a} = a_T \mathbf{T} + a_N \mathbf{N}, \quad a_N > 0$$

(Again, it's not very intuitive that  $\mathbf{a}$  can be decomposed in this way in 3D space. Make sure you read the textbook and understand the proof.)

Key consequences:

$$a_T \mathbf{T} = \text{proj}_{\mathbf{v}} \mathbf{a}$$

$$a_N \mathbf{N} = \mathbf{a} - \text{proj}_{\mathbf{v}} \mathbf{a}$$

$$\mathbf{N} = \frac{\mathbf{a} - \text{proj}_{\mathbf{v}} \mathbf{a}}{a_N} = \frac{\mathbf{a} - \text{proj}_{\mathbf{v}} \mathbf{a}}{\sqrt{\|\mathbf{a}\|^2 - a_T^2}} = \frac{\mathbf{a} - \text{proj}_{\mathbf{v}} \mathbf{a}}{\|\mathbf{a} - \text{proj}_{\mathbf{v}} \mathbf{a}\|}$$