Section 13.8 Extrema of Functions of Two Variables

MATH211 Calculus III

Instructor: Ben Huang

MESSIAH UNIVERSITY

DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

MESSIAH UNIVERSITY
DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

Relative Extrema

B.H.



MESSIAH UNIVERSITY
DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

Relative Extrema



MESSIAH UNIVERSITY
DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

Critical points

Where are the critical points?









MESSIAH UNIVERSITY
DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

Critical points

Where are the critical points?









MESSIAH UNIVERSITY
DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

Second Derivative Test From Calculus I



$f'(c) = 0$ **and** $f''(c) > 0$

$f(c)$ is a local minimum



$f'(c) = 0$ **and** $f''(c) < 0$

$f(c)$ is a local maximum

MESSIAH UNIVERSITY
DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

Classification of Critical Points



$f_{xx} < 0$ & $f_{yy} < 0$
at the critical point
local maximum



$f_{xx} > 0$ & $f_{yy} > 0$
at the critical point
local minimum

Classification of Critical Points



$f_{xx} > 0$ & $f_{yy} < 0$ at the critical point
saddle point

MESSIAH UNIVERSITY
DEPARTMENT OF COMPUTING, MATHEMATICS AND PHYSICS

Classification of Critical Points



$f_{xx} > 0$ & $f_{yy} > 0$ at the critical point
saddle point

The Second Partials Test

The tool to systematically classify critical points: The Second Partials Test

Failure of the Second Partials Test

When $d(x, y) = f_{xx}f_{yy} - f_{xy}^2 = 0$ at the critical point in question, the Second Partials Test is **inconclusive**.



Figure 1: $z = y^2$



Figure 2: $z = -x^2$



Figure 3: $z = \frac{1}{50}x^3$