

Cucumber Report

25-Apr-2024, 10:34:22 am

Start : Apr 25, 10:34:04.508 am

End : Apr 25, 10:34:21.366 am

Duration : 16.858 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 3

SKIPPED - 0

PASSED - 11

FAILED - 3

SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Nopcommerce login feature</u>	16.858 s	3	0	3	0	15	11	3	1

#	Feature Name	Scenario Name
1	<u>Nopcommerce login feature</u>	<u>Unsuccessful Login with invalid credentials</u>
2		<u>Unsuccessful Login with invalid credentials</u>
3		<u>Unsuccessful Login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Invalid	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Nopcommerce login feature</u>	3	0	3	0	16.858 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Nopcommerce login feature</u>	<u>Unsuccessful Login with invalid credentials</u>	5	4	1	0	6.220 s
2		<u>Unsuccessful Login with invalid credentials</u>	5	4	1	0	5.530 s
3		<u>Unsuccessful Login with invalid credentials</u>	5	3	1	1	5.064 s

Nopcommerce login feature

FAILED	DURATION - 16.858 s	Scenarios		Steps	
/ 10:34:04.508 am // 10:34:21.366 am /		Total - 3		Total - 15	
		Pass - 0		Pass - 11	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	



Unsuccessful Login with invalid credentials

<div>FAILED</div> <div>DURATION - 6.220 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:34:04.515 am // 10:34:10.735 am /				
Nopcommerce login feature				
@Invalid				

#	Step / Hook Details	Status	Duration
1	Given User enters the "https://admin-demo.nopcommerce.com"	PASSED	1.988 s
2	Given User enters invalid "abcefg@gmail.com" and "admin"	PASSED	0.809 s
3	When User clicks login button	PASSED	0.673 s
4	Then User should see an error message "Login was unsuccessful. Please correct the errors and try again."	PASSED	0.070 s
5	Then User should also see an error messegafoe empty feilds org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Email-error"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f53bcb2e93e59aadd71e9fc3ca8d601d, findElement {using=id, value=Email-error}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.78 (a087f2dd364d..., userDataDir: C:\Users\mechs\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63432}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63432/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f53bcb2e93e59aadd71e9fc3ca8d601d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	0.050 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.isDisplayed(Unknown Source) at com.demonopcommerce.stepdef.LoginStepDef.user_should_also_see_an_error_messegafoe_empty_feilds(LoginStepDef.java:75) at ?.User should also see an error messegafoe empty feilds(file:///C:/Users/mechs/eclipse-workspace/nopcommerceDemo/src/test/java/feature/loginNopcommerce.feature:21) * Not displayable characters are replaced by '?'. </pre>		



Unsuccessful Login with invalid credentials

FAILED	DURATION - 5.530 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:34:10.761 am // 10:34:16.291 am /				
Nopcommerce login feature				
@Invalid				

#	Step / Hook Details	Status	Duration
1	Given User enters the "https://admin-demo.nopcommerce.com"	PASSED	2.250 s
2	Given User enters invalid "admin@yourstore.com" and "123456"	PASSED	0.762 s
3	When User clicks login button	PASSED	0.603 s
4	Then User should see an error message "Login was unsuccessful. Please correct the errors and try again."	PASSED	0.152 s

#	Step / Hook Details	Status	Duration
5	<p>Then User should also see an error messegafoe empty feilds</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Email-error"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f102498fc0495cd71016d57a952046b1, findElement {using=id, value=Email-error}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.78 (a087f2dd364d..., userDataDir: C:\Users\mechs\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63453}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63453/devtoo..., se:cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f102498fc0495cd71016d57a952046b1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.isDisplayed(Unknown Source) at com.demonopcommerce.stepdef.LoginStepDef.user_should_also_see_an_error_messegafoe_empty_feilds(LoginStepDef.java:75) at ?.User should also see an error messegafoe empty feilds(file:///C:/Users/mechs/eclipse-workspace/nopcommerceDemo/src/test/java/feature/loginNopcommerce.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.020 s

Unsuccessful Login with invalid credentials

<div>FAILED</div> <div>DURATION - 5.064 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 10:34:16.302 am // 10:34:21.366 am /				
Nopcommerce login feature				
@Invalid				

#	Step / Hook Details	Status	Duration
1	Given User enters the "https://admin-demo.nopcommerce.com"	PASSED	2.170 s
2	Given User enters invalid "" and "admin"	PASSED	0.715 s
3	When User clicks login button	PASSED	0.153 s
4	Then User should see an error message "Please enter your email" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='message-error validation-summary-errors']"} (Session info: chrome=124.0.6367.61) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6ef9783fc533c1a06d506954395525ed, findElement {using=xpath, value=//div[@class='message-error validation-summary-errors']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.61, chrome: {chromedriverVersion: 124.0.6367.78 (a087f2dd364d..., userDataDir: C:\Users\mechs\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63476/devtoo..., se.cdpVersion: 124.0.6367.61, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6ef9783fc533c1a06d506954395525ed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.isDisplayed(Unknown Source) at com.demonopcommerce.stepdef.LoginStepDef.user_should_see_an_error_message(LoginStepDef.java:70) at ?.User should see an error message "Please enter your email"(file:///C:/Users/mechs/eclipse-workspace/nopcommerceDemo/src/test/java/ feature/loginNopcommerce.feature:20) * Not displayable characters are replaced by '?'. </pre>		
5	Then User should also see an error messegafoe empty feilds	SKIPPED	0.000 s