

# Cucumber Report

29-Apr-2024, 11:19:12 am

**Start : Apr 29, 11:18:43.568 am**

**End : Apr 29, 11:19:11.583 am**

**Duration : 28.015 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 3**

**SKIPPED - 0**

**PASSED - 7**

**FAILED - 3**

**SKIPPED - 3**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Nopcommerce login feature</u>	28.015 s	3	0	3	0	13	7	3	3

#	Feature Name	Scenario Name
1	<u>Nopcommerce login feature</u>	<u>Successful Login with the valid credentials</u>
2		<u>Unsuccessful Login with invalid credentials</u>
3		<u>Unsuccessful Login with invalid credentials</u>

<b><i>TAG</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
<b><i>@Valid</i></b>	1	0	1	0	1	0	1	0
<b><i>@Invalid</i></b>	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Nopcommerce login feature</u>	3	0	3	0	28.015 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Nopcommerce login feature</u>	<u>Successful Login with the valid credentials</u>	5	1	1	3	22.213 s
2		<u>Unsuccessful Login with invalid credentials</u>	4	3	1	0	2.464 s
3		<u>Unsuccessful Login with invalid credentials</u>	4	3	1	0	3.289 s

## Nopcommerce login feature

<b>FAILED</b>	<b>DURATION - 28.015 s</b>	Scenarios		Steps	
/ 11:18:43.568 am // 11:19:11.583 am /		Total - 3		Total - 13	
		Pass - 0		Pass - 7	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 3	

## Successful Login with the valid credentials

<div><div>FAILED</div><div>DURATION - 22.213 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 11:18:43.571 am // 11:19:05.784 am /				
Nopcommerce login feature				
@Valid				



#	Step / Hook Details	Status	Duration
1	Given User enters the "https://admin-demo.nopcommerce.com"	PASSED	16.191 s
2	Given User is on the login page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.91) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11d0fa9ff8cf2a37de538c3afc457ff7, getTitle {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\mechs\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53722}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53722/devtoo..., se.cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11d0fa9ff8cf2a37de538c3afc457ff7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)	FAILED	0.047 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:305) at com.demonopcommerce.stepdef.LoginStepDef.user_is_on_the_login_page(LoginStepDef.java:31) at ?.User is on the login page(file:///C:/Users/mechs/eclipse-workspace/nopcommerceDemo/src/test/java/feature/loginNopcommerce.feature:10) * Not displayable characters are replaced by '?'. </pre>		
3	When User enters the "admin@yourstore.com" and "admin"	SKIPPED	0.000 s
4	And User clicks login button	SKIPPED	0.016 s
5	Then User should be logged in successfully	SKIPPED	0.000 s
	<p>AFTER - com.demonopcommerce.stepdef.LoginStepDef.afterHooks()</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=124.0.6367.91) Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [11d0fa9ff8cf2a37de538c3afc457ff7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.91, chrome: {chromedriverVersion: 124.0.6367.91 (51df0e5e17a8..., userDataDir: C:\Users\mechs\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53722}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53722/devtoo..., se:cdpVersion: 124.0.6367.91, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 11d0fa9ff8cf2a37de538c3afc457ff7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) </pre>	FAILED	0.016 s





#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:321) at nopcommerce.baseClass.BaseClass.screenShot(BaseClass.java:96) at com.demonopcommerce.stepdef.LoginStepDef.afterHooks(LoginStepDef.java:79)		

### Unsuccessful Login with invalid credentials

<div>FAILED</div> <div>DURATION - 2.464 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:19:05.815 am // 11:19:08.279 am /				
Nopcommerce login feature				
@Invalid				

#	Step / Hook Details	Status	Duration
1	Given User enters the "https://admin-demo.nopcommerce.com"	PASSED	1.202 s
2	Given User enters invalid "abcefg@gmail.com" and "admin"	PASSED	0.031 s
3	When User clicks login button	PASSED	0.004 s
4	Then User should see an error message "Login was unsuccessful. Please correct the errors and try again." java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.isDisplayed(Unknown Source) at com.demonopcommerce.stepdef.LoginStepDef.user_should_see_an_error_message(LoginStepDef.java:72) at ?.User should see an error message "Login was unsuccessful. Please correct the errors and try again."(file:///C:/Users/mechs/eclipse-workspace/nopcommerceDemo/src/test/java/feature/loginNopcommerce.feature:20) * Not displayable characters are replaced by '?'.	FAILED	0.004 s

### Unsuccessful Login with invalid credentials

<div>FAILED</div> <div>DURATION - 3.289 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 11:19:08.294 am // 11:19:11.583 am /				
Nopcommerce login feature				
@Invalid				

#	Step / Hook Details	Status	Duration
1	Given User enters the "https://admin-demo.nopcommerce.com"	PASSED	1.957 s
2	Given User enters invalid "admin@yourstore.com" and "123456"	PASSED	0.000 s
3	When User clicks login button	PASSED	0.000 s
4	Then User should see an error message "Login was unsuccessful. Please correct the errors and try again."  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.isDisplayed(Unknown Source) at com.demonopcommerce.stepdef.LoginStepDef.user_should_see_an_error_message(LoginStepDef.java:72) at ?.User should see an error message "Login was unsuccessful. Please correct the errors and try again."(file:///C:/Users/mechs/eclipse-workspace/nopcommerceDemo/src/test/java/feature/loginNopcommerce.feature:20) * Not displayable characters are replaced by '?'.	FAILED	0.000 s