

Trade Spec Book

Published size ranges, mount depths, materials, lift systems and colourways
for all eight Veneta lines.

FOR DESIGNERS AND INSTALLERS

CONTENTS

Trade Spec Book

LINE	SUMMARY
01	Cellular Shades The warmest shade in the line.
02	Roller & Solar Shades Clean lines. Precise light control.
03	Roman Shades Soft fabric. Structured folds.
04	Faux Wood Blinds Looks like wood. Handles humidity like vinyl.
05	Shutters Architecture, not a window covering.
06	Sheer Shades Two layers of sheer. One layer of vane.
07	DualDrape™ A sheer and a drape on one track.
08	Vertical Blinds The practical answer for a sliding door.
09	Size ranges at a glance All eight lines in one table
10	Minimum inside-mount depth By line, with the outside-mount threshold
11	Cordless lift status Standard configuration per line
12	Warranty summary Coverage, exclusions and the claim route

FRONT MATTER

How to read this document

HOW TO READ THIS DOCUMENT

Every range, size, material and option in this document is the published figure from venetawindowfashions.com. Nothing here is estimated. Where a figure is not published — energy savings, acoustic ratings, U-factors — this document says so rather than supplying a number. Pricing is set by The Home Depot and is not published by Veneta.

Scope

Eight made-to-size window covering lines, manufactured to the dimensions you submit and supplied through The Home Depot. Use this to check a measurement against the range before the client signs off.

Ordering

Through The Home Depot like any other order, or through the trade desk when the order is multi-unit, phased, or needs dates committed in writing.

Safety basis

Cordless lift is the standard configuration on every line, which is the answer to the question clients with small children ask first.

LINE 01

Cellular Shades

Honeycomb cells trap air at the window, so rooms hold their temperature and stay quieter. Choose single cell for value or double cell for the highest insulation, in light filtering or full blackout.

Published specification

Cell type	Single cell 3/8" · Double cell 9/16"
Width range	18" to 96"
Height range	24" to 108"
Width increments	1/8"
Opacity	Light filtering, room darkening, blackout
Lift options	Cordless, top-down/bottom-up, TruQuiet™ motorized
Headrail	ClearFit™ 1 1/2" · low-profile
Mount	Inside or outside · 3/4" minimum depth
Warranty	Limited lifetime
Child safety	Cordless · meets ANSI/WCMA A100.1

Specifier notes

Single or double cell. Single cell gives you a slimmer stack and a lower price. Double cell adds a second air pocket for the best insulation and sound absorption on the wall you notice most.

Light filtering or blackout. Light filtering diffuses daylight into an even glow. Blackout adds a foil liner behind the fabric and pairs with SmartPrivacy® side channels for bedrooms and nurseries.

Top-down/bottom-up. Lower the top rail for daylight with privacy at eye level. Useful on street-facing windows and ground-floor bathrooms.

Cordless by design. No looped cord, no cleats, no tension devices. The shade holds position anywhere you leave it and meets the current cordless safety standard for homes with children and pets.

Colourways (8)

Alabaster · Linen · Sand · Fog · Slate · Charcoal · Black Ink · Bellevue Blue

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/cellular-shades

LINE 02

Roller & Solar Shades

A flat fabric on a slim tube: the simplest shade in the line and the easiest to live with. Choose a solar screen to keep the view and cut glare, or a blackout roller to shut the light out completely.

Published specification

Openness factor	1%, 3%, 5%, 10%, 14%
Width range	20" to 108"
Height range	24" to 120"
Opacity	Solar screen, light filtering, blackout
Lift options	Cordless, continuous loop, TruQuiet™ motorized
Roll direction	Standard or reverse roll
Bottom bar	SmartRail™ fabric-wrapped or exposed aluminium
Cassette	Open roll, fascia or cassette valance
UV block	Up to 99% depending on openness
Warranty	Limited lifetime

Specifier notes

Openness factors from 1% to 14%. 1% and 3% screens are for west-facing rooms and screens you actually work at. 10% and 14% keep the view sharp on a window you care about looking through.

Blackout rollers. A coated fabric with SmartPrivacy® channels blocks light at the edges as well as through the fabric. Best combination we make for a bedroom or media room.

SmartRail™ bottom bar. A weighted, wrapped bottom bar keeps the fabric flat and tracking straight, so the shade does not curl at the hem after a season.

Cordless or motorized. Cordless spring lift on smaller windows, TruQuiet™ motorization on tall or hard-to-reach ones.

Colourways (8)

Chalk · Oyster · Wheat · Bronze Screen · Pewter · Graphite · Black Screen · Chalk Blackout

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/roller-solar-shades

LINE 03

Roman Shades

The warmth of drapery in the footprint of a shade. Flat folds for a tailored look, hobbled folds for something softer, and a cordless lift on every style.

Published specification

Fold style	Flat fold, hobbled fold
Width range	20" to 96"
Height range	24" to 108"
Lining	Unlined, privacy, blackout
Lift options	Cordless, TruQuiet™ motorized
Fold spacing	6" nominal
Headrail	Fabric-wrapped 2" · ClearFit™
Mount	Inside or outside · 2 1/2" minimum depth
Care	Dust and spot clean · professional cleaning only
Warranty	Limited lifetime

Specifier notes

Flat fold or hobbled fold. Flat folds read tailored and modern. Hobbled folds keep a soft cascade even when the shade is fully lowered, which suits traditional trim and deeper window frames.

Lining you choose. Unlined for maximum light, privacy lining for everyday rooms, blackout lining for bedrooms. The lining is sewn in, not clipped on.

Cordless lift. A cordless lift system hides inside the headrail. There is no cord to route, tie off or keep away from a crib.

Fabric library. Linen blends, textured cottons and performance weaves that resist fading on a bright window. Order swatches before you commit.

Colourways (8)

Ivory Linen · Flax · Greige · Clay · Sage · Harbour · Navy · Espresso

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/roman-shades

LINE 04

Faux Wood Blinds

Wide slats with a real wood grain finish, in a composite that will not warp or crack over a kitchen sink or in a steamy bathroom. Cordless lift is available on every width.

Published specification

Slat size	2", 2 1/2"
Width range	18" to 96"
Height range	24" to 96"
Material	Moisture-resistant polymer composite
Lift options	Cordless, standard cord lock, TruQuiet™ motorized
Tilt	Wand tilt standard · motorized tilt available
Slat routing	Standard route or routeless
Valance	Matched 3" crown valance included
Mount	Inside or outside · 2" minimum depth
Warranty	Limited lifetime

Specifier notes

2" or 2 1/2" slats. The 2" slat suits standard windows and stacks smaller. The 2 1/2" slat gives a wider, more architectural line and a clearer view through when tilted open.

Cordless lift. Raise and lower by hand at the bottom rail. No cords hanging down the wall, which matters most on the low windows children reach.

Routeless slat option. Removing the lift-cord route holes cuts the pinholes of light and improves privacy noticeably on a bedroom window.

Real grain finish. An embossed grain and matched valance so the blind reads as painted wood from across the room, not as plastic.

Colourways (8)

Bright White · Antique White · Cottage · Natural Oak · Pecan · Walnut · Espresso · Smoke Grey

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/faux-wood-blinds

LINE 05

Shutters

Interior shutters read as part of the house. Louvres tilt for light and privacy, panels swing open for the full view, and the frame finishes the opening properly.

Published specification

Louvre size	2 1/2", 3 1/2", 4 1/2"
Frame	L-frame, deco frame, Z-frame
Panel width	Up to 36" per panel
Opening width	Up to 144" with multiple panels
Material	Engineered hardwood composite
Tilt	Front tilt rod or hidden rear tilt
Configurations	Hinged, bi-fold, bypass
Special shapes	Arch, angle and circle available
Mount	Inside opening with frame
Warranty	Limited lifetime

Specifier notes

Louvre sizes. 2 1/2", 3 1/2" and 4 1/2" louvres. The wider the louvre, the more view you get when open and the fewer lines across the window.

Frame styles. L-frame for a flush, trim-free opening; deco frame for a fuller, more traditional surround. Both have dedicated installation videos.

Tilt options. A front tilt rod for a classic look, or a hidden rear tilt for a clean panel face.

Configurations. Single panel, bi-fold, and bypass tracks for wide openings and patio doors.

Colourways (8)

Pure White · Alabaster · Ivory · Silk · Grey Wash · Cocoa Stain · Walnut Stain · Ebony Stain

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/shutters

LINE 06

Sheer Shades

Soft fabric vanes suspended between sheer facings. Tilt them open for a diffused view, close them for privacy, and raise the whole shade to clear the window.

Published specification

Vane size	2", 3"
Width range	24" to 96"
Height range	24" to 108"
Opacity	Light filtering, room darkening vanes
Lift options	Cordless, TruQuiet™ motorized
Facings	Knit sheer, front and back
Headrail	ClearFit™ 2 1/2" fabric-wrapped
Mount	Inside or outside · 2 1/2" minimum depth
UV block	Up to 88% with vanes open
Warranty	Limited lifetime

Specifier notes

Vane sizes. 2" and 3" vanes. The 3" vane gives a bolder shadow line and a slightly clearer view when open.

UV protection. The sheer facings block a large share of UV even when the vanes are open, which protects flooring and art on a bright wall.

Room darkening vanes. An opaque vane option takes the shade from diffused to genuinely dark when fully closed.

Cordless standard. Cordless lift and tilt, so there is no cord loop next to a sofa or a child's bed.

Colourways (8)

Snow · Pearl · Almond · Taupe · Stone · Storm · Indigo · Truffle

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/sheer-shades

LINE 07

DualDrape™

Vertical fabric vanes between sheer panels, sized for patio doors and wide walls of glass. Rotate for light, draw to one side to walk through.

Published specification

Vane width	3 1/2"
Width range	36" to 192"
Height range	36" to 120"
Stack	Left, right, split centre
Control	Cordless wand rotate and traverse
Vanes	Removable and washable
Headrail	Low-profile 2 3/4" track
Mount	Ceiling or wall mount
Opacity	Light filtering, room darkening
Warranty	Limited lifetime

Specifier notes

Rotate, then traverse. Two independent movements from one wand: tilt the vanes for light, then pull the panel aside to open the door.

Patio door scale. Built to 192" wide in a single track, so a whole wall of glass reads as one continuous treatment.

Removable, washable vanes. Vanes unclip individually. Wash the one the dog leaned on instead of replacing the whole treatment.

Split stack. Stack left, right or split to the centre depending on which way your door slides.

Colourways (8)

White Sheer · Bone · Latte · Driftwood · Mist · Charcoal Sheer · Ink · Coastal Blue

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/dualdrape

LINE 08

Vertical Blinds

Wide vinyl or fabric louvres that rotate for light and slide aside for access. Hard wearing, easy to clean and the least expensive way to cover a big opening.

Published specification

Louvre width	3 1/2"
Width range	24" to 144"
Height range	36" to 108"
Material	Vinyl, fabric, S-curve vinyl
Control	Cordless wand rotate and draw
Stack	Left, right, split centre
Headrail	Low-profile 2 3/4"
Mount	Ceiling or wall mount
Valance	Optional matching valance
Warranty	Limited lifetime

Specifier notes

Vinyl or fabric louvres. Vinyl is the workhorse: wipeable and dimensionally stable in sun. Fabric louvres soften the room and diffuse light more evenly.

Replaceable louvres. Louvres clip on individually, so a damaged one is a two-minute fix rather than a new blind.

Cordless wand control. A rigid wand rotates the louvres and draws the stack. No chain loop at child height.

Wide spans. One headrail up to 144" wide, with left, right or centre split stacking.

Colourways (8)

White · Alabaster · Latte · Almond · Grey · Slate · Charcoal · Espresso

Chips, available opacity and reference are in the fabric and openness schedule. Specify from a physical swatch, never from a screen.
venetawindowfashions.com/vertical-blinds

SECTION 09

Size ranges at a glance

Widths and heights are the manufactured range for each line. Anything outside the range is not built, rather than built and de-rated.

LINE	WIDTH	HEIGHT	MOUNT
Cellular Shades	18" to 96"	24" to 108"	Inside or outside · 3/4" minimum depth
Roller & Solar Shades	20" to 108"	24" to 120"	
Roman Shades	20" to 96"	24" to 108"	Inside or outside · 2 1/2" minimum depth
Faux Wood Blinds	18" to 96"	24" to 96"	Inside or outside · 2" minimum depth
Shutters	Up to 144" with multiple panels		Inside opening with frame
Sheer Shades	24" to 96"	24" to 108"	Inside or outside · 2 1/2" minimum depth
DualDrape™	36" to 192"	36" to 120"	Ceiling or wall mount
Vertical Blinds	24" to 144"	36" to 108"	Ceiling or wall mount

Width increments are 1/8" where published. Shutters are quoted by opening and panel count rather than a single width range.

SECTION 10

Minimum inside-mount depth

DEPTH	APPLIES TO
3/4"	Cellular
2"	Roller, solar & faux wood
2 1/2"	Roman & sheer
Framed	Shutters
Outside mount	Under 3/4"

MEASURING BASIS

Depth is measured from the face of the glass stop to the front of the opening. Where the available depth is under the figure above, specify an outside mount; the product is not modified to fit a shallow opening.

SECTION 11

Cordless lift status

Cordless lift is the standard configuration on every line. The table lists the operating options published for each.

LINE	PUBLISHED OPERATION
Cellular Shades	Cordless, top-down/bottom-up, TruQuiet™ motorized
Roller & Solar Shades	Cordless, continuous loop, TruQuiet™ motorized
Roman Shades	Cordless, TruQuiet™ motorized
Faux Wood Blinds	Cordless, standard cord lock, TruQuiet™ motorized
Shutters	Front tilt rod or hidden rear tilt
Sheer Shades	Cordless, TruQuiet™ motorized
DualDrape™	Cordless wand rotate and traverse
Vertical Blinds	Cordless wand rotate and draw

WHAT IS NOT PUBLISHED

Veneta does not publish an energy-savings percentage, an R-value or an acoustic rating for any line, because the honest figure depends on the glazing, orientation and climate of the specific opening. Where a project needs a tested number, it has to come from a test on the assembly as built.

SECTION 12

Warranty summary

Defects in materials and workmanship, for the life of the product, for the original purchaser at the original installation address.

Covered

- Operating systems: cordless lift mechanisms, tilt mechanisms, wands and traverse tracks.
- Components: brackets, headrails, bottom bars, valance clips, vane and louvre carriers.
- Fabric and finish faults present at manufacture, including delamination and misaligned printing.
- Motorization components for five years from purchase, including motors, battery packs and hubs.

Not covered

- Measuring errors. If the product was made to the size you supplied, it is not a defect.
- Normal wear, fading and discolouration from sun exposure over time.
- Damage from misuse, accident, pets, cleaning with unapproved products, or steam.
- Products modified, cut down or re-drilled after delivery.
- Labour to remove or reinstall, and shipping costs on non-defect returns.
- Products bought second hand or moved to a different address by a new owner.

Full terms in the warranty document, or at venetawindowfashions.com/warranty. Claims: 1-855-558-1222.