

```
# -----
# WEBSITE BUILDER SCRIPT TEMPLATE (Windows PowerShell)
# Creates your full 5-page site with folders & zip
# -----

$root = "$env:USERPROFILE\Desktop\my-website"
$css = "$root\css"
$js = "$root\js"

# Create folders
New-Item -ItemType Directory -Force -Path $root, $css, $js | Out-Null

# ---- index.html ----
@"
<!DOCTYPE html>
<html lang='en'>
<head>
<meta charset='UTF-8'>
<meta name='viewport' content='width=device-width, initial-scale=1.0'>
<title>Home - My Shop</title>
<link rel='stylesheet' href='css/style.css'>
</head>
<body>
<nav>
  <div>My Shop</div>
  <div>
    <a href='index.html'>Home</a>
    <a href='shop.html'>Shop</a>
    <a href='cart.html'>Cart (<span id='cart-count'>0</span>)</a>
    <a href='prices.html'>Prices</a>
  </div>
</nav>
<header>
  <h1>Welcome to My Shop</h1>
  <p>Discover 100 amazing products with a royal blue & purple twist!</p>
</header>
<div class='container'>
  <h2>Featured Products</h2>
  <div class='products'></div>
</div>
<script src='js/main.js'></script>
</body>
</html>
"@ | Out-File "$root\index.html" -Encoding UTF8
```

```
# ---- shop.html ----
@"
<!DOCTYPE html>
<html lang='en'>
<head>
<meta charset='UTF-8'>
<meta name='viewport' content='width=device-width, initial-scale=1.0'>
<title>Shop - My Shop</title>
<link rel='stylesheet' href='css/style.css'>
</head>
<body>
<nav>
  <div>My Shop</div>
  <div>
    <a href='index.html'>Home</a>
    <a href='shop.html'>Shop</a>
    <a href='cart.html'>Cart (<span id='cart-count'>0</span>)</a>
    <a href='prices.html'>Prices</a>
  </div>
</nav>
<div class='container'>
  <h2>Shop</h2>
  <div class='products'></div>
</div>
<script src='js/main.js'></script>
</body>
</html>
"@ | Out-File "$root\shop.html" -Encoding UTF8
```

```
# ---- cart.html ----
@"
<!DOCTYPE html>
<html lang='en'>
<head>
<meta charset='UTF-8'>
<meta name='viewport' content='width=device-width, initial-scale=1.0'>
<title>Cart - My Shop</title>
<link rel='stylesheet' href='css/style.css'>
</head>
<body>
<nav>
  <div>My Shop</div>
  <div>
```

```

    <a href='index.html'>Home</a>
    <a href='shop.html'>Shop</a>
    <a href='cart.html'>Cart (<span id='cart-count'>0</span>)</a>
    <a href='prices.html'>Prices</a>
</div>
</nav>
<div class='container cart-page'>
  <h2>Your Cart</h2>
  <div class='cart-layout'>
    <div class='cart-items-section'>
      <div id='cart-items'></div>
    </div>
    <div class='checkout-summary'>
      <h3>Checkout Summary</h3>
      <div id='summary-details'>
        <p>Subtotal: <span id='subtotal'>$0</span></p>
        <p>Tax (5%): <span id='tax'>$0</span></p>
        <hr>
        <p class='total'>Total: <span id='total'>$0</span></p>
      </div>
      <button id='checkout-btn'>Proceed to Checkout</button>
    </div>
  </div>
</div>
<script src='js/main.js'></script>
<script>showCart(true);</script>
</body>
</html>

```

"@ | Out-File "\$root\cart.html" -Encoding UTF8

---- prices.html ----

```

@"
<!DOCTYPE html>
<html lang='en'>
<head>
  <meta charset='UTF-8'>
  <meta name='viewport' content='width=device-width, initial-scale=1.0'>
  <title>Prices - My Shop</title>
  <link rel='stylesheet' href='css/style.css'>
</head>
<body>
<nav>
  <div>My Shop</div>
  <div>

```

```

    <a href='index.html'>Home</a>
    <a href='shop.html'>Shop</a>
    <a href='cart.html'>Cart (<span id='cart-count'>0</span>)</a>
    <a href='prices.html'>Prices</a>
</div>
</nav>
<div class='container'>
  <h2>Product Prices</h2>
  <ul></ul>
</div>
<script src='js/main.js'></script>
<script>
  const priceList = document.querySelector('ul');
  products.forEach(p => {
    const li = document.createElement('li');
    li.textContent = `${p.name} - ${p.price}`;
    priceList.appendChild(li);
  });
</script>
</body>
</html>

```

"@ | Out-File "\$root\prices.html" -Encoding UTF8

```

# ---- checkout.html ----
@"
<!DOCTYPE html>
<html lang='en'>
<head>
<meta charset='UTF-8'>
<meta name='viewport' content='width=device-width, initial-scale=1.0'>
<title>Checkout Complete - My Shop</title>
<link rel='stylesheet' href='css/style.css'>
</head>
<body>
<nav>
  <div>My Shop</div>
  <div>
    <a href='index.html'>Home</a>
    <a href='shop.html'>Shop</a>
    <a href='cart.html'>Cart (<span id='cart-count'>0</span>)</a>
    <a href='prices.html'>Prices</a>
  </div>
</nav>
<div class='container checkout-container'>

```

```

<div class='checkout-box'>
  <div class='checkmark'>✓ </div>
  <h2>Thank you for your purchase!</h2>
  <p>Your order has been placed successfully. Below is your summary:</p>
  <div class='summary-box'>
    <p>Items Purchased: <span id='item-count'>0</span></p>
    <p>Total Paid: <span id='final-total'>$0</span></p>
    <p>Estimated Delivery: <strong>3-5 business days</strong></p>
  </div>
  <button onclick="window.location.href='shop.html'">Continue Shopping</button>
</div>
</div>
<script src='js/main.js'></script>
</body>
</html>

```

"@ | Out-File "\$root\checkout.html" -Encoding UTF8

---- css/style.css ----

@"

===== PASTE CSS BELOW THIS LINE =====

[PASTE your entire royal-blue + purple CSS code here, exactly as I gave it earlier]

===== END OF CSS BLOCK =====

"@ | Out-File "\$css\style.css" -Encoding UTF8

---- js/main.js ----

@"

===== PASTE JS BELOW THIS LINE =====

[PASTE your entire 100-product JavaScript code here, exactly as I gave it earlier]

===== END OF JS BLOCK =====

"@ | Out-File "\$js\main.js" -Encoding UTF8

Compress-Archive -Path "\$root*" -DestinationPath

"\$env:USERPROFILE\Desktop\my-website.zip" -Force

Write-Host "`n Done! Check your Desktop for 'my-website.zip'." -ForegroundColor Green