

Key Abbreviations:

RDU	Recreational Drug Use
MH	Mental Health

Mood Disorders:

SUD	Substance Use Disorder
PTSD	Post-Traumatic Stress Disorder
OCD	Obsessive Compulsive Disorder
BP	Bipolar Disorder

MH-RDU Relationship Categories:

P1	RDU was followed by better MH
N1	RDU was followed by worse MH
P2	Worse MH was followed by decreased RDU
N2	Worse MH was followed by increased RDU

Study Cohorts:

GSM	Great Smoky Mountains
NESARC	National Epidemiologic Survey on Alcohol and Related Condition
ADD Health	National Longitudinal Survey of Adolescent Health
C-SURF	Cohort Study on Substance Use
NSDUH	National Surveys on Drug Use and Health
NIAAA	National Institute on Alcohol Abuse and Alcoholism
VAPES	Vape shop Advertising, Place characteristics, and Effects Surveillance Study
CHDS	Christchurch Health and Development Study
MUSP	Mater University study of pregnancy and its outcomes
ALSWH	Australian Longitudinal Study on Women's Health Survey
EPSPD	Early Developmental Stages of Psychopathology
RELACHS	Research with East London Adolescents: Community Health Survey

Drug Use Report Assessments:

ASSIST	Alcohol, Smoking and Substance Involvement Screening Test
DUSI-R	Drug Use Screening Inventory-Revised
YASR	Young Adult Self-Report questionnaire (Achenbach 1997)
CAPA	Child and Adolescent Psychiatric Assessment
PES-Q	Personal Experiences Screen (Winters, 1992)

Mental Health/Other Assessments:

AUDADIS-IV	Alcohol Use Disorders and Associated Disabilities Interview Schedule
BDI	Beck's Depression Inventory
BECED	Best Estimate Clinical Evaluation and Diagnosis (BECED) process modified to make psychiatric diagnoses according to DSM-IV
BPHQ	Brief Patient Health Questionnaire (BPHQ) (Spitzer et al. 1999)
CAPA	Child and Adolescent Psychiatric Assessment
CES-D	Center for Epidemiologic Studies Depression Scale (CES-D)
CIDI	Composite International Diagnostic Interview (CIDI) (WHO, 1993)
CIS-R	Clinical Interview Schedule (CIS-R)
DASS-21	Depression, Anxiety and Stress Scale (Lovibond and Lovibond, 1995)
DSM	Diagnostic and Statistical Manual of Mental Disorders
GAD	General Anxiety Disorder Questionnaire
GHQ-12	General Health Questionnaire-12
ICD-10	International Classification of Diseases (10th Revision)
MEQ30	Mystical Experience Questionnaire
MFQ	Mood and Feelings Questionnaire (MFQ) for depression (Angold & Costello, 1987)
MINI	Mini International Neuropsychiatric Interview 5.0
MPNI	Multidimensional Peer Nomination Inventory (MPNI)
NIAAA	Alcohol Use Disorder and Associated Disabilities Interview Schedule DSM-IV edition
PANAS	Positive and Negative Affect Scale (Watson et al., 1988)
QIDS-SR16	16-item Quick Inventory of Depressive Symptomatology (QIDS-SR16)
SBQ	Social Behavior Questionnaire
SCID	Structured Clinical Interview for DSM-IV
SCL-90-R	Symptom Checklist-90-Revised (SCL-90-R) for anxiety, depression and psychological distress
SF-12	Medical Outcomes Study 12-Item Short Form Survey 20 Instrument
SMFQ	Short Moods and Feelings Questionnaire (SMFQ)
SQD	SQD - Strength and Difficulties Questionnaire
STAI-T / STAI-6	Spielberger State-Trait Anxiety Inventory
YSR	Youth Self Report (YSR) externalizing scale for conduct problems (T. M. Achenbach, 2001)

Miscellaneous:

USA	United States of America
-----	--------------------------

MDMA	3,4-methylenedioxymethamphetamine
UK	United Kingdom
ECT	Electroconvulsive Therapy