SAFETY DATA SHEET

1. Identification

Product identifier: VISIOMER® MADAME (TM)

Chemical name: 2-Dimethylaminoethyl methacrylate

Other means of identification

Recommended use:	Monomer Chemical Intermediate Additive Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses
Recommended restrictions:	None known.

Manufacturer/Importer/Distributor Information

Company Name	:	Evonik Australia Pty Ltd Suites 33&37 1 Ricketts Road Mt Waverley, VIC 3149 Australia
Telephone	:	+61 3 8581 8400
Fax	:	+61 3 9544 5002
E-mail	:	product-safety-oil-additives@evonik.com

Emergency telephone number:

24-Hour Health Emergency	:	+61 2 9037 2994
		+1 703 527 3887 (CHEMTREC WORLD)

2. Hazard(s) identification

Classification according to GHS

Physical Hazards

Flammable liquids	Category 4

Health Hazards

Acute toxicity (Oral)	Category 5
Skin Corrosion/Irritation	Category 1B
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitizer	Category 1B

Environmental Hazards

Acute hazards to the aquatic environment	Category 3

Label Elements

Hazard Symbol:

Signal Word: Danger

Hazard Statement:
Combustible liquid.
May be harmful if swallowed.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Harmful to aquatic life.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards: Polymerization with heat evolution may occur in the presence of radical forming substances(e.g. peroxides), reducing substances, and/or heavy metal ions.

3. Composition/information on ingredients

Chemical name:
2-Dimethylaminoethyl methacrylate

Substances

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
2-dimethylaminoethyl methacrylate	No data available.	2867-47-2	99.92%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition information of impurities and stabilizers

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
2-dimethylaminoethanol	No data available.	108-01-0	0 - <1%
Methyl methacrylate	No data available.	80-62-6	0 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first-aid measures

General information: First aider needs to protect himself. Immediately remove contaminated clothing. Medical treatment is necessary if symptoms occur which are obviously caused by skin or eye contact with the product or by inhalation of its vapours.

Inhalation: Move subject to fresh air and keep him calm. In case of discomfort: Supply with medical care.

Skin Contact: In case of contact with skin wash off immediately with soap and water Get immediate medical advice/attention. Take off contaminated clothing and wash it before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact: In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. Call ambulance. (Cue: caustic burn of the eyes) . Continue rinsing eye until arrival at ophthalmic hospital. Immediate further treatment in ophthalmic hospital/ ophthalmologist.

Ingestion: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get immediate medical advice/attention. Never give liquid to an unconscious person.

Personal Protection for First-aid Responders: No data available.

Most important symptoms/effects, acute and delayed

Symptoms: Acute dermal irritation/corrosion Acute eye irritation/corrosion Sensitization

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray. Dry chemical. Carbon Dioxide. Alcohol resistant foam.

Unsuitable extinguishing media: High volume water jet.

Specific hazards arising from the chemical: May be released in case of fire: carbon monoxide, carbon dioxide, organic products of decomposition. Product is: corrosive

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Keep away from sources of ignition - No smoking. Take action to prevent static discharges. In the event of fire, cool the endangered containers with water. Vapors are heavier than air and may spread along floors. When heated above the flash point and/or during spraying (atomizing), ignitible mixtures may form in air. Use only explosion-proof equipment.

Special protective equipment for fire-fighters: Use breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Assure sufficient ventilation. Use personal protective clothing. Keep away sources of ignition. Use breathing apparatus if exposed to vapours/dust/aerosol. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Accidental release measures: Avoid release to the environment.

Methods and material for containment and cleaning up: Larger quantities: Remove mechanically (by pumping). Use explosion-proof equipment! Smaller quantities and/or residues: Contain with absorbent material (e.g. sand, diatomaceous earth, acid absorbent, universal absorbent or sawdust). To be disposed of in compliance with existing regulations.

Environmental Precautions: Do not discharge into the drains/surface waters/groundwater.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): For monitoring procedures refer for instance to "Empfohlene Analysenverfahren für Arbeitsplatzmessungen", Schriftenreihe der Bundesanstalt für Arbeitsschutz and "NIOSH Manual of Analytical Methods", National Institute for Occupational Safety and Health

Safe handling advice: Avoid contact with eyes, skin, and clothing. Do not eat, drink or smoke during use.Keep away from sources of ignition - No smoking. Take action to prevent static discharges.Keep container tightly closed. Provide good room ventilation even at ground level (vapours are heavier than air).

Contact avoidance measures: No data available.

Storage

Safe storage conditions: Keep only in the original container at a temperature not exceeding 30 °C. Fill the container by approximately 90 % only as oxygen (air) is required for stabilisation. With large storage containers make sure the oxygen (air) supply is sufficient to ensure stability. Keep far from flame and heat source, prevent contact with direct sunlight Can polymerize with intense heat release.

Safe packaging materials: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Observe national threshold limit values.

Biological Limit Values

No biological exposure limits noted for the ingredient(s).

Appropriate Engineering Controls: For monitoring procedures refer for instance to "Empfohlene Analysenverfahren für Arbeitsplatzmessungen", Schriftenreihe der Bundesanstalt für Arbeitsschutz and "NIOSH Manual of Analytical Methods", National Institute for Occupational Safety and Health

Individual protection measures, such as personal protective equipment

General information: No data available.

Eye/face protection: Tightly fitting safety goggles

Skin Protection

Hand Protection: Material: butyl rubber gloves (minimal thickness 0.3 mm)
Break-through time: 240 min
Guideline: EN 374
Additional Information: Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time., The above mentioned hand protection is based on special knowledge of the chemical and the intended handling of this product, however, it still may not be suited for all workplaces. A qualified hazard assessment should be made prior to the onset of work in order to determine the suitability of gloves for specific working environments and processes., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Other: Wear appropriate clothing to prevent repeated or prolonged skin contact. On handling of larger quantities: face mask, chemical-resistant boots and apron

Respiratory Protection: Breathing apparatus in case of high concentrations

Hygiene measures: Store work clothing separately. Immediately remove contaminated clothing. Follow the usual good standards of occupational hygiene. Clean skin thoroughly after work; apply skin cream.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state: liquid

Form: liquid

Color: colorless to yellowish

Odor: amine-like

Odor Threshold: No data available.

Freezing point: -22 °F/-30 °C

Boiling Point: 360 - 378 °F/182 - 192 °C (1,013 hPa)

Flammability: Not applicable

Upper/lower limit on flammability or explosive limits

Explosive limit - upper: No data available.

Explosive limit - lower: No data available.

Flash Point: 156 °F/69 °C (Closed Cup)

Self Ignition Temperature: 392 °F/200 °C (1,005 hPa)

Decomposition Temperature: No decomposition if used as directed.

pH: No data available.

Viscosity

Dynamic viscosity: No data available.

Kinematic viscosity: 1.47 mm2/s (68 °F/20 °C, DIN 51562)

Flow Time: No data available.

Solubility(ies)

Solubility in Water:	miscible
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	1.13 (measured, OECD 107)
Vapor pressure:	0.58 hPa (68 °F/20 °C)
Relative density:	No data available.
Density:	0.97 g/cm3 (68 °F/20 °C)
Bulk density:	Not applicable
Relative vapor density:	5.4 68 °F/20 °C

Particle characteristics

Particle Size Distribution:	No data available
Specific surface area:	Not applicable
Surface charge/Zeta potential:	Not applicable
Assessment:	No data available
Shape:	No data available
Crystallinity:	No data available
Surface treatment:	No data available

Other information

Environmental impact information	No data available.
Molecular weight:	157.2 g/mol

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	No decomposition if used as directed.
Possibility of hazardous reactions:	Polymerization with heat evolution may occur in the presence of radical forming substances(e.g. peroxides), reducing substances, and/or heavy metal ions.
Conditions to avoid:	Protect against exposure to light, heat, sources of ignition. The product is normally supplied in a stabilized form. If the permissible storage period and/or storage temperature is exceeded, the product may polymerize with heat evolution.
Incompatible Materials:	Peroxides, amines, sulfur compounds, heavy metal ions, alkalis, reducing agents and oxidizing agents. Mineral Acid Free radical initiators
Hazardous Decomposition Products:	No decomposition if stored and applied as directed.

11. Toxicological information

General information:	The substance is rapidly metabolized

Information on likely routes of exposure

Inhalation:	If handled correctly, not a relevant route of exposure. Information on effects are given below.
Skin Contact:	Relevant route of exposure. Information on effects are given below.
Eye contact:	Relevant route of exposure. Information on effects are given below.
Ingestion:	If handled correctly, not a relevant route of exposure. Information on effects are given below.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No specific symptoms noted.
Skin Contact:	Causes severe skin burns. Prolonged or repeated skin contact may cause drying, cracking, or irritation. Prolonged or repeated contact may cause skin sensitization in susceptible individuals.
Eye contact:	Causes serious eye damage. Eye may become red, tear, and become painful.
Ingestion:	However, ingestion may cause nausea, headache, dizziness and intoxication. Ingestion may cause severe irritation of the mouth, the esophagus and the gastrointestinal tract.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral	
Product:	LD 50 (Rat): > 2,000 mg/kg (OECD 401)
Components:	
2-dimethylaminoethyl methacrylate	LD 50 (Rat): > 2,000 mg/kg
2-dimethylaminoethanol	LD 50 (Rat): 1,182 mg/kg LD 50 (Rat): 1,203 mg/kg LD 50 (Rat): 1,220 mg/kg
Methyl methacrylate	LD 50 (Rat): > 5,000 mg/kg
Dermal	
Product:	LD 50 (Rat): > 2,000 mg/kg (OECD 402) Not toxic after single exposure; No deaths observed.
Components:	
2-dimethylaminoethyl methacrylate	Not toxic after single exposure
2-dimethylaminoethanol	LD 50 (Rabbit): 1,220 mg/kg
Methyl methacrylate	LD 50 (Rabbit): > 5,000 mg/kg
Inhalation	
Product:	Not classified for acute toxicity based on available data.
Components:	

2-dimethylaminoethyl methacrylate	No data due to skin-corrosive action, Vapour No data due to skin-corrosive action, Dusts, mists and fumes
2-dimethylaminoethanol	LC 50 (Rat): 6.1 mg/l Vapour Not applicable, Dusts, mists and fumes
Methyl methacrylate	LC 50 (Rat): 29.8 mg/l Vapour Dusts, mists and fumes, No data available.

Repeated dose toxicity

Product:	NOAEL (Rat, Inhalation, 21 day): 0.64 mg/l NOAEL (Rat, Oral, 90 day): 500 mg/kg
Components:	
2-dimethylaminoethyl methacrylate	NOAEL (Rat, Inhalation, 21 day): 0.64 mg/l NOAEL (Rat, Oral, 90 day): 500 mg/kg
2-dimethylaminoethanol	No data available.
Methyl methacrylate	NOAEL (Rat, Inhalation(Vapour)): 25 ppm NOAEL (Rat, Oral): 2000 ppm

Skin Corrosion/Irritation	Corrosive.
Product:	Fed. Reg. 29-FR 13009, 1964 (Rabbit, > 3.01 min - < 1 h): Causes severe burns.;
Components:	
2-dimethylaminoethyl methacrylate	Fed. Reg. 29-FR 13009, 1964 (Rabbit): Corrosive. , > 3.01 min - < 1 h
2-dimethylaminoethanol	OECD 404 (Rabbit): Corrosive. , > 3.01 min - < 1 h
Methyl methacrylate	(Rabbit): Irritating.

Serious Eye Damage/Eye Irritation	Corrosive.
Product:	Rabbit, 2 h: Causes serious eye damage.
Components:	
2-dimethylaminoethyl methacrylate	Risk of serious damage to eyes. Fed. Reg. 29-FR 13009, 1964 Rabbit, 2 h:
2-dimethylaminoethanol	Risk of serious damage to eyes. OECD 405 Rabbit:
Methyl methacrylate	Not irritating Draize Rabbit:

Respiratory or Skin Sensitization	May cause an allergic skin reaction.
Product:	, OECD 406 (Guinea Pig)Skin sensitizer Category 1B
Components:	
2-dimethylaminoethyl methacrylate	Maximization Test, OECD 406 (Guinea Pig): Skin sensitizer
2-dimethylaminoethanol	Local Lymph Node Assay (LLNA), OECD 429 (Mouse): Not a skin sensitizer. Buehler Test, US-EPA-method (Guinea Pig): Not a skin sensitizer.
Methyl methacrylate	Local Lymph Node Assay (LLNA), OECD 429 (Mouse): Skin sensitizer

Carcinogenicity

Product:	Not classified no specific test data available No indications of critical properties in analogy to similar products or on the basis of structure-activity relationships.
Components:	

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	Not classified

Germ Cell Mutagenicity

In vitro

Product: Not classified based on available information.;

Components:

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

In vivo

Product: no evidence of mutagenic effects

Components:

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

Reproductive toxicity

Product: Not classified

Components:

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	Not classified

Specific Target Organ Toxicity - Single Exposure

Product: Not classified no evidence for hazardous properties

Components:

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	Inhalation - vapor: Respiratory system - Category 3 with respiratory tract irritation.
Methyl methacrylate	Inhalation - vapor: Respiratory system - Category 3 with respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure

Product: Not classified no evidence for hazardous properties

Components:

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	Not classified

Aspiration Hazard

Product: Not classified

Components:

2-dimethylaminoethyl methacrylate	Not classified
2-dimethylaminoethanol	Not classified

Methyl methacrylate	Not classified

Information on health hazards

Other hazards

Product:	Avoid contact with the skin and eyes and inhalation of the product vapours.;

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:	LC 50 (Oryzias latipes, 96 h): 19.1 mg/l LC 0 (Oryzias latipes, 14 d): 1.36 mg/l
Components:	
2-dimethylaminoethyl methacrylate	LC 50 (Oryzias latipes (Orange-red killifish), 96 h): 19.1 mg/l
2-dimethylaminoethanol	LC 50 (Leuciscus idus, 96 h): 146.6 mg/l The details of the toxic effect relate to the nominal concentration. The product causes changes in the pH value in the test system. The result relates to the unneutralized sample. After neutralization a reduction in harmful effect can be observed. NOEC (Leuciscus idus, 96 h): 100 mg/l The details of the toxic effect relate to the nominal concentration. The product causes changes in the pH value in the test system. The result relates to the unneutralized sample. After neutralization a reduction in harmful effect can be observed.
Methyl methacrylate	LC 50 (Oncorhynchus mykiss, 96 h): > 79 mg/l

Aquatic Invertebrates

Product:	EC 50 (Daphnia magna, 48 h): 33 mg/l
Components:	
2-dimethylaminoethyl methacrylate	EC 50 (Daphnia magna, 48 h): 33 mg/l
2-dimethylaminoethanol	EC 50 (Daphnia magna, 48 h): 98.4 mg/l The product causes changes in the pH value in the test system. The result relates to the unneutralized sample. The details of the toxic effect relate to the nominal concentration.
Methyl methacrylate	EC 50 (Daphnia magna, 48 h): 69 mg/l

Toxicity to Aquatic Plants

Product:	EC 50 (Selenastrum capricornutum (green algae), 72 h): 69.7 mg/l (OECD 201)
Components:	
2-dimethylaminoethyl methacrylate	EC 50 (Selenastrum capricornutum (green algae), 72 h): 69.7 mg/l (OECD 201)
2-dimethylaminoethanol	EC 50 (Desmodesmus subspicatus (green algae), 72 h): 66.1 mg/l (DIN 38412, T.9)
Methyl methacrylate	EC 50 (Selenastrum capricornutum (green algae), 72 h): > 100 mg/l (OECD 201)

Toxicity to microorganisms

Product:	EC 10 (Pseudomonas putida, 16 h): 42.7 mg/l (Cell multiplication inhibition test) Own study

Components:

2-dimethylaminoethyl methacrylate	EC 10 (Pseudomonas putida, 16 h): 42.7 mg/l (Cell multiplication inhibition test) Own study
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

Chronic hazards to the aquatic environment:

Fish

Product:	LC 0 (Oryzias latipes (Orange-red killifish), 14 d): 1.36 mg/l
Components:	
2-dimethylaminoethyl methacrylate	LC 0 (Oryzias latipes (Orange-red killifish), 14 d): 1.36 mg/l
2-dimethylaminoethanol	No data available.
Methyl methacrylate	NOEC (Danio rerio, 35 d): 9.4 mg/l

Aquatic Invertebrates

Product:	NOEC (Daphnia magna, 21 d): 4.35 mg/l
Components:	
2-dimethylaminoethyl methacrylate	NOEC (Daphnia magna, 21 d): 4.35 mg/l
2-dimethylaminoethanol	No data available.
Methyl methacrylate	NOEC (Daphnia magna, 21 d): 37 mg/l

Toxicity to Aquatic Plants

Product:	NOEC (Selenastrum capricornutum (green algae), 72 h): 32 mg/l (OECD 201)
Components:	
2-dimethylaminoethyl methacrylate	NOEC (Selenastrum capricornutum (green algae), 72 h): 32 mg/l (OECD 201)
2-dimethylaminoethanol	No data available.
Methyl methacrylate	NOEC (Selenastrum capricornutum (green algae), 72 h): > 100 mg/l (OECD 201)

Toxicity to microorganisms

Product:	No data available.
Components:	
2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

Persistence and Degradability

Biodegradation

Product:	(28 d, OECD 301 E): 95.3 % Own study Readily biodegradable, according to appropriate OECD test.
Components:	
2-dimethylaminoethyl methacrylate	(28 d, OECD 301 E): 95.3 % Own study The product is easily biodegradable.
2-dimethylaminoethanol	aerobic (14 d, OECD 301 C): 61 % The product is easily biodegradable.
Methyl methacrylate	(14 d, OECD 301 C): 94 % The product is easily biodegradable.

BOD/COD Ratio

Product:	No data available.
Components:	

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: Accumulation in organisms is not expected due to the coefficient of distribution of n-octanol in water (log Pow).

Components:

2-dimethylaminoethyl methacrylate	Accumulation in organisms is not expected due to the coefficient of distribution of n-octanol in water (log Pow).
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: 1.13 25 °C (measured, OECD 107)

Components:

2-dimethylaminoethyl methacrylate	Log Kow: 1.13 25 °C (measured, OECD 107)
2-dimethylaminoethanol	Log Kow: 0.55
Methyl methacrylate	Log Kow: 1.38

Mobility in soil:

Product Very sparingly volatile from the aqueous phase. Binding to the solid soil phase, sediment or clarification sludge is not expected. The substance is distributed mainly into the water phase and the soil.

Components:

2-dimethylaminoethyl methacrylate	Very sparingly volatile from the aqueous phase. Binding to the solid soil phase, sediment or clarification sludge is not expected. The substance is distributed mainly into the water phase and the soil.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

Results of PBT and vPvB assessment:

Product Not a PBT, vPvB substance as per the criteria of the REACH Regulation.

Components:

2-dimethylaminoethyl methacrylate	No data available.
2-dimethylaminoethanol	No data available.
Methyl methacrylate	No data available.

Other adverse effects:

Other hazards

Product: Prevent substance from entering soil, natural bodies of water and sewer systems. Photochemical degradation (air) takes place.

13. Disposal considerations

General information: Dispose of waste and residues in accordance with local authority requirements.

Disposal methods: Waste is hazardous. It must be disposed of in accordance with the regulations after consultation of the competent local authorities and the disposal company in a suitable and licensed facility.

Contaminated Packaging: Contaminated packaging should ideally be emptied; it can then be recycled after having been decontaminated. Packaging that cannot be cleaned should be disposed of professionally. Uncontaminated packaging may be taken for recycling.

14. Transport information

Domestic regulation

ADG

UN number or ID number	:	UN 2522
Proper shipping name	:	2-DIMETHYLAMINOETHYL METHACRYLATE STABILIZED
Class	:	6.1
Packing group	:	II
Labels	:	6.1
Hazchem Code	:	•2W
Remarks	:	Keep separate from foodstuffs, luxury foods, feedstuffs

International Regulations

IATA-DGR

UN/ID No.	:	UN 2522
Proper shipping name	:	2-Dimethylaminoethyl methacrylate stabilized
Class	:	6.1
Packing group	:	II
Labels	:	6.1
Packing instruction (cargo aircraft)	:	662
Packing instruction (passenger aircraft)	:	654

IMDG-Code

UN number or ID number	:	UN 2522
Proper shipping name	:	2-DIMETHYLAMINOETHYL METHACRYLATE STABILIZED
Class	:	6.1
Packing group	:	II
Labels	:	6.1
EmS Code	:	F-A, S-A
Marine pollutant	:	no
Remarks	:	Clear of living quarters.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. Regulatory information

International regulations

Montreal protocol
Not applicable
Not applicable

Stockholm convention
Not applicable
Not applicable

Rotterdam convention
Not applicable
Not applicable

Kyoto protocol
Not applicable
Not applicable

Inventory Status:

Australia AICS:	On or in compliance with the inventory	
Canada DSL Inventory List:	On or in compliance with the inventory	
Japan (ENCS) List:	On or in compliance with the inventory	
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	
Philippines PICCS:	On or in compliance with the inventory	
US TSCA Inventory:	On or in compliance with the inventory	Commercial Status: Active
EINECS, ELINCS or NLP:	On or in compliance with the inventory	EU-REACH compliant for Evonik Operations GmbH and its affiliates as EU manufacturer/EU importer.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Pre-registration is requested for specific importer.

16.Other information, including date of preparation or last revision

Issue Date: 02.07.2021

Version #: 1.1

Further Information: The product is normally supplied in a stabilized form. If the permissible storage period and/or storage temperature is exceeded, the product may polymerize with heat evolution.

Revision Information: Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Disclaimer: This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.