Safety Data Sheet
Kolliwax® SA

1. Identification

Product identifier used on the label

Kolliwax® SA

Recommended use of the chemical and restriction on use

Recommended use*: pharmaceutical excipient
Unsuitable for use: Not intended for sale to or use by the general public.

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number
24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification
Synonyms: Stearyl Alcohol

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Combustible Dust	Combustible Dust (1)	Combustible Dust

Label elements

Signal Word:
Warning

Hazard Statement:
May form combustible dust concentration in air.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

4. First-Aid Measures

Description of first aid measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air.

If on skin:
Wash thoroughly with soap and water

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:
Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, vomiting, aspiration pneumonia, hypotension (low blood pressure), nausea, diarrhea

Indication of any immediate medical attention and special treatment needed

Note to physician
Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
carbon dioxide, foam, dry powder, water spray

Special hazards arising from the substance or mixture
Hazards during fire-fighting:
May form flammable dust-air mixture.

Advice for fire-fighters
Protective equipment for fire-fighting:
Wear a self-contained breathing apparatus.

Further information:
Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:
Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures
Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation.

Environmental precautions
Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up
Pick up spilled material and containerize for recovery or disposal. Vacuum area or flush with water to remove residues. Nonsparking tools should be used.

7. Handling and Storage

Precautions for safe handling
Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:
Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 660 (2025) Standard for Combustible Dust and Particulate Solids. NFPA 660 is a combination of Standards NFPA 61 (Agriculture and Food), NFPA 484 (Metals), NFPA 652 (Fundamentals of Combustible Dusts), NFPA 654 (Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids), NFPA 65 (Sulfur), and NFPA 664 (Woodworking/Processing). Consult NFPA 660 standard for relevant commodity-specific and general safety information.

Dust explosion class: Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1).

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Protect containers from physical damage.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:
Ensure adequate ventilation. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection:
Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:
Wear chemical resistant protective gloves.

Eye protection:
Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

Body protection:
Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:
Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Physical state:	solid	
Form:	beads	
Odour:	almost odourless	
Odour threshold:	not applicable, odour not perceivable	
Colour:	white	
pH value:	5.5 (25 °C)	(other)
Melting point:	57 °C (1,013 hPa)	(ASTM D97)

Freezing point:	No data available.	
Boiling point:	335 °C (1,013 hPa)	(ASTM D1120)
Flash point:	not applicable, the product is a solid	
Flammability:	The product is not combustible.	
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Autoignition:	269 °C	(other)
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Vapour pressure:	0.001 hPa (38 °C)	(measured)
Density:	0.91 g/cm3	(EN ISO 1183-1)
Relative density:	0.91 (20 °C, 1,013 hPa)	(other)
Bulk density:	480 - 510 kg/m3 (20 °C)	
Relative vapour density:	The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	7.4	(other)
Self-ignition temperature:	not self-igniting The value has not be determined because of the low risk of self-ignition in consequence of the low melting point.	
Thermal decomposition:	approx. 255 °C (DSC (DIN 51007)) It is not a self-decompositionable substance.	
Viscosity, dynamic:	No data available.	
Viscosity, kinematic:	4.006 mm2/s (100 °C)	(ASTM D445)
Solubility in water:	0.0011 mg/l (25 °C)	
Solubility (qualitative):	soluble solvent(s): Ethanol, dichloromethane, trichloromethane	
Molecular weight:	270.50 g/mol	
Evaporation rate:	The product is a non-volatile solid.	

Particle characteristics

Particle size distribution:	typically > 100 µm	(D50, Volumetric Distribution, ISO 13320-1)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
Corrosive effects to metal are not anticipated.

Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Dust explosivity characteristics:
Kst: 210 m.bar/s

Dust explosion class:
Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1) (St 2)

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
Reacts with oxidizing agents. Reacts with bases. Reacts with strong acids.

Conditions to avoid
Avoid dust formation. Avoid electro-static charge. See SDS section 7 - Handling and storage.

Incompatible materials
strong oxidizing agents, strong acids

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
approx. 255 °C (DSC (DIN 51007))
It is not a self-decompositionable substance.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Oral
Type of value: LD50
Species: rat (male/female)
Value: > 2,000 mg/kg (OECD Guideline 401)
Limit concentration test only (LIMIT test).

Inhalation
Study does not need to be conducted.

Dermal
Type of value: LD50

Species: rabbit (male/female)
Value: 8,000 mg/kg
Analogous: Assessment derived from products with similar chemical character.
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects
Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion
Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Skin
Species: rabbit
Result: non-irritant
Method: OECD Guideline 404
Data refer to a diluted aqueous solution of the substance.

Eye
Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization
Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Guinea pig maximization test
Species: guinea pig
Result: Non-sensitizing.
Method: OECD Guideline 406

Aspiration Hazard
No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Genetic toxicity
Assessment of mutagenicity: The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in bacteria. The substance was not mutagenic in a test with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity
Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity
Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity
Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The results were determined in a Screening test (OECD 421/422).

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
No toxic effects occur within the range of solubility.
The LC50 is higher than the solubility limit.

Toxicity to fish
(96 h) > 10,000 mg/l, Brachydanio rerio (DIN EN ISO 7346-2, static)
No toxic effects occur within the range of solubility.

No observed effect concentration (96 h) > 0.4 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EWG, C.1, semistatic)
No toxic effects occur within the range of solubility.

LC50 (96 h) > 0.4 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EWG, C.1, semistatic)
No toxic effects occur within the range of solubility.

Aquatic invertebrates
EC50 (48 h) 1,700 mg/l, Daphnia magna (DIN 38412 Part 11)
No toxic effects occur within the range of solubility.

Aquatic plants
EC50 (96 h) 235 mg/l (biomass), Scenedesmus subspicatus (DIN 38412 Part 9)
No toxic effects occur within the range of solubility.

EL50 (96 h) 250 mg/l (biomass), Desmodesmus subspicatus (DIN 38412 Part 9, static)
No toxic effects occur within the range of solubility.

EL50 (96 h) > 10 mg/l (growth rate), Desmodesmus subspicatus (DIN 38412 Part 9, static)
No toxic effects occur within the range of solubility.

NOEL (96 h) > 10 mg/l (growth rate), Desmodesmus subspicatus (DIN 38412 Part 9, static)
No toxic effects occur within the range of solubility.

EL10 (96 h) > 10 mg/l (growth rate), Pseudokirchneriella subcapitata (DIN 38412 Part 9, static)
No toxic effects occur within the range of solubility.

Chronic toxicity to fish
Study scientifically not justified.

Chronic toxicity to aquatic invertebrates
No observed effect concentration (21 d) 0.0206 mg/l 20,6 µg/l, Daphnia magna (Flow through.)
No toxic effects occur within the range of solubility.
Analogous: Assessment derived from products with similar chemical character.

No observed effect concentration (21 d) 0.98 mg/l, Daphnia magna (OECD Guideline 211, semistatic)
No toxic effects occur within the range of solubility.

Assessment of terrestrial toxicity
No data available concerning terrestrial toxicity.
Study not necessary due to exposure considerations.

Soil living organisms

Toxicity to soil dwelling organisms:
Study not necessary due to exposure considerations.

Toxicity to terrestrial plants

Study not necessary due to exposure considerations.

Other terrestrial non-mammals
Study not necessary due to exposure considerations.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms
DIN 38412 Part 27 (draft) bacterium/EC0 (30 min): 9,950 mg/l
The value meets the highest applied test concentration.

DIN 38412 Part 27 (draft) bacterium/EC0 (30 min): > 10,000 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)
Readily biodegradable.

Elimination information

69 % BOD of COD (29 d) (OECD 301D; 92/69/EWG, C.4-E) (aerobic, domestic sewage) Biodegradable.

88 % % Mineralisation (84 d) (ECETOC Anaerobic biodegradation) (anaerobic, anaerobic sludge) easily degradable under anaerobic conditions

95.6 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge) Readily biodegradable (according to OECD criteria).

38 - 69 % BOD of COD (28 d) (OECD 301D; 92/69/EWG, C.4-E) (aerobic, activated sludge, domestic, non-adapted) readily biodegradable, but failing 10d window

Assessment of stability in water
Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.
Study does not need to be conducted.

Information on Stability in Water (Hydrolysis)
Study scientifically not justified.

Bioaccumulative potential

Assessment bioaccumulation potential
Accumulation in organisms is expected.

Bioaccumulation potential
Bioconcentration factor: 135, Fish (calculated)

Mobility in soil

Assessment transport between environmental compartments
The substance will slowly evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is expected.

Additional information

Other ecotoxicological advice:
No data available.

13. Disposal considerations

Waste disposal of substance:
Dispose of in accordance with national, state and local regulations.

Container disposal:
Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport
USDOT

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Pharma	TSCA, US	released / exempt
Chemical	TSCA, US	released / listed
Chemical	TSCA, US	

All substances are TSCA listed and active.

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ	CAS Number	Chemical name
5000 LBS	67-56-1	Methanol

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:
Health: 0 Fire: 1 Reactivity: 0 Special:

HMIS III rating
Health: 0 Flammability: 1 Physical hazard: 0

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2025/09/22

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Date / Revised: 2025/09/22 Version: 7.0
Date / Previous version: 2023/04/27 Previous version: 6.0

END OF DATA SHEET