

Synergen OS

Page 1

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

1. PRODUCT AND COMPANY IDENTIFICATION

Trade name

Synergen OS

Material number: 260360

Substance name: Copolymer in methylated seed oil

Use of the Substance/Mixture

Industry sector : Crop Protection

Type of use: Auxiliary for formulating plant protection products

Supplier name/address/telephone no.:

Clariant Produkte (Deutschland) GmbH

Frankfurt am Main 65926, Germany

Telephone : +49 69 305 18000

Information about the substance/preparation

BU Care Chemicals

Product Stewardship

E-mail address: SDS.Europe@clariant.com

Emergency telephone number: +65 3158 1074

2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

Does not require a hazard warning label, but the normal safety precautions for handling chemicals must be observed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients

4. FIRST AID MEASURES

General advice : Remove/ Take off immediately all contaminated clothing.
Get medical advice/ attention if you feel unwell.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

Synergen OS

Page 2

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

- of water.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : Call in a physician immediately and show him the Safety Data Sheet.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
The possible risks known are those derived from the labelling (see section 2).
- Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fires, hazardous combustion gases are formed:
Carbon monoxide (CO)
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
Hydrogen chloride
- Specific extinguishing methods : Wear suitable protective equipment.
- Special protective equipment for firefighters : Self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Ensure adequate ventilation.
Keep away sources of ignition, stop running engines, no smoking.
Take up in the dry state without forming dust. Consider Recycling
- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Treat recovered material as described in the section "Disposal"

Synergen OS

Page 3

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

considerations".

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Observe the general rules of industrial fire protection
- Advice on safe handling : No special measures necessary if stored and handled as prescribed.
- Further information on storage conditions : - sensitive to frost - In case of the product becoming opaque, thickening or being frozen due to the effects of cold, allow to thaw slowly at room temperature. Stir briefly before use.
Keep containers tightly closed in a cool, well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : not required under normal use
Use only in well-ventilated areas.

Hand protection
Remarks

: These types of protective gloves are offered by various manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.

Break through time : 30 min
Glove thickness : 0.4 mm

For short-term exposure (splash protection): Nitrile rubber gloves.

Break through time : 480 min
Glove thickness : 0.7 mm

Long-term exposure Impervious butyl rubber gloves

Eye protection : Safety glasses

Skin and body protection : working clothes

Protective measures : Observe the usual precautions for handling chemicals.

Hygiene measures : Wash hands before breaks and at the end of workday.
Use protective skin cream before handling the product.
Take off immediately all contaminated clothing and wash it before reuse.

Synergen OS

Page 4

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: viscous liquid
Colour	: brown
Odour	: characteristic
Odour Threshold	: not determined
pH	: 3 - 8 Concentration: 50 g/l Ethanol/Water 1:1
Solidification point	: 1 °C Method: ISO 3016
Boiling point	: > 150 °C Data relate to solvent
Flash point	: 179 °C Method: DIN EN 22719 / ISO 2719 (closed cup)
Evaporation rate	: not determined
Self-ignition	: no data available
Upper explosion limit / upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapour pressure	: no data available
Relative vapour density	: no data available
Density	: 1.015 g/cm ³ (20 °C) Method: DIN EN ISO 12185 0.985 g/cm ³ (60 °C) Method: DIN EN ISO 12185
Solubility(ies) Water solubility	: self-emulsifiable
Partition coefficient: n-octanol/water	: Not applicable

Synergen OS

Page 5

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

Auto-ignition temperature	:	(for a component of this mixture) not determined
Decomposition temperature	:	354 °C Heating rate: 3 K/min Method: DSC
Viscosity		
Viscosity, dynamic	:	8,550 mPa.s (20 °C) Method: DIN 53019
		200 - 400 mPa.s (60 °C) Method: ISO 2555
Viscosity, kinematic	:	no data available
Explosive properties	:	Not explosive Method: Expert judgement
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Method: Expert judgement
Metal corrosion rate	:	< 6.25 mm/a Not corrosive to metals
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	See section 10.3. "Possibility of hazardous reactions"
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	When handled and stored appropriately, no dangerous decomposition products are known

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Product:

Acute oral toxicity : Remarks: not tested.

Acute inhalation toxicity : Remarks: not tested.

Synergen OS

Page 6

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : not tested.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : not tested.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : not tested.

Germ cell mutagenicity

Not classified due to lack of data.

Product:Germ cell mutagenicity - : No information available.
Assessment**Carcinogenicity**

Not classified due to lack of data.

Product:Carcinogenicity - : No information available.
Assessment**Reproductive toxicity**

Not classified due to lack of data.

Product:Reproductive toxicity - : No information available.
Assessment

No information available.

STOT - single exposure

Not classified due to lack of data.

Product:

Synergen OS

Page 7

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

Remarks : not tested.

STOT - repeated exposure

Not classified due to lack of data.

Product:

Remarks : not tested.

Repeated dose toxicity**Product:**

Remarks : not tested.

Aspiration toxicity

Not classified due to lack of data.

Product:

no data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : Remarks: not tested.

Toxicity to daphnia and other aquatic invertebrates : Remarks: not tested.

Toxicity to algae/aquatic plants : Remarks: not tested.

Toxicity to microorganisms : Remarks: not tested.

Persistence and degradability**Product:**

Biodegradability : Remarks: not tested.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not tested.

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: not tested.

Synergen OS

Page 8

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

Other adverse effects**Product:**

Environmental fate and pathways : Remarks: no data available

Additional ecological information : no data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : In accordance with local authority regulations, take to special waste incineration plant

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

14. TRANSPORT INFORMATION

IATA

not restricted

IMDG

not restricted

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Observe national specific workplace risk prevention and health regulations.

16. OTHER INFORMATION

Revision Date : 29.11.2023

Further information

Other information : Observe national and local legal requirements
Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

Synergen OS

Page 9

Substance key: 000000487615

Revision Date: 29.11.2023

Version : 1 - 3 / T

Date of printing : 05.04.2026

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

TH / EN