

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : CATION S
 SUPPLIER
 NAME : Sanyo Chemical Industries, Ltd.
 ADDRESS : 11-1, Ikkyo Nomoto-cho, Higashiyama-ku, Kyoto 605-0995, Japan
 DEPARTMENT : Products Evaluation Dept.
 TELEPHONE NUMBER (INFORMATION) : +81-(0)3-3500-3413(Tokyo office)
 FAX NUMBER (INFORMATION) : +81-(0)3-3500-3415(Tokyo office)
 EMERGENCY TELEPHONE NUMBER : +81-(0)75-541-4330
 SDS No. : 016010010

2. HAZARD IDENTIFICATION (Follow all regulation in your country.)

GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

PHYSICAL HAZARDS

FLAMMABLE SOLID : No classification

HEALTH HAZARDS

ACUTE TOXICITY (ORAL) : No classification
 ACUTE TOXICITY (SKIN) : No classification
 ACUTE TOXICITY (INHALATION: GAS) : No classification
 ACUTE TOXICITY (INHALATION: VAPOR) : Classification not possible
 ACUTE TOXICITY (INHALATION: DUST, MIST) : Classification not possible
 SKIN CORROSION / IRRITATION : Category 2
 SERIOUS EYE DAMAGES / EYE IRRITATION : Category 2A
 RESPIRATORY SENSITIZATION : Classification not possible
 SKIN SENSITIZATION : Classification not possible
 GERM CELL MUTAGENICITY : Classification not possible
 CARCINOGENICITY : Classification not possible
 REPRODUCTIVE TOXICITY : Category 2
 SPECIFIC TARGET ORGAN TOXICITY;
 SINGLE EXPOSURE : Category 1
 (central nerve)
 Category 2
 (central nervous system, systemic toxicity)
 SPECIFIC TARGET ORGAN TOXICITY;
 REPEATED EXPOSURE : Category 2
 (blood system, liver, blood vessel)
 ASPIRATION HAZARD : Classification not possible
 ENVIRONMENTAL HAZARDS
 SHORT-TERM (ACUTE) AQUATIC HAZARDS : Category 1
 LONG-TERM (CHRONIC) AQUATIC HAZARDS : Category 1
 HAZARDOUS TO THE OZONE LAYER : Classification not possible

GHS LABEL ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS

SYMBOL



SIGNAL WORD

Danger

HAZARD STATEMENT

- : ·Causes skin irritation.
- Causes serious eye irritation.
- Suspected of damaging fertility or the unborn child.
- Causes damage to organs.
- May cause damage to organs through prolonged or repeated exposure.
- Very toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

[PREVENTION]

- Do not handle until "SAFETY DATA SHEETS" has been read and understood well.
- Keep away from flames and heat.
- Avoid inhaling, swallowing, contact with eyes and skin. Wear safety glasses, gloves and face protection.
- Wash hands and face thoroughly and rinse mouth after handling.
- Avoid release to the environment.

[RESPONSE]

- IN CASE OF FIRE : Use carbon dioxide, dry chemical powder and foam for extinction.
- IN CASE OF MAJOR FIRE : Use foam and a large amount of water fog to extinguish.
- IF SWALLOWED : Rinse mouth. Do NOT induce vomiting.
- IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.
- IF ON SKIN : Wash with plenty of soap and water.
- IF IN EYES : Rinse cautiously for several minutes.

[STORAGE]

Remove contact lenses, if present and easy to do. Continue rinsing.

[DISPOSAL]

- IF EXPOSED OR CONCERNED : Get medical advice/attention.

Keep container tightly closed and store in a well-ventilated place.

- Dispose of contents/container in accordance with national and regional regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS (The contents are representative values.)

SUBSTANCE/MIXTURE : Mixture

COMMON NAME(S),SYNONYM(S) OF THE SUBSTANCE

: —

UNIQUE IDENTIFIERS FOR THE SUBSTANCE

: 122-19-0, 67-63-0

COMPONENTS AND CONTENTS

: Stearyl dimethyl benzyl ammonium chloride

Wt. %

91 %

Isopropyl alcohol

9 %

COMPONENTS WHICH CONTRIBUTE TO THE CLASSIFICATION OF THE SUBSTANCE AND HAZARDOUS INGREDIENT (S) – JAPANESE REGULATION–

: Stearyl dimethyl benzyl ammonium chloride

Wt. %

91 %

Containing Salt of alkyl (C12-16) benzyl dimethyl ammonium

15 %

Isopropyl alcohol

9 %

4. FIRST AID MEASURES

IF INHALED : ·Remove to fresh air and keep at rest in a position comfortable for breathing.

- Get medical advice/attention, if you are experiencing respiratory symptoms.
- IF ON SKIN : ·Wash immediately with plenty of soap and water. Get medical advice/attention, if necessary.
- IF IN EYES : ·Rinse cautiously for 15 minutes or more. Get medical advice/attention immediately.
- IF SWALLOWED : ·After rinsing mouth immediately, give ca. 250ml of milk or water. Get medical advice/attention immediately. Do not induce vomiting.
·Do not give anything by mouth to the victim when not conscious.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : Carbon dioxide, dry chemical powder, foam, water fog

UNSUITABLE EXTINGUISHING MEDIA : -

SPECIFIC EXTINCTION METHOD

- : ·Eliminate all ignition sources, and use suitable extinguishing media.
- : ·Spray water on the surrounding equipment for cooling.

SPECIAL PROTECTIVE ACTION FOR FIRE- FIGHTERS

- : ·Extinguish from the windward to prevent poisonous gas from being inhaled.
- : ·Appropriate protective equipment (gloves, glasses, and mask) must be worn.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- : ·Wear appropriate protective equipment (gloves, safety goggle, etc.).

ENVIRONMENTAL PRECAUTIONS

- : ·Do not allow spillage out into the environment causing pollution e.g., rivers, waterways.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- : ·Keep away from ignition sources.
- : ·Collect spillage into container(s) by sweeping, shoveling, etc. avoiding creation of dust.
- : ·Remove spillage by vacuuming, etc. avoiding creation of dust.

7. HANDLING AND STORAGE

HANDLING

TECHNICAL MEASURES

- : ·Handle in a well-ventilated area. Wear safety glasses, gloves and face protection, etc. Avoid direct contact.
- : ·Set local exhaust or general ventilation of as described in chapter "8. EXPOSURE CONTROLS/PERSONAL PROTECTION".

PRECAUTIONS FOR SAFE HANDLING

- : ·Wash hands and face thoroughly and rinse mouth after handling.
- : ·In case to wash work clothes, gloves, shoes, etc. contaminated with the product, avoid contact with clothes.

CONTACT AVOIDANCE

- : ·Avoid contact with strong oxidizing agents, etc.
- : ·Keep fire away.
- : ·May form explosive dust-air mixtures.
- : ·Avoid breathing vapor, fume and/or mist.

STORAGE

CONDITIONS FOR SAFE STORAGE

- : ·Keep container tightly closed and store in a well-ventilated place.
- : ·Set up a Keep Fire Away-No Visitors sign.

PACKAGING MATERIAL

- : ·Store in original containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

ACGIH : Isopropyl alcohol (2-Propanol) : TWA 200ppm, STEL 400ppm (1)

APPROPRIATE ENGINEERING CONTROLS

- : Establish the adequate local exhauster if vapor, dust or mist occurs.
- : Use explosion-proof equipment and take precautionary measures against static discharge in case of explosive dust-air mixtures.
- : Establish eye washing and body washing facilities near the work areas.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION : Respirator with organic vapor cartridge or air-supplied respirator (if necessary)

HAND PROTECTION : Impervious gloves

EYE/FACE PROTECTION : Safety glasses

SKIN AND BODY PROTECTION : Work clothes with long sleeves

9. PHYSICAL AND CHEMICAL PROPERTIES (representative values)

APPEARANCE (at 20°C)

PHYSICAL STATE : Solid

COLOR : White

ODOR : Specific odor

MELTING POINT/FREEZING POINT

: (Melting point)60°C (140°F)

BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE

: 82.5°C(180.5°F) (isopropyl alcohol) (2)

FLAMMABILITY : No data

LOWER AND UPPER EXPLOSION LIMIT /FLAMMABILITY LIMIT

: Lower limit : 2.0vol.%, Upper limit; 12.7vol.% (isopropyl alcohol) (2)

FLASH POINT : 43°C (109.4°F) (Seta Closed Cup)

AUTO-IGNITION TEMPERATURE

: 399°C (750°F) (isopropyl alcohol) (2)

DECOMPOSITION TEMPERATURE

: No data

pH : 6.5 (1% aqueous solution)

KINEMATIC VISCOSITY : No data

SOLUBILITY

WATER SOLUBILITY : Soluble

PARTITION COEFFICIENT N-OCTANOL/WATER (LOG VALUE)

: No data

VAPOUR PRESSURE : 6.02kPa(25°C) (Isopropyl alcohol) (2)

DENSITY AND/OR RELATIVE DENSITY

: 0.95(at 80°C)(Specific gravity)

RELATIVE VAPOUR DENSITY

: No data

PARTICLE CHARACTERISTICS

: No data

10. STABILITY AND REACTIVITY

REACTIVITY : No data

CHEMICAL STABILITY : Stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS

: Reacts with strong oxidizing agents, etc.

CONDITION TO AVOID : No data

INCOMPATIBLE MATERIALS : Strong oxidizing agents, etc.

HAZARDOUS DECOMPOSITION PRODUCTS

: No data

OTHERS : No data

11. TOXICOLOGICAL INFORMATION (DATA for this product or similar product.)

ACUTE TOXICITY [ORAL]	: No classification	
[Isopropyl alcohol]	Not classified	(3)
[Stearyl dimethylbenzylammonium chloride]	Not classified	(4)
ACUTE TOXICITY [SKIN]	: No classification	
[Isopropyl alcohol]	Not classified	(3)
[Stearyl dimethylbenzylammonium chloride]	Not classified	(4)
ACUTE TOXICITY [INHALATION: GAS]	: No classification	
Not classified by the GHS definition of gas.		
ACUTE TOXICITY [INHALATION: VAPOR]	: Classification not possible	
No data		
ACUTE TOXICITY [INHALATION: DUST, MIST]	: Classification not possible	
No data		
SKIN CORROSION / IRRITATION	: Category 2	
[Stearyl dimethylbenzylammonium chloride]	Category 2	(4)
SERIOUS EYE DAMAGE/EYE IRRITATION	: Category 2A	
[Isopropyl alcohol]	Category 2	(3)
[Stearyl dimethylbenzylammonium chloride]	Category 2A	(4)
RESPIRATORY SENSITIZATION	: Classification not possible	
No data		
SKIN SENSITIZATION	: Classification not possible	
No data		
GERM CELL MUTAGENICITY	: Classification not possible	
No data		
CARCINOGENICITY	: Classification not possible	
No data		
REPRODUCTIVE TOXICITY	: Category 2	
[Isopropyl alcohol]	Category 2	(3)
[Stearyl dimethylbenzylammonium chloride]	Category 2	(4)
SPECIFIC TARGET ORGAN TOXICITY –SINGLE EXPOSURE	: Category 1(central nerve),Category 2(central nervous system, systemic toxicity)	
[Isopropyl alcohol]	Category 1 (central nervous system, kidneys, systemic toxicity), Category 3 (respiratory tract irritation)	(3)
[Stearyl dimethylbenzylammonium chloride]	Category 1(central nervous system)	(4)
SPECIFIC TARGET ORGAN TOXICITY –REPEATED EXPOSURE	: Category 2(blood system, liver, blood vessel)	
[Isopropyl alcohol]	Category 1 (blood system), Category 2 (liver, spleen, respiratory systems)	(3)
[Stearyl dimethylbenzylammonium chloride]	Category 2 (blood vessel, liver)	(4)
ASPIRATION HAZARD	: Classification not possible	
No data		

12. ECOLOGICAL INFORMATION (DATA for this product or similar product.)

SHORT-TERM (ACUTE) AQUATIC HAZARDS	: Category 1	
[Stearyl dimethylbenzylammonium chloride]	Category 1	(4)
ECOTOXICITY	: No data	
LONG-TERM (CHRONIC) AQUATIC HAZARDS	: Category 1	

[Stearyldimethylbenzylammonium chloride] Category 1

(4)

PERSISTENCE AND DEGRADABILITY

: No data

BIOACCUMULATION POTENTIAL

: No data

MOBILITY IN SOIL

: No data

OTHER DATA : No data

HAZARDOUS TO THE OZONE LAYER

: Classification not possible

No data

13. DISPOSAL CONSIDERATIONS

•Dispose of contents/container in accordance with national and regional regulations.

14. TRANSPORT INFORMATION

UN NUMBER : 3077

PROPER SHIPPING NAME : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN CLASS : 9

PACKING GROUP : III

ENVIRONMENTAL HAZARDS : Applicable

INTERNATIONAL REGULATIONS

LAND : Transport in accordance with national and regional regulations (RID, ADR, DOT, etc.)

SEA : Transport in accordance with IMDG Code.

AIR : Transport in accordance with ICAO-TI/IATA-DGR.

EMERGENCY RESPONSE GUIDELINE NUMBER : 171

15. REGULATORY INFORMATION

INTERNATIONAL REGULATIONS

UNITED STATES INVENTORY (TSCA 8B)

: All components are listed or authorized to exempt from registration.

CANADA INVENTORY (DSL)

: All components are listed or authorized to exempt from registration.

AUSTRALIA INVENTORY (AIIS)

: All components are listed or authorized to exempt from registration.

CHINA INVENTORY (IECSC)

: All components are listed or authorized to exempt from registration.

JAPAN INVENTORY (ENCS)

: All components are listed or authorized to exempt from registration.

PHILIPPINES INVENTORY (PICCS)

: All components are listed or authorized to exempt from registration.

KOREA INVENTORY (ECL)

: All components are listed or authorized to exempt from registration.

16. OTHER INFORMATION

REFERENCES

(1) TLVs and BEIs, ACGIH, 2021

(2) Chemical Risk Information Platform (CHRIP), NITE

(3) Results of the GHS classification, National Institute of Technology and Evaluation (NITE)

(4) MSDS Authoring Guide(2010) for GHS of Japan Surfactant Industry Association (JSIA)

* All specifications which were created based on the information which was available at the time and may be revised at anytime according to new information.

* To the best of our knowledge, the information contained herein is accurate. However, Sanyo Chemical Industries, Ltd. assumes no liability whatsoever for the accuracy or completeness of the information contained herein. All materials may present unknown health hazards and should be used with caution. Final determination of suitability of any material is the sole responsibility of the user.

CONTACT

COMPANY : Sanyo Chemical Industries, Ltd.

DEPARTMENT : Sales Department

ORIGINAL CONTROLLED