

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 03.09.2019
Product: **Dehypon® LT 104**

Version: 4.0

(30528465/SDS_GEN_TH/EN)

Date of print 18.05.2026

1. Substance/preparation and manufacturer/supplier identification

Dehypon® LT 104

Use: Raw material for the chemical-technical industry

Manufacturer/supplier:

BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

Skin corrosion/irritation: Cat. 2
Hazardous to the aquatic environment - acute: Cat. 1
Hazardous to the aquatic environment - chronic: Cat. 3

M-factor acute: 1

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet
Date / Revised: 03.09.2019
Product: **Dehypon® LT 104**

Version: 4.0

(30528465/SDS_GEN_TH/EN)

Date of print 18.05.2026



Signal Word:

Warning

Hazard Statement:

H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves.
P273	Avoid release to the environment.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

3. Composition/information on ingredients

Chemical nature

Fatty alcohol, ethoxylated, endcapped
CAS Number: 146340-16-1

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

BASF Safety data sheet
Date / Revised: 03.09.2019
Product: **Dehypon® LT 104**

Version: 4.0

(30528465/SDS_GEN_TH/EN)

Date of print 18.05.2026

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Specific hazards:
harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions:
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For large amounts: Dike spillage. Pump off product.
For residues: Pick up with suitable absorbent material.
Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.

7. Handling and Storage

Handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No special precautions necessary.

Storage

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2), Stainless steel 1.4306 (V2A), Stove-lacquer R 78433, Stove-lacquer RDL 50, Stainless steel 1.4361, Stainless steel 1.4401, Stainless steel 1.4439, Stainless steel 1.4539, Stainless steel 1.4571, Stainless steel 1.4541

Further information on storage conditions: Keep container tightly closed and in a cool place.

Storage stability:

Storage temperature: $\leq 40\text{ }^{\circ}\text{C}$

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: $60\text{ }^{\circ}\text{C}$

Properties of the product change irreversibly on exceeding the limit temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Wearing of closed work clothing is required additionally to the stated personal protection equipment.
 No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	paste	
Colour:	white	
Odour:	product specific	
Odour threshold:	not determined	
pH value:	approx. 7 (deionized water, 1 %(m), 20 °C)	(DIN EN 1262)
pour point:	approx. 8 °C	(DIN ISO 3016)
Melting point:	< 20 °C	
solidification point:	approx. 8 °C	(DIN ISO 2207)
boiling temperature:	> 250 °C	
Flash point:	approx. 220 °C	(DIN ISO 2592)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability (solid/gas):	not flammable	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	> 250 °C	
Thermal decomposition:	> 300 °C not determined	(DTA)
Self ignition:	not self-igniting	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	< 0.1 hPa not determined	

BASF Safety data sheet
 Date / Revised: 03.09.2019
 Product: **Dehypon® LT 104**

Version: 4.0

(30528465/SDS_GEN_TH/EN)

Date of print 18.05.2026

Density:	approx. 0.99 g/cm ³ (20 °C)	(DIN 51757)
	approx. 0.95 g/cm ³ (70 °C)	(DIN 51757)
Relative density:	No data available.	
Relative vapour density (air):	not determined	
Solubility in water:	soluble (20 °C)	
Hygroscopy:	hygroscopic	
Solubility (qualitative) solvent(s):	Ethanol soluble	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Surface tension:	approx. 28 mN/m	(DIN EN 14370)
Viscosity, dynamic:	approx. 90 mPa.s (20 °C)	(DIN EN 12092)
	approx. 30 mPa.s (40 °C)	(DIN EN 12092)
	approx. < 20 mPa.s (60 °C)	(DIN EN 12092)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: > 300 °C (DTA)
not determined

Substances to avoid:

acids, Alkalines, caustics, halogens, reactive chemicals

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

BASF Safety data sheet
Date / Revised: 03.09.2019
Product: **Dehypon® LT 104**

Version: 4.0

(30528465/SDS_GEN_TH/EN)

Date of print 18.05.2026

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion.

Experimental/calculated data:
LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation):
not determined

LD50 rat (dermal):
not determined

Irritation

Assessment of irritating effects:
Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:
Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:
The substance was not mutagenic in bacteria.

Experimental/calculated data:
Ames-test
negative (OECD Guideline 471)

Carcinogenicity

Assessment of carcinogenicity:
No data available.

Reproductive toxicity

Assessment of reproduction toxicity:
No data available.

Developmental toxicity

Assessment of teratogenicity:
No data available.

Specific target organ toxicity (single exposure):

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated oral exposure in animal studies.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information**Ecotoxicity**

Toxicity to fish:

LC50 (48 h) > 0.1 - 1 mg/l, *Leuciscus idus* (DIN 38412 Part 15)

Aquatic invertebrates:

EC50 (24 h) > 0.1 - 1 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

Aquatic plants:

EC50 (72 h) > 0.1 - 1 mg/l, algae (OECD Guideline 201)

No observed effect concentration > 0.1 - 1 mg/l, algae

Microorganisms/Effect on activated sludge:

EC0 > 10 - 100 mg/l (OECD Guideline 209)

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), > 0.1 - 1 mg/l, *Daphnia magna* (OECD Guideline 202, part 2)

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

Persistence and degradability

Elimination information:

> 70 % BOD of COD (28 d) (OECD 301D; EEC 92/69, C.4-E)

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

Packing group: III
ID number: UN 3082
Transport hazard class(es): 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains FATTY ALCOHOL ETHOXYLATE ALKYLETHER)

Sea transport

IMDG

Packing group: III
ID number: UN 3082
Transport hazard class(es): 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains FATTY ALCOHOL ETHOXYLATE ALKYLETHER)

Air transport

IATA/ICAO

Packing group: III
ID number: UN 3082
Transport hazard class(es): 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains FATTY ALCOHOL ETHOXYLATE ALKYLETHER)

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.