

Safety Data Sheet

Disponil® FES 32 EVO

Revision date : 2025/10/23

Version: 3.0

Page: 1/12

(30772571/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Disponil® FES 32 EVO

Recommended use of the chemical and restriction on use

Recommended use*: Raw material for the chemical-technical industry

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: unspecified

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Irrit.	2	Skin irritation
Eye Dam.	1	Serious eye damage
Skin Sens.	1	Skin sensitization
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

Label elements

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 2/12
(30772571/SDS_GEN_US/EN)

Pictogram:



Signal Word:
Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

Labeling of special preparations (GHS):

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

CAS Number: 68891-38-3

Content (W/W): ≥ 15.0 - $< 40.0\%$

Synonym: No data available.

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 3/12
(30772571/SDS_GEN_US/EN)

CAS Number: 55965-84-9
Content (W/W): < 0.1%
Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-isothiazolone

The actual concentration is withheld as a trade secret.
NJ TSRN: New Jersey Trade Secret Registry Number

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Eye irritation, nausea, skin irritation, severe pain, itching

Hazards: Eye irritation allergic symptoms skin irritation

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:	Treat according to symptoms (decontamination, vital functions), no known specific antidote.
------------	---

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 4/12
(30772571/SDS_GEN_US/EN)

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours, sulfur oxides, carbon oxides

Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid contact with the skin, eyes and clothing.

For emergency responders: Take appropriate protective measures.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Spills should be contained, solidified, and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

No eating, drinking, smoking or tobacco use at the place of work. Wash hands before breaks and at end of work. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Stainless steel 1.4301 (V2), Stainless steel 1.4401, Stainless steel 1.4571

Unsuitable materials for containers: Do not use containers susceptible to corrosion.

Further information on storage conditions: Product that is frozen and/or tending to sedimentation can be liquified or homogenized by careful application of indirect heat (do not use flames or direct contact with a heat source).

Keep container tightly closed and in a cool place.

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 5/12
(30772571/SDS_GEN_US/EN)

Below 15 °C , the product is no longer pumpable.

Storage stability:

Storage temperature: ≤ 40 °C

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 50 °C

Properties of the product change reversibly on exceeding the limit temperature.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Local exhaust ventilation preferred.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Wearing of closed work clothing is required additionally to the stated personal protection equipment. Eye wash fountains and safety showers must be easily accessible. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	product specific	
Colour:	colourless to slightly yellow	
	clear	
pH value:	7.0 - 8.5	(DIN EN 1262)
	(10 %(m), 20 °C)	
pour point:	< 5 °C	(DIN ISO 3016)
Boiling point:	not determined, contains water	
Flash point:	A flash point determination is unnecessary due to the high water content. Aqueous preparation	
Flammability:	not flammable	

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 6/12
(30772571/SDS_GEN_US/EN)

Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	Based on the water content the product does not ignite.	
Vapour pressure:	23.4 hPa (20 °C) contains water	(estimated)
Density:	1.052 g/cm3 (20 °C) 1.0457 g/cm3 (25 °C) 1.0315 g/cm3 (50 °C)	(DIN 51757) (ASTM D 7042) (ASTM D 7042)
Relative vapour density:	not determined	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	100 °C, 180 J/g (DSC (DIN 51007)) self-accelerating reaction 370 °C, > 250 J/g (DSC (DIN 51007)) self-accelerating reaction	
Viscosity, dynamic:	approx. 50 mPa.s (25 °C) approx. 36 mPa.s (40 °C) approx. 30 mPa.s (50 °C)	(ASTM D 7042) (ASTM D 7042) (ASTM D 7042)
Viscosity, kinematic:	approx. 50 mm2/s (25 °C) approx. 35 mm2/s (40 °C) approx. 30 mm2/s (50 °C)	(ASTM D 7042) (ASTM D 7042) (ASTM D 7042)
Solubility in water:	soluble	
Evaporation rate:	not determined	

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 7/12
(30772571/SDS_GEN_US/EN)

Peroxides: The product does not contain peroxides. The product/the substance has not a tendency towards the formation of peroxide.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.
The product is chemically stable.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

acids, reactive chemicals, caustics, Alkalines, halogens

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

100 °C (DSC (DIN 51007))

self-accelerating reaction

370 °C (DSC (DIN 51007))

self-accelerating reaction

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Oral

Type of value: ATE

Value: > 5,000 mg/kg (calculated)

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Type of value: LD50

Species: rat (male/female)

Value: > 2,000 mg/kg (Directive 84/449/EEC, B.1)

Dermal

Type of value: ATE

Value: > 5,000 mg/kg (calculated)

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Type of value: LD50

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 8/12
(30772571/SDS_GEN_US/EN)

Species: rat
Value: 2,000 mg/kg (OECD Guideline 402)

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: May cause severe damage to the eyes. Skin contact causes irritation.

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Assessment of irritating effects: Skin contact causes irritation.

May cause severe damage to the eyes.

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of sensitization:

Sensitization after skin contact possible.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity: Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Teratogenicity

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 9/12
(30772571/SDS_GEN_US/EN)

12. Ecological Information

Toxicity

Aquatic toxicity

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms. Very toxic to aquatic organisms based on long-term (chronic) toxicity study data. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Toxicity to fish

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts
LC50 (48 h) 9.6 mg/l, *Leuciscus idus* (Screening (style of OECD 203))

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

LC50 (96 h) 0.19 mg/l, *Oncorhynchus mykiss* (EPA 72-1, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

LC50 (14 d) 0.07 mg/l, *Oncorhynchus mykiss* (OECD Guideline 204, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts
EC50 (24 h) > 148 mg/l, *Daphnia magna* (other)

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

EC50 (48 h) 0.16 mg/l, *Daphnia magna* (OPP 72-2 (EPA-guideline), Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

Information on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts
EC50 (96 h) 7.5 mg/l (growth rate), *Desmodesmus subspicatus* (OECD Guideline 201)
acute Effect

EC10 1.5 mg/l, *Desmodesmus subspicatus*

long-term effect

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

No observed effect concentration (72 h) 0.00199 mg/l (growth rate), *Skeletonema costatum* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration.

EC50 (72 h) 0.00049 mg/l (growth rate), *Skeletonema costatum* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration.

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 10/12
(30772571/SDS_GEN_US/EN)

Chronic toxicity to fish

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

No observed effect concentration (36 d) 0.02 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

Chronic toxicity to aquatic invertebrates

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

No observed effect concentration (21 d) 0.1 mg/l, Daphnia magna (OPP 72-4 (EPA-Guideline), Flow through.)

The details of the toxic effect relate to the nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is possible.

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Container disposal:

Dispose of in accordance with national, state and local regulations.

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 11/12
(30772571/SDS_GEN_US/EN)

14. Transport Information

Land transport
USDOT

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:
Chemical TSCA, US

All substances are TSCA listed and active.

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 3 Fire: 1 Reactivity: 1 Special:

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2025/10/23

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Safety Data Sheet

Disponil® FES 32 EVO

Revision date: 2025/10/23
Version: 3.0

Page: 12/12
(30772571/SDS_GEN_US/EN)

Disponil® FES 32 EVO is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED
HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS
PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT
PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO
DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR
TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE
MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET
FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED
WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE
SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED
A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY
UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION
FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO
OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION
GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/23

Version: 3.0

Date / Previous version: 2023/07/06

Previous version: 2.0

END OF DATA SHEET