

## NIPACIDE BIT 20

Page 1(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

## 1. Identification of the substance/preparation and company

### Trade name

**NIPACIDE BIT 20**

**Material number:** 169593

### Use of the substance/preparation.

Industry sector : Techno-chemical industry.  
Type of use : Biocidal product  
Preservatives for products during storage  
Fibre, leather, rubber and polymerised materials preservatives

### Identification of the company

PT Clariant Indonesia

Gatot Subroto Km. 4, Jl. Kalisabi No.1, Kec. Cibodas  
15138 Tangerang, Indonesia  
Telephone no. : +62 21 5538589

### Information about the substance/preparation

BU Industrial & Consumer Specialties  
Product Stewardship, +91 22 7125 1323

**Emergency telephone number :** +91 22 7125 1200

## 2. Hazard identification

### Classification of the substance or mixture

Corrosive to metals Category 1  
Acute toxicity Category 5 (Oral)  
Acute toxicity Category 4 (Inhalation)  
Skin corrosion/irritation Category 1  
Serious eye damage/eye irritation Category 1  
Skin sensitisation Category 1  
Acute aquatic toxicity Category 2  
Chronic aquatic toxicity Category 3

### GHS label elements, including precautionary statements

#### Pictograms - Hazard symbols



Corrosion, Exclamation mark

### Signal word

Danger

### Hazard statements

May be corrosive to metals.  
May be harmful if swallowed.

**NIPACIDE BIT 20**

Page 2(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Harmful if inhaled.  
Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

**Precautionary statements**

Keep only in original container.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing should not be allowed out of the workplace.  
Avoid release to the environment.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
Call a POISON CENTER or doctor/ physician if you feel unwell.  
If skin irritation or rash occurs: Get medical advice/ attention.  
Wash contaminated clothing before reuse.  
Absorb spillage to prevent material damage.  
Store locked up.  
Store in corrosive resistant container with a resistant inner liner.  
Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

No additional hazards are known except those derived from the labelling.

**3. Composition/information on ingredients****Chemical characterization**

Solution of 1,2-Benzisothiazol-3-one in Sodium Hydroxide, Mono Propylene Glycol and Glycerine

**Hazardous ingredients**

| Component                    | CAS number | Concentration  |
|------------------------------|------------|----------------|
| 1,2-Benzisothiazol-3(2H)-one | 2634-33-5  | >= 10 - < 20 % |
| Sodium hydroxide             | 1310-73-2  | >= 10 - < 20 % |

**4. First aid measures****General information**

Remove/Take off immediately all contaminated clothing.

## NIPACIDE BIT 20

Page 3(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

### After inhalation

If inhaled, remove immediately to fresh air; if not breathing give artificial respiration; obtain medical help.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### After contact with skin

In case of contact, immediately flush skin with plenty of water.

Get medical attention immediately.

### After contact with eyes

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

### After ingestion

Rinse mouth with water.

Get medical attention immediately.

### Most important symptoms/effects, acute and delayed

#### Symptoms

Treat symptomatically.

#### Hazards

No additional risks are known.

### Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## 5. Fire-fighting measures

### Suitable extinguishing media

Water spray jet

Alcohol-resistant foam

Dry powder

Carbon dioxide (CO<sub>2</sub>)

### Extinguishing media that must not be used for safety reasons

High volume water jet

### Specific hazards arising from the chemical

In case of fire hazardous decomposition products may be produced such as:

Nitrogen oxides (NO<sub>x</sub>)

Sulphur oxides

Carbon oxides

### Special protective equipment and precautions for fire fighters

Self-contained breathing apparatus

### Further information

Cool endangered containers with water spray jet.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away.

Avoid contact with skin and eyes.

**NIPACIDE BIT 20**

Page 4(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

**Environmental precautions**

The product should not be allowed to enter drains, water courses or the soil.

**Methods and materials for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

**7. Handling and storage****Advice on protection against fire and explosion**

Observe the general rules of industrial fire protection

**Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep only in original container.

**Advice on storage compatibility**

Do not store with strong oxidizing agents

**Further information on storage conditions**

Keep containers tightly closed in a cool, well-ventilated place.

Handle and open container with care.

Keep away from direct sunlight.

**8. Exposure controls/personal protection****Control parameters****Sodium hydroxide**

CAS number : 1310-73-2

Thailand. Occupational Exposure Limits

Revision : 1977-07-12

Time weighted average

Values:

2 mg/m<sup>3</sup>

**General protective measures**

Do not breathe vapours, aerosols.

Do not breathe mist.

Avoid contact with skin and eyes.

Avoid exposure - obtain special instructions before use.

**Hygiene measures**

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands immediately after work, if necessary take a shower

Observe the usual precautions for handling chemicals.

**Eye/face protection :**

Depending on the risk, wear sufficient eye protection (safety glasses with side protection or goggles, and if necessary, face shield.)

## NIPACIDE BIT 20

Page 5(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

**Skin/Hand protection :**

Long-term exposure  
Impervious butyl rubber gloves  
Minimum breakthrough time / gloves : 480 min  
Minimum thickness / gloves 0.7 mm

For short-term exposure (splash protection):  
Nitrile rubber gloves.  
Minimum breakthrough time / gloves : 30 min  
Minimum thickness / gloves 0.4 mm

These types of protective gloves are offered by various manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.

**Respiratory protection :**

In case of inadequate ventilation wear respiratory protection.

**Thermal hazards / Body protection :**

Depending on the degree of hazard, when handling corrosive substances, aprons, boots or full protective clothing made of suitable materials (e.g. rubberized or PVC-coated) must also be worn.

**9. Physical and chemical properties**

|                                    |                                                                            |
|------------------------------------|----------------------------------------------------------------------------|
| <b>Form :</b>                      | viscous liquid                                                             |
| <b>Odour :</b>                     | characteristic                                                             |
| <b>Odour threshold :</b>           | Not tested                                                                 |
| <b>pH value :</b>                  | 12 - 13.2<br>10% solution in distilled water                               |
| <b>Freezing point :</b>            | < -5 °C<br>Method : ASTM D 2386                                            |
| <b>Boiling point :</b>             | approx. 97 °C<br>Method : OECD Test Guideline 103                          |
| <b>Flash point :</b>               | > 110 °C                                                                   |
| <b>Evaporation rate :</b>          | not tested.                                                                |
| <b>Oxidizing properties :</b>      | not oxidizing                                                              |
| <b>Self-ignition temperature :</b> | Not applicable                                                             |
| <b>Lower explosion limit :</b>     | not tested.                                                                |
| <b>Upper explosion limit :</b>     | not tested.                                                                |
| <b>Vapour pressure :</b>           | ca. 23 hPa<br>similar to water                                             |
| <b>Density :</b>                   | approx. 1.21 g/cm <sup>3</sup> (20 °C)<br>Method : OECD Test Guideline 109 |

## NIPACIDE BIT 20

Page 6(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

|                                                        |                                                                                          |
|--------------------------------------------------------|------------------------------------------------------------------------------------------|
| <b>Bulk density :</b>                                  | Not applicable                                                                           |
| <b>Vapour density in relation to air :</b>             | not tested.                                                                              |
| <b>Solubility in water :</b>                           | (20 °C)<br>miscible                                                                      |
| <b>Octanol/water partition coefficient (log Pow) :</b> | Not applicable                                                                           |
| <b>Auto-ignition temperature :</b>                     | > 200 °C<br>Method : ASTM E 659                                                          |
| <b>Thermal decomposition :</b>                         | 300 °C (Heating rate : 3 K/min)<br>Method : DSC<br>No decomposition if used as directed. |
| <b>Viscosity (kinematic) :</b>                         | 278 mm <sup>2</sup> /s ( 20 °C)<br>Method : Hoepler                                      |
| <b>Combustion number :</b>                             | Not applicable                                                                           |

**10. Stability and reactivity****Chemical stability:**

Stable

**Possibility of hazardous reactions**

Reactions with oxidising agents.

Reactions with reducing agents.

**Conditions to avoid**

Heat

**Incompatible materials**

Strong oxidizing agents

**Hazardous decomposition products**

When used and handled as intended, none.

**11. Toxicological information****Information related to the product itself:**

|                                    |                                                                                              |
|------------------------------------|----------------------------------------------------------------------------------------------|
| <b>Acute oral toxicity :</b>       | Acute toxicity estimate 2,504 mg/kg<br>Method : Calculation method<br>Source : EHS-Expert    |
| <b>Acute inhalation toxicity :</b> | Acute toxicity estimate 2.5 mg/l (4 h)<br>Method : Calculation method<br>Source : EHS-Expert |
| <b>Acute dermal toxicity :</b>     | not tested.                                                                                  |
| <b>Skin corrosion/irritation :</b> | strongly corrosive                                                                           |

## NIPACIDE BIT 20

Page 7(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

|                                            |                           |
|--------------------------------------------|---------------------------|
| <b>Serious eye damage/irritation:</b>      | Corrosive                 |
| <b>Respiratory or skin sensitization :</b> | Causes sensitisation.     |
| <b>Germ cell mutagenicity :</b>            | No information available. |
| <b>Carcinogenicity :</b>                   | No information available. |
| <b>Reproductive toxicity :</b>             | No information available. |
| <b>STOT - Single Exposure:</b>             | Remarks: not tested.      |
| <b>STOT - Repeated Exposure:</b>           | Remarks: not tested.      |

**Aspiration hazard :**  
no data available

**Remarks**

The product has not been tested. The information is derived from the properties of the individual components.

**Information related to the component:** 1,2-Benzisothiazol-3(2H)-one

**Acute oral toxicity :** LD50 670 - 784 mg/kg (Rat)  
Method : OECD Test Guideline 401

**Acute inhalation toxicity :** LC50 0.5 mg/l (4 h, Rat)  
Method : OPPTS 870.1300

**Acute dermal toxicity :** LD50 > 2,000 mg/kg (Rat)

**Skin corrosion/irritation :** Skin irritation (4 h, Rabbit)

**Serious eye damage/irritation:** Eye irritation (2.9 h - 11 d, rabbit eye)

**Respiratory or skin sensitization :** Causes sensitisation. (Guinea pig)  
Method : Other

**Germ cell mutagenicity :** It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

**Carcinogenicity :** Not applicable

**Reproductive toxicity :** Embryotoxicity classification not possible from current data.

**STOT - Single Exposure:** Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - Repeated Exposure:** Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration hazard :**  
No aspiration toxicity classification

**Information related to the component:** Sodium hydroxide

## NIPACIDE BIT 20

Page 8(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

|                                            |                                                                                                                                              |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Acute oral toxicity :</b>               | not reasonable                                                                                                                               |
| <b>Acute inhalation toxicity :</b>         | Cough, Difficulty in breathing                                                                                                               |
| <b>Acute dermal toxicity :</b>             | not reasonable                                                                                                                               |
| <b>Skin corrosion/irritation :</b>         | Corrosive (In Vitro Membrane Barrier Test Method for Skin Corrosion - CORROSITEX)<br>Method : OECD Test Guideline 435<br>Source : literature |
| <b>Serious eye damage/irritation:</b>      | Corrosive (21 d, rabbit eye)<br>Method : OECD Test Guideline 405<br>Source : European Chemicals Agency (ECHA)                                |
| <b>Respiratory or skin sensitization :</b> | non-sensitizing (Humans)<br>Method : Other<br>Source : literature                                                                            |
| <b>Germ cell mutagenicity :</b>            | It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.                                         |
| <b>Carcinogenicity :</b>                   | Not applicable                                                                                                                               |
| <b>Reproductive toxicity :</b>             | No teratogenic effects to be expected.                                                                                                       |
| <b>STOT - Single Exposure:</b>             | Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.                                   |
| <b>STOT - Repeated Exposure:</b>           | Remarks: Not applicable                                                                                                                      |
| <b>Aspiration hazard :</b>                 | Corrosive to the respiratory tract.                                                                                                          |

**12. Ecological information****Information related to the product itself:**

|                                         |             |
|-----------------------------------------|-------------|
| <b>Physico-chemical eliminability :</b> | not tested. |
| <b>Biodegradability :</b>               | not tested. |
| <b>Bioaccumulation:</b>                 | not tested. |
| <b>Bacteria toxicity :</b>              | not tested. |
| <b>Chemical oxygen demand (COD) :</b>   | 1.315 mg/l  |

**Remarks**

The classification was made by the conventional (calculation) method of the CLP Regulation (EC) No 1272/2008.

**Information related to the component:** 1,2-Benzisothiazol-3(2H)-one



## NIPACIDE BIT 20

Page 9(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

|                                         |                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Physico-chemical eliminability :</b> | Biodegradable                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Biodegradability :</b>               | (63 d)<br>Partially biodegradable.<br>Method : OECD Test Guideline 301C                                                                                                                                                                                                                                                                                                              |
| <b>Bioaccumulation:</b>                 | Bioconcentration factor (BCF): 6.62 ( 56 d, Lepomis macrochirus (Bluegill sunfish), 0.1 mg/l )<br>Method : OECD Test Guideline 305<br>Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.                                                                                                                                                |
| <b>Fish toxicity :</b>                  | LC50 2.18 mg/l (96 h, Oncorhynchus mykiss (rainbow trout))<br>Method : OECD Test Guideline 203<br><br>LC50 approx. 16.7 mg/l (96 h, Cyprinodon variegatus (sheepshead minnow))<br>Method : No information available.                                                                                                                                                                 |
| <b>Daphnia toxicity :</b>               | EC50 2.94 mg/l (48 h, Daphnia magna (Water flea))<br>Method : OECD Test Guideline 202<br><br>EC0 0.643 mg/l (48 h, Daphnia magna (Water flea))<br>Method : OECD Test Guideline 202<br><br>EC50 0.9893 mg/l (96 h, Mysidopsis bahia (opossum shrimp))<br>Method : Other<br>salt water<br><br>NOEC 0.25 mg/l (96 h, Mysidopsis bahia (opossum shrimp))<br>Method : Other<br>salt water |
| <b>Algae toxicity :</b>                 | EC50 (Growth rate) 0.155 mg/l (72 h, Selenastrum capricornutum (green algae))<br>Method : OECD Test Guideline 201<br><br>NOEC (Growth rate) 0.055 mg/l (72 h, Selenastrum capricornutum (green algae))<br>Method : OECD Test Guideline 201                                                                                                                                           |
| <b>Bacteria toxicity :</b>              | EC50 23 mg/l (3 h, activated sludge of a predominantly domestic sewage)<br>Method : OECD Test Guideline 209<br>The details of the toxic effect relate to the nominal concentration.<br><br>EC50 (28 d)<br>Method : OECD 216<br>The details of the toxic effect relate to the nominal concentration.                                                                                  |

## NIPACIDE BIT 20

Page 10(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

NOEC (28 d)  
Method : OECD 216  
The details of the toxic effect relate to the nominal concentration.

**Toxicity to soil dwelling organisms:**

LC50, > 410.6 mg/kg ( 14 d, artificial soil, Eisenia fetida (earthworms), mortality )

Method : OECD Test Guideline 207

The details of the toxic effect relate to the nominal concentration.

NOEC, 234.5 mg/kg ( 14 d, artificial soil, Eisenia fetida (earthworms), mortality )

Method : OECD Test Guideline 207

The details of the toxic effect relate to the nominal concentration.

**Toxicity to terrestrial plants:**

EC50, 340 mg/kg ( 20 d, Phaseolus vulgaris, Growth )

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

NOEC, 90 mg/kg ( 20 d, Phaseolus vulgaris, Growth )

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

EC50, 300 mg/kg ( 19 d, Triticum aestivum (wheat), Growth )

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

NOEC, 51 mg/kg ( 19 d, Triticum aestivum (wheat), Growth )

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

**Remarks**

Do not allow to enter ground water, waterways or waste water.

**Information related to the component:** Sodium hydroxide**Physico-chemical eliminability :**

Inorganic product, cannot be eliminated from the water by biological purification processes.

**Biodegradability :**

The methods for determining biodegradability are not applicable to inorganic substances.

**Bioaccumulation:**

Not relevant for inorganic substances

**Fish toxicity :**

not reasonable

**Daphnia toxicity :**

EC50 (48 h, Ceriodaphnia spec.)

Method : Other

Source : European Chemicals Agency (ECHA)

## NIPACIDE BIT 20

Page 11(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

**Algae toxicity :** not reasonable

**Bacteria toxicity :** Not applicable

**Chemical oxygen demand (COD) :** Not applicable

**Biochemical oxygen demand (BOD5) :** Not applicable

**Toxicity to soil dwelling organisms:** Not applicable

**Toxicity to terrestrial plants:** Not applicable

**Toxicity other non-mammal terrestrial species:** ( other avian )  
Not applicable

**Remarks**

The product, since it is an inorganic, non-reducing type of substance, has neither a BOD nor a COD.

**13. Disposal considerations****Product**

In accordance with regulations for hazardous waste, must be taken to a hazardous waste disposal site

**Uncleaned packaging**

Regulations concerning reuse or disposal of used packaging materials must be observed.

**14. Transport information****IATA**

Proper Shipping Name Sodium hydroxide solution, mixture  
Class: 8  
Packing group: II  
UN/ID number: UN 1824  
Primary risk: 8  
Remarks Shipment permitted

**IMDG**

Proper Shipping Name Sodium hydroxide solution, mixture  
Class: 8  
Packing group: II  
UN no. UN 1824  
Primary risk: 8  
Remarks Shipment permitted  
EmS : F-A S-B

**NIPACIDE BIT 20**

Page 12(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

**ADR**

|                      |                                    |
|----------------------|------------------------------------|
| Proper Shipping Name | Sodium hydroxide solution, mixture |
| Class:               | 8                                  |
| Packing group:       | II                                 |
| UN no.               | UN 1824                            |
| Primary risk:        | 8                                  |
| Hazard no. :         | 80                                 |
| Remarks              | Shipment permitted                 |

**15. Regulatory information****Safety, health and environmental regulations specific for the product in question****Other regulations**

Observe national specific workplace risk prevention and health regulations.  
Take note of the national regulations on the protection of young people at work.  
Notification of the ministry of industry on the system of classification and hazard communication of hazardous substances B.E. 2555 (GHS 2009)  
Hazardous Substance Act B.E. 2535

**16. Other information**

Observe national and local legal requirements

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.