

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 22.03.2023

Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:

Dry Vitamin A-Acetate 500, 40 Mesh

Use: Vitamin

Manufacturer/supplier:

BASF (Thai) Limited

23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,

Klongton, Klongtoey, Bangkok 10110, THAILAND

Telephone: +66 2624-1999

Telefax number: +66 2664-9254

E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:

Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

Skin corrosion/irritation: Cat.3

Reproductive toxicity: Cat.1B (unborn child)

Hazardous to the aquatic environment - acute: Cat.3

Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

Signal Word:
Danger

Hazard Statement:

H316	Causes mild skin irritation.
H360	May damage the unborn child.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P332 + P313	If skin irritation occurs: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

The product is under certain conditions capable of dust explosion.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Preparation based on:

retinyl acetate
500 000 I.U./gembedded in: carbohydrates
, Gelatins

stabilized with:

2,6-di-tert-butyl-p-cresol
(BHT)

Hazardous ingredients

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

retinyl acetate

Content (W/W): $\geq 20\%$ - $< 25\%$

CAS Number: 127-47-9

Acute Tox.: Cat. 5 (oral)

Skin Corr./Irrit.: Cat. 3

Repr.: Cat. 1B (unborn child)

Aquatic Chronic: Cat. 4

2,6-di-tert-butyl-p-cresol

Content (W/W): $\geq 1\%$ - $< 3\%$

CAS Number: 128-37-0

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

M-factor chronic: 1

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

Specific hazards:

harmful vapours, carbon oxides

The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog. Dust explosion hazard.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Cool endangered containers with water-spray. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation. Ensure adequate ventilation. Do not breathe dust. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up. Collect waste in suitable containers, which can be labeled and sealed.

Dispose of absorbed material in accordance with regulations. Avoid raising dust. Cleaning operations should be carried out only while wearing breathing apparatus. Use spark-proof tools and explosion-proof equipment. Avoid sources of ignition.

Additional information: Dust can form an explosive mixture with air.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. Avoid dust formation. Provide exhaust ventilation if dust is formed.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Storage

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from the effects of light.

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

8. Exposure controls and personal protection

Components with occupational exposure limits

sucrose, 57-50-1;

TWA value 10 mg/m³ (ACGIHTLV)

2,6-di-tert-butyl-p-cresol, 128-37-0;

TWA value 2 mg/m³ (ACGIHTLV), Inhalable fraction and vapor

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. Do not breathe dust. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	free flowing, powder
Colour:	yellowish
Odour:	not applicable
Odour threshold:	Not determined due to potential health hazard by inhalation.

BASF Safety data sheet
 Date / Revised: 22.03.2023
 Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

pH value:	5.6 (10 %(m), 20 °C)	
Melting point:	The substance / product decomposes therefore not determined.	
Boiling point:	The substance / product decomposes therefore not determined.	
Flash point:	not applicable, the product is a solid	
Evaporation rate:	The product is a non-volatile solid.	
Flammability (solid/gas):	not highly flammable	(UN Test N.1 (ready combustible solids))
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Thermal decomposition:	$\geq 150\text{ °C}$ self-accelerating reaction	(DSC (DIN 51007))
Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	(UN Test N.4 (self heating substances))
SADT:	$> 75\text{ °C}$ Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Minimum ignition energy:	The product is capable of dust explosion.	(VDI 2263, sheet 1, 2.5)
Explosion hazard:	Product is not explosive, however a dust explosion could result from an air / dust mixture.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	negligible	
Density:	No information is available for the absolute density. Instead the bulk density was determined as a more relevant value.	
Bulk density:	approx. 600 kg/m ³	
Relative vapour density (air):	The product is a non-volatile solid.	

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

Solubility in water: emulsifiable
(35 - 40 °C)
Partitioning coefficient n-octanol/water (log Pow):
not applicable for mixtures
Viscosity, kinematic:
not applicable, the product is a solid

10. Stability and Reactivity

Conditions to avoid:
Avoid dust formation. Avoid electro-static charge. Avoid all sources of ignition: heat, sparks, open flame. See SDS section 7 - Handling and storage.

Thermal decomposition: ≥ 150 °C (DSC (DIN 51007))
self-accelerating reaction

Substances to avoid:
atmospheric oxygen

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:
Dust explosion hazard.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Assessment of acute toxicity

Virtually nontoxic after a single ingestion.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

Skin contact causes slight irritation.

Information on: retinyl acetate

Experimental/calculated data:

| Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)

Information on: retinyl acetate

Experimental/calculated data:

| Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:

Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

Reproductive toxicity

Assessment of reproduction toxicity:

Not expected to cause reproductive toxicity (based on composition).

Developmental toxicity

Assessment of teratogenicity:

The substance caused malformations/developmental toxicity in laboratory animals.

Information on: retinyl acetate

Assessment of teratogenicity:

May cause harm to the unborn child.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Aspiration hazard

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Information on: 2,6-di-tert-butyl-p-cresol

Toxicity to fish:

LC0 (96 h) $\geq$ 0.57 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, semistatic)

The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Information on: 2,6-di-tert-butyl-p-cresol

Aquatic invertebrates:

EC0 (48 h) 0.48 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Information on: 2,6-di-tert-butyl-p-cresol

Aquatic plants:

EC50 (72 h) $>$ 0.40 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)

The statement of the toxic effect relates to the analytically determined concentration.

Information on: 2,6-di-tert-butyl-p-cresol

Microorganisms/Effect on activated sludge:

EC0 (3 h) 1,000 mg/l, activated sludge (DIN EN ISO 8192-OECD 209-88/302/EEC, P. C, aerobic)

Information on: 2,6-di-tert-butyl-p-cresol

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.316 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

Mobility

Assessment transport between environmental compartments:

No data available.

No data available.

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

Information on: 2,6-di-tert-butyl-p-cresol
Assessment transport between environmental compartments:
The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is expected.

Information on: retinyl acetate
Assessment transport between environmental compartments:
No data available.
Adsorption to solid soil phase is expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
No data available.

Information on: retinyl acetate
Elimination information:
42.2 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic)

Information on: 2,6-di-tert-butyl-p-cresol
Elimination information:
4.5 % BOD of the ThOD (28 d) (OECD 301C; ISO 9408; 92/69/EEC, C.4-F) (aerobic, activated sludge)

Bioaccumulation potential

Assessment bioaccumulation potential:
No data available.

Information on: 2,6-di-tert-butyl-p-cresol
Assessment bioaccumulation potential:
May be accumulated in organisms.

Information on: retinyl acetate
Assessment bioaccumulation potential:
Significant accumulation in organisms is not to be expected.

Information on: 2,6-di-tert-butyl-p-cresol
Bioaccumulation potential:
| Bioconcentration factor: 330 - 1,800 (28 d), Cyprinus carpio (OECD Guideline 305 C)
| Bioconcentration factor: 230 - 2,500 (56 d), Cyprinus carpio (OECD Guideline 305 C)

Additional information

Other ecotoxicological advice:
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

BASF Safety data sheet
Date / Revised: 22.03.2023
Product: **Dry Vitamin A-Acetate 500, 40 Mesh**

Version: 3.0

(30041009/SDS_GEN_TH/EN)

Date of print: 28.05.2026

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED