

# Gastric/ Enteric -Soluble Film Coating Premix MSDS

## 1. Identification of the substance, the preparation and the company

Product name: Gastric/ Enteric -Soluble Film Coating Premix

Company: Shanghai Polymer Pharmaceutical & Excipient Co., Ltd

Address: No. 488 Jiugong Road, Jinshan Industrial Zone, Shanghai

Tel: 021-57277208

## 2. Ingredient: Pharmaceutical Excipient mixture

Contain

Film Former

Coloring Agent

Plasticizer

Antisticking Agent

Surfactant

Filler

## 3. Hazard identification

No harm, no need for hazard identification and warning.

## 4. First-Aid Measures

On skin contact: Wash thoroughly with soap and water.

On contact with eyes: Wash affected eyes under running water with eyelids held open.

On ingestion: Rinse mouth and then drink 200-300 ml of water.

If inhaled: Remove to fresh air.

General advice: Remove contaminated clothing.

## 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, dry powder

Procedure:

1. Secure the evacuation of personnel.

2. Use fire extinguisher to extinguish fire and remove unburned dangerous goods.

Specific hazard: If case of fire, the product does not cause harm.

Keep product and spare packaging away from heat.

#### 6. Accidental Release Measures

Environmental precautions :Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up For small amounts: Sweep/shovel up.

For large amounts: Pick up with suitable appliance and dispose of.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

Additional information: Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion.

#### 7. Handling and Storage

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges.

Storage: Suitable warehouse.

Keep container tightly closed and dry; store in a cool place.

#### 8. Exposure controls and personal protection

Respiratory protection:P2 filter mask

Eye protection:Goggles.

Hand protection: Synthetic gloves.

Occupational health: Must follow cleaning guidelines for pharmaceutical excipients production.

## 9. Physical and Chemical Properties

|                      |                      |
|----------------------|----------------------|
| Form:                | Powder               |
| Color:               | Many colors          |
| Odour:               | Almost odourless     |
| Solubility in water: | Suspension liquid    |
| Flash point:         | NA                   |
| Boiling point:       | Non-volatile solid   |
| Flammability:        | Not highly flammable |
| Explosion hazard:    | Without              |
| Combustibility:      | Without              |

## 10. Stability and Reactivity

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Possible decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11. Toxicological Information

Based on industrial experience and normal sanitary conditions, no adverse effects on health.  
No Toxicological data.

## 12. Ecological Information

Proper treatment does not create environmental problems.  
No data available.

## 13. Disposal Considerations

Transport in airtight container to suitable processing centers.

上海浦力膜制剂辅料有限公司

电话: +86 21 50521285 传真: +86 21 50521286

工厂: 上海市金山工业区九工路 488 号 201506

共 3 页第 4 页

[www.polymer-pharm.com](http://www.polymer-pharm.com)

**14. Transport Information**

Not dangerous goods.

Keep dry.

Store separately from food.

**15. Regulatoru Information**

Implement according to relevant national regulations.

ORIGINAL CONTROLLED

# 胃/肠溶型薄膜包衣预混剂安全数据表

## 一 物质/制剂和公司的标识

名称:胃/肠溶型薄膜包衣预混

公司:上海浦力膜制剂辅料有限公司

地址:上海市金山工业区九工路 488 号 电话:021-57277208

## 二 组成/成分: 药用辅料混合物

包含

成膜剂

着色剂

增塑剂

抗粘剂

表面活性剂

填充剂

## 三 危害辨识资料

无危害, 不需要危险识别危险警告。

## 四 急救措施

皮肤接触: 立即用大量清水彻底冲洗;

眼睛接触: 眼睛受到污染时, 必须打开眼睑, 用水彻底冲洗。应立即咨询医生(或眼科专家)。

食入: 用水清洁口腔, 随后饮用大量水, 必要时就医。

吸入: 立即移到空气流通处, 如果呼吸困难提供吸氧。

一般信息: 立即脱掉所有被污染的衣服。

## 五 灭火措施

适用灭火剂: 所有灭火材料都适用。

灭火程序:

1. 保护人员安全撤离。
2. 使用灭火器灭火并搬走未燃之危险品。

该产品产生的特有危害: 如发生火灾, 此产品不会产生特有的危害。

保持产品和空余包装远离热源

消防人员之特殊 配戴空气防护罩, 手套, 消防衣。

## 六 泄漏处理方式

应急处理： 切断火源，迅速撤离泄漏污染区人员至安全地带，并进行隔离，严格限制出入。应急处理人员配戴空气呼吸防护罩。尽可能切断泄漏源。

环境防护 安全的情况下防止更多的泄漏或溢出。

防止污染方法 尽量避免产生扬尘。清扫物料，并用袋子装载当做废物处理

大量泄漏： 如果大量产品被释放，可能不允许进入污水系统、生物污水处理厂、地表水和/或地下水。

要清洁被该材料污染的地板和所有物体，请使用水和清洁剂。

注意：水接触产品后可能会染色，需根据当地要求处理好。

## 七 安全处理和贮存方法

- 处置：
1. 工作人员应受安全使用训练。
  2. 安装消防系统及泄漏应急处理设施，远离火种，热源。
  3. 预防静电产生并避免扬尘。

贮存： 对于储存，必须使用有足够产品接收量的合适仓库。

储存在密封的原始容器中，保持凉爽干燥。

防潮

## 八 接触控制/个人防护：

除非产品是完全密封的， 否则在您研究了有关当局或事故预防协会发布的呼吸预防措施之前， 不要处理它。

推荐的呼吸保护：P2 过滤式半面罩

眼睛保护：护目镜。

手部保护：合成材料手套

职业健康：

必须遵守药用辅料生产的清洁指南

## 九 物理及化学性质

物质状态： 粉末

外观/颜色： 多种颜色

气味： 几乎无味

水中溶解度： 悬浮液

闪点： 不适用，该产品是固体。

上海浦力膜制剂辅料有限公司

电话：+86 21 50521285 传真：+86 21 50521286

工厂：上海市金山工业区九工路 488 号 201506

电话：+86 21 57277208 传真：+86 21 57277216

沸点                      产品是非挥发性的固体  
可燃性：                无高度可燃性。  
自燃：                  不自燃  
爆炸危险：            无爆炸性  
促燃性：               无助燃性

#### 十 稳定性及反应性

热分解：  
正确使用时不会分解。  
有害分解产物：  
正确储存和处理时, 没有危险的分解产物。

#### 十一 毒理学信息

根据工业经验和正常卫生条件, 未发现对健康的不利影响。  
无毒理学数据

#### 十二 生态信息

正确的处理不会产生环境问题。  
根据目前的知识水平, 如果产品使用得当, 在生物污水处理厂中, 不会造成干扰  
没有生态毒理学数据

#### 十三 处置注意事项

用密闭的容器运输到合适的处理中心

#### 十四 运输信息

不是危险货物。保持干燥。与食物分开存放。

#### 十五 法规资料

按国家有关规定执行。