

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 1 | From 8

**1. MATERIAL IDENTIFICATION**

MATERIAL NAME IDENTIFIER : Acrylamide 50% Solution

MANUFACTURE / SUPPLIER : PT. TRIDOMAIN CHEMICALS

STREET ADDRESS : Jl. Raya Merak Km. 117. DesaGeremKec. Grogol – Cilegon

CITY : Banten

Province : Banten,INDONESIA

POSTAL CODE : 42438,

EMERGENCY TEL : NO. + 62 (0254) 570-142

Telefax + 62 (0254) 571-458

**2. HAZARD IDENTIFICATION**

GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE :

PHYSICAL HAZARDS.

Explosives

Flammable gases

: Not applicable

Flammable aerosols

: Not applicable

Oxidizing gases

: Not applicable

Gases under pressure

: Not applicable

Flammable liquids

: Not applicable

Flammable solids

: Not applicable

Self-reactive substances and mixtures

: Not Classified

Pyrophoric liquids

: Not Classified

Pyrophoric solids

: Not Classified

Self heating substances and mixtures

: Classification not possible

Substances and mixtures, which in contact with water, emit

Flammable gases

: Not applicable

Oxidizing gases

: Not applicable

Oxidizing solids

: Not applicable

Organic peroxides

: Not applicable

Corrosive to metals

: Classification not possible

HEALTH HAZARDS

Acute toxicity : Oral

: Category 3

Acute toxicity : skin

: Category 3

Acute toxicity : inhalation (gas)

: Not applicable

Acute toxicity : inhalation (vapour)

: Classification not possible

Acute toxicity : inhalation (dust)

: Not applicable

Acute toxicity : inhalation (mist)

: Classification not possible

Skin corrosion / irritation

: Category 3

Serious eye damage/eye irritation

: Category 2A

Skin sensitization

: Category 1

Ger cell mutagenicity

: Category 1B

Carcinogenicity

: Category 1B

Toxic to reproduction

: Category 1B

Specific target organ toxicity (single exposure)

: Category 1 (nervous system, testis)

Specific target organ toxicity (repeated exposure)

: Category 1(nervous system,testis)

Aspiration hazard

: Classification not possible

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 2 | From 8

**ENVIROMENTAL HAZARDS**

Hazardous to the aquatic environment (acute)

: Category 3

Hazardous to the aquatic environment (chronic)

: Not classified

**GHS LABEL ELEMENTS :****PICTOGRAM :**

H301



H350



H316+H319



H402

**SIGNAL WORD : DANGER****HAZARD STATEMENTS :**

H301 Toxic if swallowed.

H350 May cause cancer

H316 Cause mild skin irritation.

H319 Cause serious eye irritation.

H402 Harmful to aquatic life.

H311 Toxic in contact with skin

H317 May cause allergic skin reaction

H340 May cause genetic defects.

H361f May damage fertility or the unborn child.

H372 Cause damaged to nervous system and testis through prolonged or repeated exposure.

**PRECAUTIONARY STATEMENTS :****Prevention :**

Obtain special instruction before use, and DO NOT handle until all safety precaution have been read and understood.

Use only outdoor or in a well ventilated area and DO NOT breathe mist / vapours.

Wash hands, face, and other necessary parts thoroughly, and gargle the throat after handling.

Use personal protective equipment; protective helmet/eye gloves/protective clothing/protective boots as required.

Avoid release to the environment.

**Response :**

IF SWALLOWED; rinse mouth. Do NOT induce vomiting, Get immediate medical advice/attention.

IF IN EYES : Rinse cautiously with water for several minutes,

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice/attention.

IF ON SKIN: Wash skin with soap and water/shower. If skin irritation or rash occurs: Get medical advice/attention.

If exposed or concerned, or if you feel unwell : Get medical advice/attention,

**Storage :**

Store locked up.

**Disposal :**

Disposal of contents/container in accordance with local/regional/national/international regulations.

Do not reuse the container for any other purpose. Dispose of in accordance with applicable laws and regulation.

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 3 | From 8

OTHER HAZRDS WHICH DO NOT RESULT IN CLASSIFICATION :

Emits irritating and toxic fumes under fire conditions.

**3. COMPASITION / INFORMATION ON INGREDIENTS.**

| Chemicals Name | %   | CAS No.   |
|----------------|-----|-----------|
| Acrylamide     | 50% | 79-06-1   |
| Water          | 50% | 7732-18-5 |

SYNONYMS : Acrylamide (DSL, EINECS, ENCS, ECL, PICCS) ; 2-Propene amide (TSCA, DSL, AICS, ECL, SWISS, PICCS, NZIoC)

**4. FIRST AID MEASURES.**

INHALATION :

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep the affected person warm and at rest. Get medical attention immediately.

EYE CONTACT :

Immediately flush eyes with plenty of water for several minutes and get medical attention.

Part eyelids with fingers to assure complete flushing.

Check for and remove contact lenses if easily possible.

SKIN CONTACT :

Immediately remove contaminated clothing and shoes. Flush skin IMMEDIATELY and thoroughly. If not removed promptly, this material may cause serious skin damage. Get medical attention immediately.

INGESTION :

Rinse mouth with water. Induce vomiting as directed by medical personnel. Get medical attention immediately. Never give anything by mouth to an unconscious or convulsing person. Keep the affected person warm and at rest.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED :

This product is irritating to eye. Respiratory system and skin. Inflammation of mucous membrane of eyes. Nose, and disturbance, tremor, confusion, hypersensitivity, difficulty in speech and other symptoms may occur after inhalation or absorbed through the skin.

SPECIAL PROTECTIVE ACTIONS FOR FRIST-AIDERS :

Wear appropriate personal protective equipment such as respirator, goggles, protective gloves, etc.

NOTE TO PHYSICIAN :

Threat symptomatically.

**5. FIRE FIGHTING MEASURES.**

EXTINGUISHING MEDIA : water jet, water fog.

UNSUITABLE EXTINGUISHING MEDIA : Not specified.

SPECIAL HAZARDS :

Emits toxic fumes under fire conditions.

FIRE FIGHTING INSTRUCTIONS.

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 4 | From 8

Keep unnecessary and unprotected personnel away, Shut off supply if possible. Remove containers to safe place if possible, Keep surrounding areas cool by spraying water. Fight fire from an upwind position.

**FIRE FIGHTING EQUIPMENT :**

Respiratory and eye protection required for fire-fighting personnel. Full protective equipment and self-contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires.

**6. ACCIDENTAL RELEASE MEASURES.****PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :**

Evacuate immediately area. Warn personnel of fire, explosion and health hazard.

Keep unnecessary and unprotected personnel away. Wear appropriate personal protective equipment as specified in section 8. Keep upwind, evacuate downwind.

**ENVIRONMENTAL PRECAUTIONS :**

Warn and evacuate the neighborhood as necessary.

Do not let this chemical enter the environment. Do not flush into sewer, river or any body of water.

**CONTAINMENT/CLEAN-UP METHODS :**

Absorb or cover with dry earth, sand or other non-combustible material and transfer to sealable containers. Large spills : Dike far ahead of liquid spill for later disposal. Stop leak if possible without personal risk. Avoid runoff to sewer or waterways.

**7. HANDLING AND STORAGE.****HANDLING :****Technical Measures :**

Use only in well-ventilated area. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wear appropriate personal protective equipment. Provide hand and eye wash station near work area. Wash thoroughly after handling.

**Ventilation :**

Use only under local exhaust or general ventilation.

**Safe Handling Advice :**

Do not handle until all safety precautions have been read and understood. Prevent leak and spill. Avoid vapor formation. Do not fall, drop, shock or drag the container. Avoid contact with eye, skin or clothing. Avoid inhalation and ingestion. Use only in well-ventilated area or outdoors.

**STORAGE :****Storage Conditions :**

Protect from direct sunlight. Store in the room by temperature is  $\leq 30^{\circ}\text{C}$ , and well-ventilated area. Keep container tightly closed. Keep away from strong oxidizers. Keep locked up. Store in a segregated and approved area,

**Packing Materials :**

Use UN approved containers or containers approved by local and national authorities.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 5 | From 8

**EXPOSURE LIMITS :**

ACGIH-TLV : 0.03 mg/m3 (TWA) Inhalable Skin OSHA-PEL : 0.3 mg/m3 (TWA) Skin

**ENGINEERING CONTROLS :**

Provide general ventilation. Use closed system or local exhaust ventilation. Provide safety shower and eye wash station near work area.

**PERSONAL PROTECTIVE EQUIPMENT**

Respiratory protection : Chemical cartridge respirator with organic vapor cartridge,

Hand Protection : Protective gloves.

Eye Protection : Safety glasses, goggles, face shield.

Skin and body protection : Safety helmet, protective clothing, safety boots, apron.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

|                      |                             |
|----------------------|-----------------------------|
| PHYSICAL STATE       | : Liquid.                   |
| APPEARANCE           | : Colorless clear liquid.   |
| ODOR                 | : Odorless, transparency    |
| PH                   | : 6.0 ~ 8.0                 |
| BOILING POINT        | : 105.5 °C                  |
| CRYSTALIZATION POINT | : 12 ~ 13 °C                |
| FLASH POINT          | : Not flammable             |
| AUTOIGNITION TEMP    | : Not available             |
| FLAMMABLE LIMITS     | : Not available             |
| VAPOR PRESSURE       | : (MM Hg) Similar to H2O    |
| VAPOR DENSITY        | : (Air =1) Similar to H2O   |
| SPECIFIC GRAVITY     | : 1.036 g / cm3 at 30 °C    |
| SOLUBILITY           | : In Water All proportions. |

**10. STABILITY AND REACTIVITY**

|                                  |                                                                                                             |
|----------------------------------|-------------------------------------------------------------------------------------------------------------|
| CHEMICAL STABILITY               | : Stable for normal, storage and handling.                                                                  |
| HAZARDOUS REACTIONS              | : Reaction violently with strong oxidizers.                                                                 |
| MATERIAL TO AVOID                | : Acids, alkalis, peroxide, oxidizing reagent, reducing reagent steel may react or initiate polymerization. |
| CONDITION TO AVOID               | : Heating to more than 60 °C or exposing to direct sunlight may cause polymerization.                       |
| HAZARDOUS DECOMPOSITION PRODUCTS | : Not available.                                                                                            |

**11. TOXICOLOGICAL INFORMATION****ACUTE TOXICITY :**

|                                      |                 |                               |
|--------------------------------------|-----------------|-------------------------------|
| Oral rat LD 50                       | 107 ~ 170 mg/kg | ( Category 3 )                |
| Exposure limit of material 0.3 mg/kg |                 | ( Category 3 )                |
| Inhalation                           | Not available   | (Classification not possible) |

**SKIN CORROSION/IRRITATION :**

|                        |              |
|------------------------|--------------|
| Causes skin irritation | (Category 3) |
|------------------------|--------------|

**SERIOUS EYE DAMAGE/EYE IRRITATION :**

|                               |               |
|-------------------------------|---------------|
| Causes serious eye irritation | (Category 2A) |
|-------------------------------|---------------|

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 6 | From 8

**RESPIRATORY SENSITIZATION :**

Not available.

(Classification not possible)

**SKIN SENSITIZATION :**

May cause allergic skin reaction

(Category 1)

**CARCINOGENICITY of Material:**

Human ( IARC )

( Category 1B )

**REPRODUCTIVE EFFECTS of MATERIAL :**

Reproductive toxicity is reported in animals

**ASPIRATION HAZARD :**

Not available

(Classification not possible)

The following information is for the components of this product ( Acrylamide ),

**ACUTE TOXICITY :**

Oral rat LD50 0.17 g/kg.

Expose limit of Material LD50 0.3 mg/kg.

Inhalation Not available.

**SKIN CORROSION/IRRITATION :**

Skin irritation human, rabbit Mild

**SERIOUS EYE DAMAGE/EYE IRRITATION :**

Eye irritation was observed but disappeared during the observation period of 21 days.

**RESPIRATORY SENSITIZATION :**

Not available.

**SKIN SENSITIZATION :**

Guinea pig positive

**CARCINOGENICITY :**

IARC : Group 2A

NTP : Reasonably anticipated carcinogen.

ACGIH : A3

**REPRODUCTIVE TOXICITY :**

In rat 70 day oral study : decreased number of fetuses per brood, decline in the ability of males to impregnate females, increased incidence of preimplantation embryo death, etc.

**ASPIRATION HAZARD**

: Not available.

**12. ECOLOGICAL INFORMATION.****HAZARDOUS TO THE AQUATIC ENVIRONMENT ( ACUTE ) :**

Harmful to aquatic life.

( Category 3 )

**HAZARDOUS TO THE AQUATIC ENVIRONMENT ( CHRONIC ) :**

( Not classified )

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 7 | From 8

Ecological information of some components is known as follows :

( ACRYLAMIDE )

ECOTOXICITY :

Alga EC50 16.9 mg/l/72 hr.

PERISITENCE / DEGRADABILITY :

Biodegradable:(BOD=70%)

BIOACCUMULATION POTENTIAL :

Low ( Estimate from log kow = -0.67 )

**13. DISPOSAL CONSIDERATIONS**

WASTE FROM RESIDUES :

Whatever cannot be saved for recovery may be burned in an approved incinerator or disposed in approved waste facility.  
Ensure compliance with local, state, federal and national regulation.

CONTAMINATED PACKING :

Empty the container completely before disposal,

**14. TRANSPORT INFORMATION**

Hazard class : 6.1

UN number : UN 3426

Packing group : III

Proper shipping name : ACRYLAMIDE SOLUTION

Special precautions for user related to transport or transportation measure :

- Type of extraordinary step in fire : F – A
- Type of extraordinary step in spill : S – A

**15. REGULATORY INFORMATION**

INVENTORY STATUS

X : All components of this product comply with the inventory requirements administered by the governing country (s).

United States : TSCA Inventory (X)

European Union : EINECS (X) ELINCS ( ) NLP ( )

Australia : AICS (X)

Canada : DSL (X) NDSL ( )

China : IECSC (X)

Korea : KECI (X)

New Zealand : NZIoC (X)

Philippine : PICCS (X)

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III  
SUPPORT****SAFETY DATA SHEET**

No. of Document: SP/QHSE/PRO-01.01

Published: 21/12/2022

No. of Change : 06

Page : 8 | From 8

**16. OTHER INFORMATION**

References :

- 1) Book of Dangerous Goods (Gunter Hommel, 1991)
- 2) GHS Classifications of Regulated Chemicals (National Institute of Technology and Evaluation, Japan, 2007)  
[http://www.safe.nite.go.jp/english/ghs\\_index.html](http://www.safe.nite.go.jp/english/ghs_index.html)
- 3) International Chemical Safety Cards (ICSC)
- 4) In-house data

To the best of our knowledge, the information contained herein is accurate.

However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.