

**VIV INTERCHEM**

Safety Data Sheet

VIVAFLOC CP6520**Revision: 01****Revision date 29/11/2024**

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier	VIVAFLOC CP6520
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Relevant identified uses:	Flocculation agent
1.3	Details of the supplier of the safety data sheet	
	Company:	VIV INTERCHEM 22 Sukhumvit 42, Sukhumvit Rd, Prakanong, Klongtoey, Bangkok 10110 Telephone: +662 712 1044 E-mail address: thasanaprapha@vivgroup.com
1.4	Emergency telephone number	
	International emergency number:	Telephone: 02-7094600-4 #214

SECTION 2: Hazards Identification	
2.1	Classification of the substance or mixture
	Classification according to Chinese Standard GB 30000-2013: Aquatic Acute 2;H401
2.2	Label elements
	Labelling according to Chinese Standard GB 15258-2009: Hazard pictogram(s): None. Signal word: None. Hazard statement(s): H401 - Toxic to aquatic life Precautionary statement(s): P273 - Avoid release to the environment
2.3	Other hazards
	Aqueous solutions or powders that become wet render surfaces extremely slippery. For explanation of abbreviations see Section 16.

SECTION 3: Composition/information on ingredients		
3.1	Substances	Not applicable
3.2	Mixtures	Polyacrylamide, cationic

SECTION 4: First aid measures		
4.1	Description of first aid measures	
	If inhaled:	Move to fresh air. Get medical attention if symptoms occur.

Safety Data Sheet

VIVAFLOC CP6520**Revision: 01****Revision date 29/11/2024**

	On skin contact:	Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
	On contact with eyes:	Rinse immediately with plenty of water, also under the eyelids. Get medical attention.
	On ingestion:	Rinse mouth. If conscious, give the victim plenty of water to drink. Induce vomiting, but only if victim is fully conscious.
4.2	Most important symptoms and effects, both acute and delayed	
	Powder can cause localised skin irritation in folds of the skin or under tight clothing. Contact with dust can cause mechanical irritation or drying of the skin.	
4.3	Indication of any immediate medical attention and special treatment needed	
	Treatment:	None
	Other information:	No information available.

SECTION 5: Firefighting measures

5.1	Extinguishing media	
	Suitable extinguishing media:	Water. Water spray. Foam. Carbon dioxide (CO ₂). Dry powder. Warning! Aqueous solutions or powders that become wet render surfaces extremely slippery.
	Unsuitable extinguishing media for safety reasons:	None known.
5.2	Special hazards arising from the substance or mixture	
	Hazardous decomposition products:	Thermal decomposition may produce: hydrogen chloride gas, nitrogen oxides (NO _x), carbon oxides (CO _x). Ammonia (NH ₃). Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.
5.3	Advice for fire-fighters	
	Special protective equipment:	Wear self contained breathing apparatus for fire fighting if necessary.
	Other information:	Aqueous solutions or powders that become wet render surfaces extremely slippery.

SECTION 6: Accidental release measures

6.1	Personal precautions, protective equipment and emergency procedures	
	Personal precautions:	Avoid contact with skin and eyes. Avoid dust formation. Avoid breathing dust. Aqueous solutions or powders that become wet render surfaces extremely slippery.

VIVAFLOC CP6520

Revision: 01

Revision date 29/11/2024

	Protective equipment:	Wear adequate personal protective equipment (see Section 8 Exposure Controls/Personal Protection).
	Emergency procedures:	Keep people away from spill/leak. Prevent further leakage or spillage if safe to do so.
6.2	Environmental precautions	As with all chemical products, do not flush into surface water.
6.3	Methods and material for containment and cleaning up	
	For small amounts:	Do not flush with water. Clean up promptly by sweeping or vacuum.
	For large amounts:	Do not flush with water. Prevent unauthorized access. Sweep up and shovel into suitable containers for disposal.
	Residues:	Sweep up to prevent slip hazard. After cleaning, flush away traces with water.
6.4	Reference to other sections	
	SECTION 7: Handling and storage; SECTION 8: Exposure controls/personal protection; SECTION 13: Disposal considerations;	

SECTION 7: Handling and storage		
7.1	Precautions for safe handling	Avoid contact with skin and eyes. Avoid dust formation. Avoid breathing dust. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, including any incompatibilities	
	Keep in a dry place. Incompatible with oxidizing agents.	
7.3	Specific end use(s)	This information is not available.

SECTION 8: Exposure controls/personal protection		
8.1	Components with occupational exposure limits:	
	Control parameters	Occupational exposure limits: None known.
8.2	Exposure controls	
	Appropriate engineering controls:	Use local exhaust if dusting occurs. Natural ventilation is adequate in absence of dusts.
	Individual protection measures, such as personal protective equipment:	
	Eye/Face Protection:	Safety glasses with side-shields (frame goggles) (e.g. EN 166)
	Hand protection:	PVC or other plastic material gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/689/EEC and the standard EN 374 derived from it.
	Other:	Chemical resistant apron or protective suit if splashing or repeated contact with solution is likely. The type of protective equipment must be selected according to

VIVAFLOC CP6520

Revision: 01

Revision date 29/11/2024

		the concentration and amount of the dangerous substance at the specific workplace.
	Respiratory Protection:	Dust safety masks recommended where working powder concentration is more than 10 mg/m ³ . Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
	Additional advice:	Wash hands before breaks and at the end of workday. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.
	Environmental exposure controls:	Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties	
	Appearance:	Granular solid, White.
	Odour:	None.
	Odour threshold:	Not applicable.
	pH value:	2.5 - 4.5 @ 5 g/L (See Technical Bulletin or Product Specifications for a more precise value, if available)
	Melting range:	> 100° C
	Boiling point:	Not applicable
	Flash point:	Not applicable
	Evaporation rate:	Not applicable
	Flammability (solid/gas):	Not combustible.
	Lower explosion limit:	Not expected to create explosive atmospheres.
	Upper explosion limit:	Not expected to create explosive atmospheres.
	Vapour pressure:	Not applicable.
	Vapour density:	Not applicable.
	Relative density:	0.6 - 0.9 (See Technical Bulletin or Product Specifications for a more precise value, if available)
	Solubility in water:	Soluble in water.
	Partitioning coefficient n-octanol/water (log K _{ow}):	< 0
	Autoignition temperature:	Not applicable.
	Decomposition temperature:	> 200° C
	Viscosity, dynamic:	See Technical Bulletin.



Safety Data Sheet

VIVAFLOC CP6520

Revision: 01

Revision date 29/11/2024

	Explosion hazard:	Not expected to be explosive based on the chemical structure.
	Oxidizing properties:	Not expected to be oxidizing based on the chemical structure.
9.2	Other information	
	None.	

SECTION 10: Stability and reactivity

10.1	Reactivity	Hazardous polymerization does not occur.
10.2	Chemical stability	Stable.
10.3	Possibility of hazardous reactions	Oxidizing agents may cause exothermic reactions.
10.4	Conditions to avoid	None known.
10.5	Incompatible materials	Oxidizing agents.
10.6	Hazardous decomposition products:	Thermal decomposition may produce: hydrogen chloride gas, nitrogen oxides (NO _x), carbon oxides (CO _x). Ammonia (NH ₃). Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

SECTION 11: Toxicological information

11.1	Information on toxicological effects	
	Information on the product as supplied:	
	Acute oral toxicity:	LD50/oral/rat > 5000 mg/kg
	Acute dermal toxicity:	LD50/dermal/rat > 5000 mg/kg.
	Acute inhalation toxicity:	The product is not expected to be toxic by inhalation.
	Skin corrosion/irritation:	Not irritating.
	Serious eye damage/eye irritation:	Testing conducted according to the Draize technique showed the material produces no corneal or iridial effects and only slight transitory conjunctival effects similar to those which all granular materials have on conjunctivae.
	Respiratory/skin sensitisation:	The results of testing on guinea pigs showed this material to be non-sensitizing.
	Mutagenicity:	Not mutagenic.
	Carcinogenicity:	Not carcinogenic.
	Reproductive toxicity:	Not toxic for reproduction.
	STOT - Single exposure:	No known effects.
	STOT - Repeated exposure:	No known effect.
	Aspiration hazard:	No hazards resulting from the material as supplied.

SECTION 12: Ecological information		
12.1	Toxicity	
	Information on the product as supplied:	
	Acute toxicity to fish:	LC50/Danio rerio/96 hours = 5 - 10 mg/L (OECD 203)
	Acute toxicity to invertebrates:	EC50/Daphnia magna/48 hours = 20 - 50 mg/L (OECD 202)
	Acute toxicity to algae:	Algal inhibition tests are not appropriate. The flocculation characteristics of the product interfere directly in the test medium preventing homogenous distribution which invalidates the test.
	Chronic toxicity to fish:	No data available.
	Chronic toxicity to invertebrates:	No data available.
	Toxicity to microorganisms:	No data available.
	Effects on terrestrial organisms:	No data available. Readily biodegradable, exposure to soil is unlikely.
	Sediment toxicity:	No data available. Readily biodegradable, exposure to sediment is unlikely.
12.2	Persistence and degradability	
	Information on the product as supplied:	
	Degradation:	Based on degradation data of components, this product is expected to be readily (bio)degradable.
	Hydrolysis:	At natural pHs (>6) the polymer degrades due to hydrolysis to more than 70% in 28 days. The hydrolysis products are not harmful to aquatic organisms.
	Photolysis:	No data available.
12.3	Bioaccumulative potential	
	Information on the product as supplied:	The product is not expected to bioaccumulate.
	Partition co-efficient (Log Pow):	< 0
	Bioconcentration factor (BCF):	No data available.
12.4	Mobility in soil	
	Information on the product as supplied:	No data available.
12.5	Other adverse effects	
	None known.	

SECTION 13: Disposal considerations		
13.1	Waste treatment methods	
	Waste from residues/unused products:	Dispose in accordance with local and national regulations. Can be landfilled or incinerated, when in compliance with local regulations.

VIVAFLOC CP6520

Revision: 01

Revision date 29/11/2024

Contaminated packaging:	Rinse empty containers with water and use the rinse-water to prepare the working solution. If recycling is not practicable, dispose of in compliance with local regulations. Can be landfilled or incinerated, when in compliance with local regulations.
Recycling:	In accordance with local and national regulations.

SECTION 14: Transport information

Land transport (China Dangerous Goods)	Not classified.
Sea transport (IMDG)	Not classified.
Air transport (IATA)	Not classified.

SECTION 15: Regulatory information

15.1	Information on the product as supplied:
	Chinese Inventory of Chemical Substances (IECSC)
	All components of this product are either listed on the inventory or are exempt from listing.

SECTION 16: Other information

	This data sheet contains changes from the previous version in section(s):
	SECTION 3. Composition/information on ingredients, SECTION 5. Fire-fighting measures, SECTION 8. Exposure controls/personal protection, SECTION 16. Other Information.
	Key or legend to abbreviations and acronyms used in the safety data sheet:
	Acronyms STOT = Specific target organ toxicity
	Abbreviations Acute Tox. 5 = Acute toxicity Category Code 5 Aquatic Acute 2 = Hazardous to the aquatic environment Acute Category Code 2 Aquatic Acute 3 = Hazardous to the aquatic environment Acute Category Code 3 Aquatic Chronic 3 = Hazardous to the aquatic environment Chronic Category Code 3 Eye Irrit. 2A = Serious eye damage/eye irritation Category Code 2A Skin Irrit. 2 = Skin corrosion/irritation Category Code 2 Hazard statements H303 - May be harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H401 - Toxic to aquatic life H402 - Harmful to aquatic life H412 - Harmful to aquatic life with long lasting effects



VIV INTERCHEM

Safety Data Sheet

VIVAFLOC CP6520

Revision: 01

Revision date 29/11/2024

	Training advice:	Do not handle until all safety precautions have been read and understood.
	This SDS was prepared in accordance with the following:	
	Chinese Standards GB/T 16483-2008 and GB/T 17519-2013	
	Chinese Standard GB 30000-2013	
	Chinese Standard GB 15258-2009	

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

END OF DATA SHEET.

ORIGINAL CONTROLLED