

NIPACIDE BIT 20

Page 1(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

1. Identification of the substance/preparation and company

Trade name

NIPACIDE BIT 20

Material number: 169593

Use of the substance/preparation.

Industry sector : Techno-chemical industry.
Type of use : Biocidal product
Preservatives for products during storage
Fibre, leather, rubber and polymerised materials preservatives

Identification of the company

PT Clariant Indonesia

Gatot Subroto Km. 4, Jl. Kalisabi No.1, Kec. Cibodas
15138 Tangerang, Indonesia
Telephone no. : +62 21 5538589

Information about the substance/preparation

BU Industrial & Consumer Specialties
Product Stewardship, +91 22 7125 1323

Emergency telephone number : +91 22 7125 1200

2. Hazard identification

Classification of the substance or mixture

Corrosive to metals Category 1
Acute toxicity Category 5 (Oral)
Acute toxicity Category 4 (Inhalation)
Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1
Skin sensitisation Category 1
Acute aquatic toxicity Category 2
Chronic aquatic toxicity Category 3

GHS label elements, including precautionary statements

Pictograms - Hazard symbols



Corrosion, Exclamation mark

Signal word

Danger

Hazard statements

May be corrosive to metals.
May be harmful if swallowed.

NIPACIDE BIT 20

Page 2(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Harmful if inhaled.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Precautionary statements

Keep only in original container.
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
Call a POISON CENTER or doctor/ physician if you feel unwell.
If skin irritation or rash occurs: Get medical advice/ attention.
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.
Store locked up.
Store in corrosive resistant container with a resistant inner liner.
Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

No additional hazards are known except those derived from the labelling.

3. Composition/information on ingredients**Chemical characterization**

Solution of 1,2-Benzisothiazol-3-one in Sodium Hydroxide, Mono Propylene Glycol and Glycerine

Hazardous ingredients

Component	CAS number	Concentration
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 10 - < 20 %
Sodium hydroxide	1310-73-2	>= 10 - < 20 %

4. First aid measures**General information**

Remove/Take off immediately all contaminated clothing.

NIPACIDE BIT 20

Page 3(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

After inhalation

If inhaled, remove immediately to fresh air; if not breathing give artificial respiration; obtain medical help.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

After contact with skin

In case of contact, immediately flush skin with plenty of water.

Get medical attention immediately.

After contact with eyes

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

After ingestion

Rinse mouth with water.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Symptoms

Treat symptomatically.

Hazards

No additional risks are known.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Water spray jet

Alcohol-resistant foam

Dry powder

Carbon dioxide (CO₂)

Extinguishing media that must not be used for safety reasons

High volume water jet

Specific hazards arising from the chemical

In case of fire hazardous decomposition products may be produced such as:

Nitrogen oxides (NO_x)

Sulphur oxides

Carbon oxides

Special protective equipment and precautions for fire fighters

Self-contained breathing apparatus

Further information

Cool endangered containers with water spray jet.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away.

Avoid contact with skin and eyes.

NIPACIDE BIT 20

Page 4(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

7. Handling and storage

Advice on protection against fire and explosion

Observe the general rules of industrial fire protection

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in original container.

Advice on storage compatibility

Do not store with strong oxidizing agents

Further information on storage conditions

Keep containers tightly closed in a cool, well-ventilated place.

Handle and open container with care.

Keep away from direct sunlight.

8. Exposure controls/personal protection

Control parameters

Sodium hydroxide

CAS number : 1310-73-2

Thailand. Occupational Exposure Limits

Revision : 1977-07-12

Time weighted average

Values:

2 mg/m³

General protective measures

Do not breathe vapours, aerosols.

Do not breathe mist.

Avoid contact with skin and eyes.

Avoid exposure - obtain special instructions before use.

Hygiene measures

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands immediately after work, if necessary take a shower

Observe the usual precautions for handling chemicals.

Eye/face protection :

Depending on the risk, wear sufficient eye protection (safety glasses with side protection or goggles, and if necessary, face shield.)

NIPACIDE BIT 20

Page 5(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Skin/Hand protection :

Long-term exposure
Impervious butyl rubber gloves
Minimum breakthrough time / gloves : 480 min
Minimum thickness / gloves 0.7 mm

For short-term exposure (splash protection):
Nitrile rubber gloves.
Minimum breakthrough time / gloves : 30 min
Minimum thickness / gloves 0.4 mm

These types of protective gloves are offered by various manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.

Respiratory protection :

In case of inadequate ventilation wear respiratory protection.

Thermal hazards / Body protection :

Depending on the degree of hazard, when handling corrosive substances, aprons, boots or full protective clothing made of suitable materials (e.g. rubberized or PVC-coated) must also be worn.

9. Physical and chemical properties

Form :	viscous liquid
Odour :	characteristic
Odour threshold :	Not tested
pH value :	12 - 13.2 10% solution in distilled water
Freezing point :	< -5 °C Method : ASTM D 2386
Boiling point :	approx. 97 °C Method : OECD Test Guideline 103
Flash point :	> 110 °C
Evaporation rate :	not tested.
Oxidizing properties :	not oxidizing
Self-ignition temperature :	Not applicable
Lower explosion limit :	not tested.
Upper explosion limit :	not tested.
Vapour pressure :	ca. 23 hPa similar to water
Density :	approx. 1.21 g/cm ³ (20 °C) Method : OECD Test Guideline 109

NIPACIDE BIT 20

Page 6(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Bulk density :	Not applicable
Vapour density in relation to air :	not tested.
Solubility in water :	(20 °C) miscible
Octanol/water partition coefficient (log Pow) :	Not applicable
Auto-ignition temperature :	> 200 °C Method : ASTM E 659
Thermal decomposition :	300 °C (Heating rate : 3 K/min) Method : DSC No decomposition if used as directed.
Viscosity (kinematic) :	278 mm ² /s (20 °C) Method : Hoeppler
Combustion number :	Not applicable

10. Stability and reactivity**Chemical stability:**

Stable

Possibility of hazardous reactions

Reactions with oxidising agents.

Reactions with reducing agents.

Conditions to avoid

Heat

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

When used and handled as intended, none.

11. Toxicological information**Information related to the product itself:**

Acute oral toxicity :	Acute toxicity estimate 2,504 mg/kg Method : Calculation method Source : EHS-Expert
Acute inhalation toxicity :	Acute toxicity estimate 2.5 mg/l (4 h) Method : Calculation method Source : EHS-Expert
Acute dermal toxicity :	not tested.
Skin corrosion/irritation :	strongly corrosive

NIPACIDE BIT 20

Page 7(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Serious eye damage/irritation:	Corrosive
Respiratory or skin sensitization :	Causes sensitisation.
Germ cell mutagenicity :	No information available.
Carcinogenicity :	No information available.
Reproductive toxicity :	No information available.
STOT - Single Exposure:	Remarks: not tested.
STOT - Repeated Exposure:	Remarks: not tested.

Aspiration hazard :
no data available

Remarks

The product has not been tested. The information is derived from the properties of the individual components.

Information related to the component: 1,2-Benzisothiazol-3(2H)-one

Acute oral toxicity :	LD50 670 - 784 mg/kg (Rat) Method : OECD Test Guideline 401
Acute inhalation toxicity :	LC50 0.5 mg/l (4 h, Rat) Method : OPPTS 870.1300
Acute dermal toxicity :	LD50 > 2,000 mg/kg (Rat)
Skin corrosion/irritation :	Skin irritation (4 h, Rabbit)
Serious eye damage/irritation:	Eye irritation (2.9 h - 11 d, rabbit eye)
Respiratory or skin sensitization :	Causes sensitisation. (Guinea pig) Method : Other
Germ cell mutagenicity :	It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.
Carcinogenicity :	Not applicable
Reproductive toxicity :	Embryotoxicity classification not possible from current data.
STOT - Single Exposure:	Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - Repeated Exposure:	Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard :
No aspiration toxicity classification

Information related to the component: Sodium hydroxide

NIPACIDE BIT 20

Page 8(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Acute oral toxicity :	not reasonable
Acute inhalation toxicity :	Cough, Difficulty in breathing
Acute dermal toxicity :	not reasonable
Skin corrosion/irritation :	Corrosive (In Vitro Membrane Barrier Test Method for Skin Corrosion - CORROSITEX) Method : OECD Test Guideline 435 Source : literature
Serious eye damage/irritation:	Corrosive (21 d, rabbit eye) Method : OECD Test Guideline 405 Source : European Chemicals Agency (ECHA)
Respiratory or skin sensitization :	non-sensitizing (Humans) Method : Other Source : literature
Germ cell mutagenicity :	It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.
Carcinogenicity :	Not applicable
Reproductive toxicity :	No teratogenic effects to be expected.
STOT - Single Exposure:	Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - Repeated Exposure:	Remarks: Not applicable
Aspiration hazard :	Corrosive to the respiratory tract.

12. Ecological information**Information related to the product itself:**

Physico-chemical eliminability :	not tested.
Biodegradability :	not tested.
Bioaccumulation:	not tested.
Bacteria toxicity :	not tested.
Chemical oxygen demand (COD) :	1.315 mg/l

Remarks

The classification was made by the conventional (calculation) method of the CLP Regulation (EC) No 1272/2008.

Information related to the component: 1,2-Benzisothiazol-3(2H)-one

NIPACIDE BIT 20

Page 9(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Physico-chemical eliminability :	Biodegradable
Biodegradability :	(63 d) Partially biodegradable. Method : OECD Test Guideline 301C
Bioaccumulation:	Bioconcentration factor (BCF): 6.62 (56 d, Lepomis macrochirus (Bluegill sunfish), 0.1 mg/l) Method : OECD Test Guideline 305 Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.
Fish toxicity :	LC50 2.18 mg/l (96 h, Oncorhynchus mykiss (rainbow trout)) Method : OECD Test Guideline 203 LC50 approx. 16.7 mg/l (96 h, Cyprinodon variegatus (sheepshead minnow)) Method : No information available.
Daphnia toxicity :	EC50 2.94 mg/l (48 h, Daphnia magna (Water flea)) Method : OECD Test Guideline 202 EC0 0.643 mg/l (48 h, Daphnia magna (Water flea)) Method : OECD Test Guideline 202 EC50 0.9893 mg/l (96 h, Mysidopsis bahia (opossum shrimp)) Method : Other salt water NOEC 0.25 mg/l (96 h, Mysidopsis bahia (opossum shrimp)) Method : Other salt water
Algae toxicity :	EC50 (Growth rate) 0.155 mg/l (72 h, Selenastrum capricornutum (green algae)) Method : OECD Test Guideline 201 NOEC (Growth rate) 0.055 mg/l (72 h, Selenastrum capricornutum (green algae)) Method : OECD Test Guideline 201
Bacteria toxicity :	EC50 23 mg/l (3 h, activated sludge of a predominantly domestic sewage) Method : OECD Test Guideline 209 The details of the toxic effect relate to the nominal concentration. EC50 (28 d) Method : OECD 216 The details of the toxic effect relate to the nominal concentration.

NIPACIDE BIT 20

Page 10(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

NOEC (28 d)
Method : OECD 216
The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms:

LC50, > 410.6 mg/kg (14 d, artificial soil, Eisenia fetida (earthworms), mortality)

Method : OECD Test Guideline 207

The details of the toxic effect relate to the nominal concentration.

NOEC, 234.5 mg/kg (14 d, artificial soil, Eisenia fetida (earthworms), mortality)

Method : OECD Test Guideline 207

The details of the toxic effect relate to the nominal concentration.

Toxicity to terrestrial plants:

EC50, 340 mg/kg (20 d, Phaseolus vulgaris, Growth)

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

NOEC, 90 mg/kg (20 d, Phaseolus vulgaris, Growth)

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

EC50, 300 mg/kg (19 d, Triticum aestivum (wheat), Growth)

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

NOEC, 51 mg/kg (19 d, Triticum aestivum (wheat), Growth)

Method : OECD Guide-line 208

The details of the toxic effect relate to the nominal concentration.

Remarks

Do not allow to enter ground water, waterways or waste water.

Information related to the component: Sodium hydroxide**Physico-chemical eliminability :**

Inorganic product, cannot be eliminated from the water by biological purification processes.

Biodegradability :

The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulation:

Not relevant for inorganic substances

Fish toxicity :

not reasonable

Daphnia toxicity :

EC50 (48 h, Ceriodaphnia spec.)

Method : Other

Source : European Chemicals Agency (ECHA)

NIPACIDE BIT 20

Page 11(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

Algae toxicity : not reasonable**Bacteria toxicity :** Not applicable**Chemical oxygen demand (COD) :** Not applicable**Biochemical oxygen demand (BOD5) :** Not applicable**Toxicity to soil dwelling organisms:** Not applicable**Toxicity to terrestrial plants:** Not applicable**Toxicity other non-mammal terrestrial species:** (other avian)
Not applicable**Remarks**

The product, since it is an inorganic, non-reducing type of substance, has neither a BOD nor a COD.

13. Disposal considerations**Product**

In accordance with regulations for hazardous waste, must be taken to a hazardous waste disposal site

Uncleaned packaging

Regulations concerning reuse or disposal of used packaging materials must be observed.

14. Transport information**IATA**

Proper Shipping Name Sodium hydroxide solution, mixture
Class: 8
Packing group: II
UN/ID number: UN 1824
Primary risk: 8
Remarks Shipment permitted

IMDG

Proper Shipping Name Sodium hydroxide solution, mixture
Class: 8
Packing group: II
UN no. UN 1824
Primary risk: 8
Remarks Shipment permitted
EmS : F-A S-B

NIPACIDE BIT 20

Page 12(12)

Substance key: 000000049988

Revision Date: 27.12.2016

Version : 1 - 0 / T

Date of printing : 18.09.2017

ADR

Proper Shipping Name	Sodium hydroxide solution, mixture
Class:	8
Packing group:	II
UN no.	UN 1824
Primary risk:	8
Hazard no. :	80
Remarks	Shipment permitted

15. Regulatory information**Safety, health and environmental regulations specific for the product in question****Other regulations**

Observe national specific workplace risk prevention and health regulations.
Take note of the national regulations on the protection of young people at work.
Notification of the ministry of industry on the system of classification and hazard communication of hazardous substances B.E. 2555 (GHS 2009)
Hazardous Substance Act B.E. 2535

16. Other information

Observe national and local legal requirements

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.