

Safety data sheet

Page: 1/9

BASF Safety data sheet
Date / Revised: 12.01.2023
Product: **Divergan® RS**

Version: 5.0

(30034968/SDS_GEN_TH/EN)

Date of print): 18.05.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
Divergan® RS

Use: Polymeric stabiliser.

Manufacturer/supplier:

BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:
The product is under certain conditions capable of dust explosion.

BASF Safety data sheet
Date / Revised: 12.01.2023
Product: **Divergan® RS**

Version: 5.0

(30034968/SDS_GEN_TH/EN)

Date of print): 18.05.2026

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

| 2-Pyrrolidinone, 1-ethenyl-, homopolymer; crosslinked

| CAS Number: 25249-54-1

| CAS Number: 25249-54-1

No particular hazards known.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:

carbon dioxide, hydrogen cyanide, nitrous gases

Special protective equipment:

Wear a self-contained breathing apparatus.

BASF Safety data sheet
Date / Revised: 12.01.2023
Product: **Divergan® RS**

Version: 5.0

(30034968/SDS_GEN_TH/EN)

Date of print): 18.05.2026

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

Additional information: Dust can form an explosive mixture with air.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation. Provide exhaust ventilation if dust is formed.

Protection against fire and explosion:

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Storage

Unsuitable materials for containers: Paper/Fibreboard

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

BASF Safety data sheet
Date / Revised: 12.01.2023
Product: **Divergan® RS**

Version: 5.0

(30034968/SDS_GEN_TH/EN)

Date of print): 18.05.2026

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form: powder
Colour: cream, almost white
Odour: faint odour

pH value: not applicable, substance/mixture is non-soluble (in water)

melting point (decomposition):

The substance / product decomposes therefore not determined.

Boiling point:

The substance / product decomposes therefore not determined.

Flash point:

not applicable

Flammability (solid/gas): not highly flammable

(UN Test N.1 (ready combustible solids))

Lower explosion limit:

not determined

Upper explosion limit:

not determined

Thermal decomposition: ≥ 140 °C

(DSC (DIN 51007))

BASF Safety data sheet
Date / Revised: 12.01.2023
Product: **Divergan® RS**

Version: 5.0

(30034968/SDS_GEN_TH/EN)

Date of print: 18.05.2026

Self heating ability:	It is a substance capable of spontaneous heating according to UN transport regulations class 4.2. Based on test results packaging < 450 l are exempted from the classification.	(UN Test N.4 (self heating substances))
SADT:	< 75 °C	
Minimum ignition energy:	The product is capable of dust explosion.	(VDI 2263, sheet 1, 2.1.1)
Explosion hazard:	Product is not explosive, however a dust explosion could result from an air / dust mixture.	
Vapour pressure:	negligible	
Density:	1.2 g/cm ³ (20 °C, 1,013 hPa)	
Bulk density:	approx. 200 kg/m ³	
Relative vapour density (air):	not applicable. The product is a non-volatile solid.	
Solubility in water:	insoluble	
Partitioning coefficient n-octanol/water (log Pow):	not determined	
Viscosity, kinematic:	not applicable, the product is a solid	

10. Stability and Reactivity

Conditions to avoid:

Avoid dust formation. Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static discharge. See SDS section 7 - Handling and storage.

Thermal decomposition: ≥ 140 °C (DSC (DIN 51007))

Substances to avoid:

No substances known that should be avoided.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:

Dust explosion hazard.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

BASF Safety data sheet
Date / Revised: 12.01.2023
Product: **Divergan® RS**

Version: 5.0

(30034968/SDS_GEN_TH/EN)

Date of print: 18.05.2026

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 2,000 mg/kg (BASF-Test)

Acute inhalation toxicity

LC50 rat (by inhalation): > 5.2 mg/l 4 h (OECD Guideline 403)

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:
No data available.

Germ cell mutagenicity

Assessment of mutagenicity:
The substance was not mutagenic in studies with mammals.

Carcinogenicity

Assessment of carcinogenicity:
In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:
No data available.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No data available.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 10,000 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 1,995 mg/l, activated sludge, industrial (OECD Guideline 209, aerobic)

Mobility

Assessment transport between environmental compartments:

No data available.

Persistence and degradability

Elimination information:

< 10 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge, industrial) Poorly eliminated from water.

Bioaccumulation potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

BASF Safety data sheet
Date / Revised: 12.01.2023
Product: **Divergan® RS**

Version: 5.0

(30034968/SDS_GEN_TH/EN)

Date of print): 18.05.2026

13. Disposal Considerations

Observe national and local legal requirements.

Contaminated packaging:

Untamminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S.
(POLYVINYL POLYPYRROLIDONE)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: no

Special precautions for user: Not dangerous goods of class 4.2 in packages up to 450 litres capacity.

Sea transport

IMDG

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S.
(POLYVINYL POLYPYRROLIDONE)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: no

Marine pollutant: NO

Special precautions for user: EmS: F-A; S-J

Not dangerous goods of class 4.2 in packages up to 450 litres capacity.

Air transport

IATA/ICAO

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S.
(POLYVINYL POLYPYRROLIDONE)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for user: Not dangerous goods of class 4.2 in packages up to 450 litres capacity.

Further information

Not dangerous goods of class 4.2 in packages up to 450 litres capacity.

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.