

SYNERGEN W 07N

Page 1

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

1. PRODUCT AND COMPANY IDENTIFICATION

Trade name

SYNERGEN W 07N

Material number: 330809

Substance name: Mixture

Recommended use:

Industry sector : Crop Protection

Supplier name/address/telephone no.:

PT Clariant Indonesia

Gatot Subroto Km. 4, Jl. Kalisabi No.1, Kec. Cibodas
Tangerang, Indonesia 15138, Indonesia
Telephone : +62 21 5577 9597

Information about the substance/preparation

Product Safety : Telephone: +61 3 8562 3300
Facsimile: +61 3 8562 3333
e-mail: SDS.SEAP@clariant.com

Emergency telephone number: +65 3158 1074

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 1

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

SYNERGEN W 07N

Page 2

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Precautionary statements

: **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Alcohols, C12-16, ethoxylated	68551-12-2	>= 30 -< 60
Propan-2-ol	67-63-0	< 10

4. FIRST AID MEASURES

General advice : Remove/ Take off immediately all contaminated clothing.
Get medical advice/ attention if you feel unwell.
If inhaled : If inhaled, remove to fresh air.

SYNERGEN W 07N

Page 3

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Get medical advice/ attention.

- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : If swallowed do not induce vomiting, seek medical advice and show safety datasheet or label
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes serious eye damage.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fires, hazardous combustion gases are formed:
Carbon monoxide (CO)
Carbon dioxide (CO₂)
- Specific extinguishing methods : Wear suitable protective equipment.
- Special protective equipment for firefighters : Self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective equipment.
Ensure adequate ventilation.
- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Treat recovered material as described in the section "Disposal considerations".

SYNERGEN W 07N

Page 4

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Observe the general rules of industrial fire protection
- Advice on safe handling : When used and handled appropriately no special measures are needed
- Further information on storage conditions : Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	PSD	500 ppm 1.230 mg/m ³	ID OEL
		NAB	400 ppm 983 mg/m ³	ID OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

Personal protective equipment

- Respiratory protection : Use only in well-ventilated areas.
In the case of vapour formation use a respirator with an approved filter.
Equipment should conform to EN 14387
If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short period of time.
ABEK-P3-filter

Hand protection

- Break through time : 480 min
Glove thickness : 0,7 mm
Remarks : Long-term exposure Impervious butyl rubber gloves
- Break through time : 30 min
Glove thickness : 0,4 mm

SYNERGEN W 07N

Page 5

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

For short-term exposure (splash protection): Nitrile rubber gloves.

These types of protective gloves are offered by various manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.

- Eye protection : Depending on the risk, wear sufficient eye protection (safety glasses with side protection or goggles, and if necessary, face shield.)
- Protective measures : Observe the usual precautions for handling chemicals.
- Hygiene measures : Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Take off immediately all contaminated clothing and wash it before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : yellowish, clear
- Odour : characteristic
- Odour Threshold : not determined
- pH : 7,5 (25 °C)
Concentration: 7,5 g/l
- Melting point : -89,5 °C
- Boiling point : 100 °C
(1.013,25 hPa)
- Flash point : 12 °C
- Evaporation rate : not determined
- Self-ignition : no data available
- Upper explosion limit / upper flammability limit : 13,4 %(V)
- Lower explosion limit / Lower flammability limit : 2 %(V)

SYNERGEN W 07N

Page 6

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Vapour pressure	: 3 kPa (20 °C)
Relative vapour density	: no data available
Density	: 0,98 g/cm ³ (25 °C)
Solubility(ies)	
Water solubility	: no data available
Partition coefficient: n-octanol/water	: log Pow: 0,05
Auto-ignition temperature	: 425 °C
Decomposition temperature	: The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy higher than 300 J/g.
Viscosity	
Viscosity, dynamic	: 129 mPa.s (25 °C)
Viscosity, kinematic	: no data available
Surface tension	: 36 N/m, 0,5, 20 °C
Metal corrosion rate	: Not applicable
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: See section 10.3. "Possibility of hazardous reactions"
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: not known
Hazardous decomposition products	: When handled and stored appropriately, no dangerous decomposition products are known

SYNERGEN W 07N

Page 7

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1.299 mg/kg
Method: Calculation method

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

Components:**Alcohols, C12-16, ethoxylated:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Propan-2-ol:

Acute oral toxicity : LD50 (Rat, no data available): 5.840 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm
Exposure time: 6 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, no data available): 13.900 mg/kg
Method: OECD Test Guideline 402
GLP: no

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Remarks : no data available

Components:**Propan-2-ol:**

Species : Rabbit
Exposure time : 4 h
Method : Other
Result : No skin irritation
GLP : no

SYNERGEN W 07N

Page 8

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : no data available

Components:**Alcohols, C12-16, ethoxylated:**

Result : Risk of serious damage to eyes.

Propan-2-ol:

Species : Rabbit
Result : Irritating to eyes.
Method : OECD Test Guideline 405
GLP : no

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : no data available

Components:**Alcohols, C12-16, ethoxylated:**

Assessment : Causes serious eye damage., Harmful if swallowed.

Propan-2-ol:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
GLP : yes

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Germ cell mutagenicity - : No information available.
Assessment

Components:**Propan-2-ol:**

SYNERGEN W 07N

Page 9

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells
Test system: Chinese hamster ovary cells
Concentration: 500 - 5000 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 100 - 10000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: no

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: ICR
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Exposure time: Single exposure
Dose: 350-1173-2500-3500 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

Carcinogenicity

Not classified due to lack of data.

Product:

Carcinogenicity - Assessment : No information available.

Components:**Propan-2-ol:**

Species : Rat, male and female
Application Route : Inhalation
Exposure time : 104 w
Dose : 200 - 2500 - 5000 ppm
Control Group : yes
Frequency of Treatment : 6 hours/day, 5 days/week
ca. 12,29 mg/l
Method : OECD Test Guideline 451
GLP : yes

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

SYNERGEN W 07N

Page 10

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Reproductive toxicity

Not classified due to lack of data.

Product:

Reproductive toxicity - : No information available.
Assessment No information available.

Components:**Propan-2-ol:**

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Strain: wistar
Application Route: Drinking water
Dose: 0,5 - 1 - 2 %
General Toxicity - Parent: NOAEL: 853 mg/kg body weight
Method: OECD Test Guideline 415
GLP: yes

Test Type: Two-generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 100 - 500 - 1000 mg/kg
General Toxicity - Parent: NOAEL: 500 mg/kg body weight
General Toxicity F1: NOAEL: 500 mg/kg body weight
General Toxicity F2: NOAEL: 500 mg/kg body weight
Method: OECD Test Guideline 416
GLP: yes

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Strain: wistar
Application Route: Drinking water
Dose: 0,5 - 1,25 - 2,5 %
Duration of Single Treatment: 10 d
General Toxicity Maternal: NOAEL: 596 mg/kg body weight
Developmental Toxicity: NOAEL: 596 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

Test Type: Pre-natal
Species: Rat
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 400 - 800 - 1200 mg/kg
Duration of Single Treatment: 9 d
General Toxicity Maternal: NOAEL: 400 mg/kg body weight
Teratogenicity: NOAEL: 400 mg/kg body weight
Developmental Toxicity: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

SYNERGEN W 07N

Page 11

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Reproductive toxicity - : No reproductive toxicity to be expected.
Assessment : No teratogenic effects to be expected.

STOT - single exposure

Not classified due to lack of data.

Product:

Remarks : no data available

Components:**Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified due to lack of data.

Product:

Remarks : no data available

Components:**Propan-2-ol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Product:**

Remarks : no data available

Components:**Alcohols, C12-16, ethoxylated:**Repeated dose toxicity - : Causes serious eye damage., Harmful if swallowed.
Assessment**Propan-2-ol:**

Species : Rat, male and female
NOAEL : 12,5 mg/l
Application Route : Inhalation
Test atmosphere : vapour
Exposure time : 2 a
Number of exposures : 6 hours/day, 5 days/week
Dose : 500 - 2500 - 5000 ppm
Control Group : yes
Method : Other
GLP : yes

SYNERGEN W 07N

Page 12

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Aspiration toxicity

Not classified due to lack of data.

Product:

no data available

Components:**Propan-2-ol:**

No aspiration toxicity classification

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: no data available

Toxicity to algae/aquatic plants : Remarks: no data available

Toxicity to microorganisms : Remarks: no data available

Components:**Alcohols, C12-16, ethoxylated:****Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l
End point: mortality
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: no

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 10.000 mg/l
End point: Immobilization
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: no

SYNERGEN W 07N

Page 13

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Toxicity to algae/aquatic plants : EC10 (*Scenedesmus quadricauda* (Green algae)): ca. 1.800 mg/l
End point: Growth rate
Exposure time: 7 d
Test Type: static test
Analytical monitoring: no
Method: Other
GLP: no

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): ca. 1.050 mg/l
Exposure time: 16 h
Test Type: static test
Analytical monitoring: no
Method: DIN 38412 T.8
GLP: no

Plant toxicity : IC50: 2.104 mg/l
Exposure time: 3 d
End point: Growth
Species: *Lactuca sativa* (lettuce)
Analytical monitoring: no
Method: Other
GLP: no

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

Persistence and degradability**Product:**

Biodegradability : Remarks: no data available

Components:**Propan-2-ol:**

Biodegradability : aerobic
Inoculum: activated sludge
Biochemical Oxygen Demand (BOD)
Result: Readily biodegradable.
Biodegradation: 53 %
Exposure time: 5 d
Method: Directive 67/548/EEC, Annex V, C.5
GLP: no

SYNERGEN W 07N

Page 14

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Stability in water : Remarks: Not applicable

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: no data available

Components:**Propan-2-ol:**

Bioaccumulation : Remarks: Not applicable

Partition coefficient: n-octanol/water : log Pow: 0,05
pH: 25
Method: No information available.

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: no data available

Components:**Propan-2-ol:**

Distribution among environmental compartments : Remarks: Not applicable

Other adverse effects**Product:**

Results of PBT and vPvB assessment : Remarks: no data available

Additional ecological information : no data available

Components:**Propan-2-ol:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities

SYNERGEN W 07N

Page 15

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste

14. TRANSPORT INFORMATION

IATA

Proper shipping name: Flammable liquid, n.o.s.
Class: 3
Packing group: II
UN/ID number: UN 1993
Primary risk: 3
Remarks: Shipment permitted
Hazard inducer(s): Isopropyl alcohol

IMDG

Proper shipping name: Flammable liquid, n.o.s.
Class: 3
Packing group: II
UN no. UN 1993
Primary risk: 3
Remarks: Shipment permitted
Hazard inducer(s): Isopropyl alcohol
EmS : F-E S-E

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Propan-2-ol

Prohibited substances : Not applicable

Restricted substances : Not applicable

16. OTHER INFORMATION

SYNERGEN W 07N

Page 16

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

Revision Date : 19.08.2024

Further information

Other information : Observe national and local legal requirements
Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
ID OEL / NAB : Long term exposure limit
ID OEL / PSD : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SYNERGEN W 07N

Page 17

Substance key: 000000916156

Revision Date: 19.08.2024

Version : 1 - 0 / RI

Date of printing : 08.04.2026

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

ID / EN

ORIGINAL CONTROLLED