

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 21.02.2023
Product: **Lutensol® AT 25 Pellet**

Version: 4.0

(30579423/SDS_GEN_TH/EN)

Date of print: 14.09.2023

1. Substance/preparation and manufacturer/supplier identification

Product name:

Lutensol® AT 25 Pellet

Use: Chemical, Detergent and cleaning agent for the chemical industry, chemical for the chemical industry

Manufacturer/supplier:

BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Care Chemicals
Telephone: +49 621 60-57579
E-mail address: emd-ems-ehs-masterdata@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
Serious eye damage/eye irritation: Cat.2B
Hazardous to the aquatic environment - acute: Cat.2

Label elements and precautionary statement:

Signal Word:
Warning

Hazard Statement:

BASF Safety data sheet
Date / Revised: 21.02.2023
Product: **Lutensol® AT 25 Pellet**

Version: 4.0

(30579423/SDS_GEN_TH/EN)

Date of print: 14.09.2023

H320 Causes eye irritation.
H401 Toxic to aquatic life.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical attention.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered.

This classification is based on the current CESIO recommendations.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

Alcohols, C16-18, ethoxylated
CAS Number: 68439-49-6

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Specific hazards:

harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

Dispose of absorbed material in accordance with regulations.

Additional information: Forms slippery surfaces with water.

7. Handling and Storage

Handling

Protect against moisture. Shut containers immediately after taking product because product takes up the humidity of air. No special measures necessary provided product is used correctly.

BASF Safety data sheet
Date / Revised: 21.02.2023
Product: **Lutensol® AT 25 Pellet**

Version: 4.0

(30579423/SDS_GEN_TH/EN)

Date of print: 14.09.2023

Protection against fire and explosion:
Avoid dust formation.

Storage

Suitable materials for containers: Low density polyethylene (LDPE), Stainless steel 1.4306 (V2A), High density polyethylene (HDPE), Stainless steel 1.4301 (V2), Stainless steel 1.4401, Stainless steel 1.4361, Stainless steel 1.4439, Stainless steel 1.4539, Stainless steel 1.4541, Stainless steel 1.4571, Stove-lacquer RDL 50

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:
Storage temperature: $\leq 30\text{ }^{\circ}\text{C}$

The product is not damaged by low temperatures or by frost.
Protect from temperatures above: $30\text{ }^{\circ}\text{C}$
Properties of the product change irreversibly on exceeding the limit temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1 or FFP1)

Hand protection:

Chemical resistant protective gloves

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

BASF Safety data sheet
 Date / Revised: 21.02.2023
 Product: **Lutensol® AT 25 Pellet**

Version: 4.0

(30579423/SDS_GEN_TH/EN)

Date of print: 14.09.2023

General safety and hygiene measures:

Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	flakes	
Colour:	colourless to yellowish	
Odour:	product specific	
Odour threshold:	not determined	
pH value:	approx. 7 (50 g/l, 23 °C)	(DIN EN 1262)
solidification temperature:	approx. 38 °C	(DIN ISO 2207)
drop point:	approx. 45 °C	(DIN 51801)
Melting point:	approx. 46 °C	(other)
Boiling point:	> 250 °C	(other)
Flash point:	> 200 °C	(ISO 2592)
Evaporation rate:	The product is a non-volatile solid.	
Flammability (solid/gas):	hardly combustible	
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Ignition temperature:	> 300 °C	(other)
Thermal decomposition:	> 350 °C	(DTA)
Self ignition:	not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	< 0.1 hPa (20 °C)	(estimated)
Density:	approx. 1.04 g/cm ³ (20 °C)	(DIN 51757)
	approx. 1.02 g/cm ³ (70 °C)	(DIN 51757)
Relative density:	No data available.	
Bulk density:	500 - 700 kg/m ³	(DIN ISO 697)

BASF Safety data sheet
Date / Revised: 21.02.2023
Product: **Lutensol® AT 25 Pellet**

Version: 4.0

(30579423/SDS_GEN_TH/EN)

Date of print: 14.09.2023

Relative vapour density (air):

The product is a non-volatile solid.

Solubility in water: soluble

Miscibility with water:

miscible in all proportions

Hygroscopy: hygroscopic

Solubility (qualitative) solvent(s): alcohols

soluble

Partitioning coefficient n-octanol/water (log Pow):

not determined

Viscosity, dynamic: approx. 70 mPa.s
(60 °C)

(DIN EN 12092)

Viscosity, kinematic:

not applicable, the product is a solid

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: > 350 °C (DTA)

Substances to avoid:

caustics, halogens, Alkalines, acids, reactive chemicals

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg (BASF-Test)

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
Literature data.

Assessment of acute toxicity

Virtually nontoxic after a single ingestion.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (BASF-Test)
Literature data.

Serious eye damage/irritation rabbit: Irritant. (BASF-Test)
Literature data.

Respiratory/Skin sensitization

Assessment of sensitization:
Based on the structure, there is no suspicion of a skin-sensitizing potential.

Germ cell mutagenicity

Assessment of mutagenicity:
Based on the structure, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:
Based on the structure there is no suspicion of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:
Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Toxicity to fish:

LC50 (96 h) > 1 - 10 mg/l, *Leuciscus idus* (other)

Literature data.

Aquatic invertebrates:

EC50 > 1 - 10 mg/l, *Daphnia magna* (other)

Literature data.

Aquatic plants:

EC50 > 10 - 100 mg/l (growth rate), algae (other)

acute Effect Literature data.

EC10 > 1 mg/l (growth rate), algae (other)

long-term effect Literature data.

Microorganisms/Effect on activated sludge:

EC0 > 5,000 mg/l, bacteria (other)

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

BASF Safety data sheet
Date / Revised: 21.02.2023
Product: **Lutensol® AT 25 Pellet**

Version: 4.0

(30579423/SDS_GEN_TH/EN)

Date of print: 14.09.2023

Elimination information:

> 60 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C)

Bioaccumulation potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition. Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

BASF Safety data sheet
Date / Revised: 21.02.2023
Product: **Lutensol® AT 25 Pellet**

Version: 4.0

(30579423/SDS_GEN_TH/EN)

Date of print: 14.09.2023

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information**Other regulations**

16. Other Information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.