

Safety data sheet

Page: 1/14

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.06.2014

Version: 6.0

Product: **Lutensol® XL 90**

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lutensol® XL 90

Chemical name: Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether

CAS Number: 166736-08-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material for the chemical-technical industry

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Care Chemicals

Telephone: +49 621 60-44676

E-mail address: emd-ems-ehs-masterdata@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]**|** Acute Tox. 4 (oral)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
 Date / Revised: 30.06.2014
 Product: **Lutensol® XL 90**

Version: 6.0

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

| Eye Dam./Irrit. 1

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:

Harmful if swallowed.

Risk of serious damage to eyes.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elementsAccording to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H302 Harmful if swallowed.

Precautionary Statements (Prevention):

P280 Wear eye/face protection.

P270 Do not eat, drink or smoke when using this product.

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P310 Immediately call a POISON CENTER or doctor/physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 + P330 IF SWALLOWED: rinse mouth.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection point.

According to Directive 67/548/EEC or 1999/45/EC

Regulation 1272/2008/EC on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation 1907/2006/EC

Hazard symbol(s)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.06.2014

Version: 6.0

Product: **Lutensol® XL 90**

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

Xn

Harmful.



R-phrases(s)

R22

Harmful if swallowed.

R41

Risk of serious damage to eyes.

S-phrases(s)

S39

Wear eye/face protection.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S60

This material and its container must be disposed of as hazardous waste.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Composition/Information on Ingredients**3.1. Substances**Chemical nature

Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether
CAS Number: 166736-08-9

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures**4.1. Description of first aid measures**

Immediately remove contaminated clothing.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
Date / Revised: 30.06.2014
Product: **Lutensol® XL 90**

Version: 6.0

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

5.2. Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures see, section 8.

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For large amounts: Dike spillage. Pump off product.
For residues: Pick up with suitable absorbent material.
Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage**7.1. Precautions for safe handling**

No special measures necessary provided product is used correctly.

Protection against fire and explosion:
No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and in a cool place.

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection**8.1. Control parameters**

Components with occupational exposure limits

No occupational exposure limits known.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid	
Colour:	colourless to yellowish	
Odour:	product specific	
Odour threshold:	not determined	
pH value:	approx. 7 (50 g/l)	(DIN EN 1262)
solidification temperature:	10 °C	
Boiling point:	approx. > 149 °C	
Flash point:	180 °C	(DIN ISO 2592)
Evaporation rate:	not determined	
Flammability:	not flammable	
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.06.2014

Version: 6.0

Product: **Lutensol® XL 90**

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

Upper explosion limit:

For liquids not relevant for
classification and labelling.

Ignition temperature:

> 200 °C

(DIN 51794)

Vapour pressure:

< 0.1 hPa

(20 °C)

Density:

approx. 1 g/cm³

(20 °C)

Relative density:

approx. 1

(20 °C)

Relative vapour density (air):

not determined

Solubility in water:

soluble

(15 °C)

Solubility (qualitative) solvent(s): alcohols

soluble

Partitioning coefficient n-octanol/water (log K_{ow}):

not determined

Self ignition:

not self-igniting

Thermal decomposition: > 300 °C

Viscosity, dynamic:

400 mPa.s

(23 °C)

Explosion hazard:

not explosive

Fire promoting properties:

not fire-propagating

9.2. Other information

Miscibility with water:

miscible in all proportions

Hygroscopy:

hygroscopic

Surface tension:

approx. 27 mN/m

(OECD-Guideline 115)

(23 °C; 1 g/l)

Grain size distribution:

The substance / product is marketed or used in a non solid or
granular form.

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity**10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Formation of

Remarks:

flammable gases:

Forms no flammable gases in the
presence of water.**10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

Peroxides: 0.000 %
The product does not contain peroxides.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

None known during use and storage if used according to instructions.

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Experimental/calculated data:

LD50 rat (oral): > 300 - 2,000 mg/kg

LC50 rat (by inhalation):
not determined

LD50 rat (dermal):
not determined

Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

No data available.

Germ cell mutagenicity

Assessment of mutagenicity:

| No data available concerning mutagenic effects.

Carcinogenicity

Assessment of carcinogenicity:

| No data available concerning carcinogenic effects.

Reproductive toxicity

Assessment of reproduction toxicity:

| No data available.

Developmental toxicity

Assessment of teratogenicity:

| No data available.

Specific target organ toxicity (single exposure)

| Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

| No data available.

Aspiration hazard

| No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity to fish:

LC50 (96 h) > 10 - 100 mg/l, *Brachydanio rerio* (OECD Guideline 203)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates:

EC50 (48 h) > 10 - 100 mg/l, *Daphnia magna*

Analogous: Assessment derived from products with similar chemical character.

Aquatic plants:

EC50 (72 h) > 10 - 100 mg/l, *Scenedesmus subspicatus*

Analogous: Assessment derived from products with similar chemical character.

Microorganisms/Effect on activated sludge:

EC50 (0.5 h), bacteria

not determined

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Elimination information:

>= 90 % Bismuth-active substance (mod. OECD 303A)

Analogous: Assessment derived from products with similar chemical character.

> 60 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) Readily biodegradable.

Analogous: Assessment derived from products with similar chemical character.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. Do not release untreated into natural waters.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.06.2014

Version: 6.0

Product: **Lutensol® XL 90**

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known
Transport in inland waterway vessel:	Not evaluated

Sea transport**IMDG**

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport**IATA/ICAO**

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
Date / Revised: 30.06.2014
Product: **Lutensol® XL 90**

Version: 6.0

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 28, 29, 40

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

| Chemical Safety Assessment not required

SECTION 16: Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 30.06.2014

Version: 6.0

Product: **Lutensol® XL 90**

(ID no. 30188712/SDS_GEN_EU/EN)

Date of print 10.10.2014

properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

ORIGINAL CONTROLLED