

# Safety data sheet

Page: 1/10

BASF Safety data sheet  
Date / Revised: 03.11.2016  
Product: **Methylnone 70**

Version: 1.0

(30235803/SDS\_GEN\_SG/EN)

Date of print 04.11.2016

## 1. Substance/preparation and manufacturer/supplier identification

### Methylnone 70

Use: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

Manufacturer/supplier:

BASF South East Asia Pte Ltd.  
7 Temasek Boulevard,  
#35-01 Suntec Tower One, 038987, SINGAPORE  
Telephone: +65 6 337-0330  
Telefax number: +65 6 334-0330  
E-mail address: xinhui.khaw@basf.com

Emergency information:

Singapore Emergency Toll-Free Number:  
Telephone: 1800-723-1361  
International emergency number:  
Telephone: +49 180 2273-112

## 2. Hazard identification

Classification of the substance and mixture:

Skin corrosion/irritation: Cat. 2

Serious eye damage/eye irritation: Cat. 2B

Hazardous to the aquatic environment - acute: Cat. 2

Hazardous to the aquatic environment - chronic: Cat. 2

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet  
Date / Revised: 03.11.2016  
Product: **Methylionone 70**

Version: 1.0

(30235803/SDS\_GEN\_SG/EN)

Date of print 04.11.2016



Signal Word:  
Warning

Hazard Statement:

Causes eye irritation. Causes skin irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

Wear protective gloves. Avoid release to the environment. Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Collect spillage. If eye irritation persists: Call a POISON CENTER or doctor/physician. Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### 3. Composition/information on ingredients

#### Chemical nature

Isomer blend based on:  
Ionone, methyl-

CAS Number: 1335-46-2

### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water. Consult a doctor if skin irritation persists.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

BASF Safety data sheet  
Date / Revised: 03.11.2016  
Product: **Methylionone 70**

Version: 1.0

(30235803/SDS\_GEN\_SG/EN)

Date of print 04.11.2016

On ingestion:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, carbon dioxide, alcohol-resistant foam, water spray

Specific hazards:

Do not breathe gas/vapour.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

Personal precautions:

Ensure adequate ventilation.

Environmental precautions:

Do not empty into drains.

Methods for cleaning up or taking up:

For large amounts: Pick up with suitable absorbent material.

For residues: Pick up with suitable absorbent material.

Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### Handling

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Ensure thorough ventilation of stores and work areas. Wear suitable gloves and eye/face protection.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Risk of self-ignition when a large surface area is produced due to fine dispersion.

### Storage

Suitable materials for containers: Stainless steel 1.4401, High density polyethylene (HDPE), Stainless steel 1.4301 (V2), Stove-lacquer RDL 50, Aluminium  
Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Protect contents from the effects of light. Protect against heat. Keep away from sources of ignition - No smoking.

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

none

No occupational exposure limits known.

### Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN 374)

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Avoid inhalation of dusts/mists/vapours. Avoid contact with the skin, eyes and clothing. At the end of the shift the skin should be cleaned and skin-care agents applied.

## 9. Physical and Chemical Properties

|                  |                               |
|------------------|-------------------------------|
| Form:            | liquid                        |
| Colour:          | colourless to slightly yellow |
| Odour:           | flowery, woody                |
| Odour threshold: | < 100 ppm                     |

BASF Safety data sheet  
Date / Revised: 03.11.2016  
Product: **Methylionone 70**

Version: 1.0

(30235803/SDS\_GEN\_SG/EN)

Date of print 04.11.2016

|                                                     |                                                                                                                                        |                                                               |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| pH value:                                           | not applicable                                                                                                                         |                                                               |
| Melting point:                                      | < -20 °C<br>Study scientifically not justified.                                                                                        |                                                               |
| boiling temperature:                                | 270.1 °C<br>(1,013.25 hPa)                                                                                                             | (OECD Guideline 103)                                          |
| Flash point:                                        | 126 °C                                                                                                                                 | (Directive 92/69/EEC, A.9,<br>closed cup)                     |
| Evaporation rate:                                   | not determined                                                                                                                         |                                                               |
| Flammability (solid/gas):                           | not flammable                                                                                                                          | (other)                                                       |
| Lower explosion limit:                              | For liquids not relevant for<br>classification and labelling., The<br>lower explosion point may be 5 - 15<br>°C below the flash point. |                                                               |
| Upper explosion limit:                              | For liquids not relevant for<br>classification and labelling.                                                                          |                                                               |
| Ignition temperature:                               | 254 °C                                                                                                                                 | (Directive 92/69/EEC, A.15)                                   |
| Thermal decomposition:                              | 340 °C , 120 kJ/kg                                                                                                                     | (DSC (DIN 51007))                                             |
| Self ignition:                                      | not self-igniting                                                                                                                      | Test type: Spontaneous self-<br>ignition at room-temperature. |
| Self heating ability:                               | It is not a substance capable of<br>spontaneous heating.<br>Not tested on account of the low<br>melting-point.                         |                                                               |
| Explosion hazard:                                   | Based on the chemical structure<br>there is no indicating of explosive<br>properties.                                                  | (other)                                                       |
| Fire promoting properties:                          | Based on its structural properties<br>the product is not classified as<br>oxidizing.                                                   | (other)                                                       |
| Vapour pressure:                                    | 0.0022 hPa<br>(20 °C)                                                                                                                  | (OECD Guideline 104)                                          |
| Density:                                            | 0.9300 g/cm <sup>3</sup><br>(20 °C)                                                                                                    | (OECD Guideline 109)                                          |
| Relative density:                                   | 0.9300<br>(20 °C)                                                                                                                      | (OECD Guideline 109)                                          |
| Relative vapour density (air):                      | not determined                                                                                                                         |                                                               |
| Solubility in water:                                | 21 - 44 mg/l<br>(20 °C)                                                                                                                |                                                               |
| Partitioning coefficient n-octanol/water (log Pow): | 4.5 - 5.0<br>(23 °C; pH value: 5.8 - 7.2)                                                                                              | (OECD Guideline 117)                                          |

BASF Safety data sheet  
Date / Revised: 03.11.2016  
Product: **Methylionone 70**

Version: 1.0

(30235803/SDS\_GEN\_SG/EN)

Date of print 04.11.2016

|                       |                                                                                                         |            |
|-----------------------|---------------------------------------------------------------------------------------------------------|------------|
| Surface tension:      | Based on chemical structure, surface activity is not to be expected.                                    |            |
| Viscosity, dynamic:   | 13.1 mPa.s<br>(20 °C)<br>The value was determined by calculation from the detected kinematic viscosity. | (OECD 114) |
|                       | 5.79 mPa.s<br>(40 °C)<br>The value was determined by calculation from the detected kinematic viscosity. | (OECD 114) |
| Viscosity, kinematic: | 14.04 mm <sup>2</sup> /s<br>(20 °C)                                                                     | (OECD 114) |
|                       | 6.30 mm <sup>2</sup> /s<br>(40 °C)                                                                      | (OECD 114) |
| Molar mass:           | 206.33 g/mol                                                                                            |            |

## 10. Stability and Reactivity

Conditions to avoid:  
Temperature: > 100 °C

Thermal decomposition: 340 °C, 120 kJ/kg (DSC (DIN 51007))

Substances to avoid:  
oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:  
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11. Toxicological Information

### Acute toxicity

Assessment of acute toxicity:  
Virtually nontoxic after a single ingestion. Of low toxicity after short-term skin contact.

Experimental/calculated data:  
LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

(by inhalation): No data available.

LD50 rabbit (dermal): > 5,000 mg/kg

### **Irritation**

Assessment of irritating effects:  
Irritating to eyes and skin.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: Irritant.

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Respiratory/Skin sensitization**

Assessment of sensitization:  
Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:  
guinea pig: Non-sensitizing.

### **Germ cell mutagenicity**

Assessment of mutagenicity:  
The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in a test with mammals.

### **Carcinogenicity**

Assessment of carcinogenicity:  
No data was available concerning carcinogenic activity. The whole of the information assessable provides no indication of a carcinogenic effect.

### **Reproductive toxicity**

Assessment of reproduction toxicity:  
The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Developmental toxicity**

Assessment of teratogenicity:  
No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Specific target organ toxicity (single exposure):**

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans.

### **Aspiration hazard**

No aspiration hazard expected.

---

## **12. Ecological Information**

### **Ecotoxicity**

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) approx. 2.3 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static)

The statement of the toxic effect relates to the analytically determined concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Aquatic invertebrates:

EC50 (48 h) 3.7 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants:

EC50 (72 h) > 9.42 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration.

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 1,000 mg/l, activated sludge (OECD Guideline 209, aerobic)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

Study scientifically not justified.

Assessment of terrestrial toxicity:

Study scientifically not justified.

### **Mobility**

Assessment transport between environmental compartments:

(30235803/SDS\_GEN\_SG/EN)

Date of print 04.11.2016

The substance will slowly evaporate into the atmosphere from the water surface.  
Adsorption to solid soil phase is expected.

### Persistence and degradability

#### Elimination information:

76 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic, non-adapted)

#### Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

### Bioaccumulation potential

#### Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

## 13. Disposal Considerations

Observe national and local legal requirements.

## 14. Transport Information

### Domestic transport:

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METHYLIONONE)

### Sea transport

#### IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains METHYLIONONE)

### Air transport

#### IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM

BASF Safety data sheet  
Date / Revised: 03.11.2016  
Product: **Methylionone 70**

Version: 1.0

(30235803/SDS\_GEN\_SG/EN)

Date of print 04.11.2016

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (contains METHYLIONONE)

## 15. Regulatory Information

### Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Recommended use: Chemical, flavoring substance, Chemical for detergents, Cosmetic and oral care chemical

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.