

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 1 of 18

1.1 Trade name : Potassium Iodate
CAS Number : 7758-05-6
EC number : 231-831-9
Registration number : 01-2119920996-25-0000

**1.2 Relevant identified uses of the substance or mixture and uses
Advised against**

Sector of Use

SU0 : Other: 22: Public Domain (administration, education,
entertainment, services, craftsmen)
SU9 : Manufacture of fine chemicals

Product category

PC19 : Intermediate
PC21 : Laboratory chemicals
PC29 : Pharmaceuticals

Process category

PROC1 : Use in closed process, no likelihood of exposure
PROC2 : Use in closed, continuous process with occasional
Controlled exposure
PROC3 : Use in closed batch process (synthesis or formulation)
PROC4 : Use in batch and other process (synthesis) where
opportunity for exposure arises
PROC5 : Mixing or blending in batch processes for formulation of
preparations and articles (multistage and/or significant
contact)
PROC8a : Transfer of substance or preparation
(charging/discharging) from/to vessels/large containers
at non-dedicated facilities
PROC8b : Transfer of substance or preparation
(charging/discharging) from/to vessels/large containers
at dedicated facilities
PROC9 : Transfer of substance or preparation into small
containers (dedicated filling line, including weighing)
PROC10 : Roller application or brushing
PROC14 : Production of preparations or articles by tableting,
compression, extrusion, pelletisation

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 2 of 18

PROC15 : Use as laboratory reagent

Environmental release category

ERC2 : Formulation of preparation

ERC3 : Formulation in materials

ERC4 : Industrial use of processing aids in processes
and products, not becoming part of articles

ERC6a : Industrial use resulting in manufacture of
another substance (use of intermediates)

ERC6b : Industrial use of reactive processing aids

ERC8a : Wide dispersive indoor use of processing aids in open
systems

ERC9a : Wide dispersive indoor use of substances in closed systems

Application of the substance / the mixture

It is used as Food/feedstuff additives, Laboratory chemical, Pharmaceutical
substance

1.3 Details of the supplier of the safety data sheet

Manufacturer : Calibre Chemicals Pvt. Ltd.
703 Dalamal House, 206 Nariman Point,
Mumbai – 400021 India.
E-mail – sds@calibrechem.com

1.4 Emergency Contact : Dhanesh Bhagia
+91-2222823148 (Office hours)
+91-8108141484 (After office hours)

2. Hazards Identification

2.1 Classification of the substance or mixture
Classification as per EC Regulation 1272/2008



Ox. Sol. 2 H272 May intensify fire; oxidiser

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 3 of 18



Eye Irrit. 2 H319 Causes serious eye irritation
 H315 Causes skin irritation
 H335 May cause respiratory irritation

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation

Hazard pictograms



GHS03



GHS07

Signal word: Danger

Hazard statements

H272 : May intensify fire; oxidiser.
 H319 : Causes serious eye irritation
 H315 : Causes skin irritation
 H335 : May cause respiratory irritation

Precautionary statements

P221 : Take any precaution to avoid mixing with combustibles.
 P210 : Keep away from heat/sparks/open flames/hot surfaces. - No Smoking
 P220 : Keep/Store away from Clothing/combustible materials.
 P305+P351+P338 IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P321 : Specific treatment (see on this label).
 P501 : Dispose of contents/container in accordance with local/regional/national/international regulations.

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 4 of 18

2.3 Other hazards

Results of PBT and vPvB assessment

PBT : Not a PBT substance

VPvB : Not a vPvB substance

3. Composition / Information on Ingredients

3.1 Chemical characterisation: Substances

Description : Potassium Iodate

CAS No. : 7758-05-6

Identification number(s) EC number: 231-831-9

Additional information:

Molecular Formula : KIO₃

Molecular Weight : 214.00

% Purity : 99.5 % Min.

SVHC The substance is not in the list of SVHC substances

4. First aid measures

4.1 Description of first aid measures

General information: Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation:

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician

After skin contact:

Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Consult doctor if irritation develops or persists

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Never give anything by mouth to an unconscious person. Rinse mouth with water. If symptoms persist consult doctor.

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 5 of 18

4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Diarrhoea, Rash

Information for doctor: Treat symptomatically and supportively

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Reducing agent.

5.2 Special hazards arising from the substance or mixture

Hydrogen iodide, Potassium oxides

Hydrogen iodide can be released in case of fire which is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

5.3 Advice for firefighters

Protective equipment:

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Additional information

Use water spray to cool unopened containers.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

6.3 Methods and material for containment and cleaning up:

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 6 of 18

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and Storage

7.1 Precautions for safe handling

Wash thoroughly after handling. Use with adequate ventilation.

Minimize dust generation and accumulation.

Avoid contact with clothing and other combustible materials. Avoid mechanical shock and friction.

Information about fire - and explosion protection:

Explosive when mixed with combustible material.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store in a cool, dry place. Store in a tightly closed container.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Further information about storage conditions: Keep away from sources of ignition.

7.3 Specific end use(s)

It is used in Food/feedstuff additives, Laboratory chemicals, Pharmaceutical substance

8. Exposure Controls / Personal Protection

Additional information about design of technical facilities:

No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Not required.

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 7 of 18

DNELs

DN(M)ELs for workers-

Long-term - systemic effects(Dermal)-5 mg/kg bw/day

Long-term - systemic effects(Inhalation)-8.81385 mg/m³

DN(M)ELs for the general population-

Long-term - systemic effects(oral)-5 mg/kg bw/day

Long-term - systemic effects(Dermal)-2.5mg/kg bw/day

Long-term - systemic effects(Inhalation)-1.665 mg/m³

PNECs

PNEC water-

PNEC aqua (freshwater): 1 mg/L PNEC aqua (marine water): 0.1 mg/L

PNEC sediment-

PNEC sediment (freshwater): 25.6055 mg/kg sediment dw PNEC

sediment (marine water): 25.6055 mg/kg sediment dw PNEC soil-

PNEC soil: 5.867 mg/kg soil dw

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Wash hands before breaks and at the end of work

Avoid contact with the eyes and skin.

Respiratory protection: Self-contained respiratory protective device

Protection of hands:



Protective glove

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 8 of 18

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly fitting safety goggles (splash goggles) (EN 166)

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Body protection:

Impervious protective clothing

9. Physical and Chemical Properties

General Information

Appearance	:	Crystalline
Form	:	Solid
Colour	:	White
Odour	:	Odourless
pH-value at 26 °C	:	6 - 8

Change in condition

Melting point/Melting range	:	560 °C (975 hPa)
Boiling point/Boiling range	:	734.9 °C (101.3 kPa)
Flash point	:	Not applicable
Flammability (solid, gaseous)	:	Non flammable
Self-igniting	:	Product is not selfigniting.
Danger of explosion	:	Not explosive

Explosion limits

Oxidising properties	:	Oxidising
Vapour pressure at 25 °C	:	0.000000001 Pa
Density at 20 °C	:	3.52 g/cm ³
Solubility in / Miscibility with water at 25 °C	:	70 g/l
Partition coefficient (n-octanol/water) at 25 °C	:	-1 POW

Other information

Dissociation constant	:	pKa at 20 °C: 0.0467
-----------------------	---	----------------------

Granulometry: The particle size distribution (granulometry) of potassium iodate by the sieve analysis method was found to be in the range of 150 micrometer to 500 micrometer

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 9 of 18

Majority of the particles 85% were found to be in the size more than 225-500 micrometer in size.

10. Stability and Reactivity

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications

10.3 Possibility of hazardous reactions

Reacts with reducing agents

Explosive when mixed with combustible material

10.4 Conditions to avoid

No further relevant information available

10.5 Incompatible materials

Strong reducing agents, powdered metals

Incompatibility: Mixtures of iodates with finely divided aluminum, arsenic, copper, carbon, phosphorous (red or white), sulfur; hydrides of alkali and alkaline earth metals; sulfides of antimony, arsenic, copper or tin, metal cyanides, thiocyanates or impure manganese dioxide may react violently or explosively, either spontaneously (especially in the presence of moisture) or on initiation by heat, friction impact, sparks, or addition of sulfuric acid

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

Oral LDLo 531 mg/kg bw (mouse)

Dermal LD50 1300mg/kg bw (Human)

Primary irritant effect:

On the skin:

Species: rabbit (New Zealand White)

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 10 of 18

Method : OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Erythema score : 0 of max. 3 (animal: 1 ,2 and 3) (Time point: At 24, 48 and 72 hours) (not irritating)
Edema score : 0 of max. 3 (animal: 1 ,2 and 3) (Time point: At 24, 48 and 72 hours) (not irritating)
Interpretation : Not irritating

On the eye:

Species: Human
Results : 20 of max. 80 (mean) (Time point: 2-12 hours) (Two men and three women (age 22-65 years) ingested KIO₃ solution at a concentration between 187 and 470 mg/kg body weight. Visual acuity ranged from light perception with projection to counting fingers and decreased from 2 to 12 hours after ingestion.) Interpretation: Irritating

Sensitisation:

Species : Human Method: Patch-Test
Results: No. with positive reactions: 1st reading: 3 out of 8 (test group);
dose: 5 to 20 per cent
Interpretation : Not sensitising

Repeated dose toxicity

Repeated dose toxicity: oral
Species: guinea pig (Beltsville) male/female
Test type: subacute
Route : oral: drinking water
Doses : 0,12.5,62.5,125 mg/kg bw/day
Exposure: 28 days (Daily)
Result: NOAEL: 125 mg/kg bw/day (male/female)

Repeated dose toxicity: dermal

Justification: The results for acute toxicity by the dermal route indicate the LD₅₀ value to be greater than 2000 mg/kg body weight. In addition, skin contact in production and/or use is likely but can be avoided by wearing the protective equipment such as gloves during handling and the physicochemical and toxicological properties suggest no potential for significant rate of adsorption through the skin. Thus, given the above considerations, it is assumed that Potassium iodate shall not exhibit repeated dose toxicity by the dermal route.

Repeated dose toxicity: inhalation

Justification: The test substance Potassium iodate has very low vapor pressure (6.82E-19 Pa) also the particle size distribution of the substance

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 11 of 18

was found to vary in the size of 150 µm to 500 µm, so the potential for the generation of inhalable vapours of Potassium iodate is low. Moreover the normal conditions of use of this substance will not result in aerosols, particles or droplets of an inhalable size, so exposure to humans via the inhalatory route will be unlikely to occur and therefore repeated dose toxicity via the inhalation route was considered for waiver

CMR effects (carcinogenetic, mutagenicity and toxicity for reproduction)

Not listed as a carcinogen by ACGIH, IARC, NIOSH, NTP, OSHA, or CA Prop 65

Mutagenicity

In vitro data

1. Method: bacterial reverse mutation assay (e.g. Ames test) (gene mutation) Species/strains: S. typhimurium TA 100 (met. act.: without)

Method: Prediction is done using QSAR Toolbox version 3.1

Test results: negative for S. typhimurium TA 100(all strains/cell types tested) ; met. act.: without

Evaluation of results: negative without metabolic activation

Interpretation of results: Based on the result, substance is considered to be non-mutagenic

2. Type of study: in vitro mammalian cell micronucleus test (chromosome aberration)

Species/strains: Chinese hamster Ovary (CHO)

Test concentrations: 0.625, 1.25, 2.5, 5 and 10 mM

Test results: negative (Potassium iodate did not induce any increase in the frequency of MNBN cells for doses ranging from 0.625 to 10 mM.) for Chinese hamster Ovary (CHO)(strain/cell type: Chinese hamster ovary (CHO-K1) cells) ; cytotoxicity: no ; negative controls valid: yes; positive controls valid: yes

Evaluation of results: Negative

Interpretation of results: Based on the result, substance is considered to be non-mutagenic.

Toxicity for reproduction

Method: Prediction is done using QSAR Toolbox version 3.1

Species: mouse (B6C3F1) male/female

Test type: Two-generation study Route: oral: drinking water Vehicle: water

Exposure: 90 days

Results: NOAEL (P): 681 mg/kg bw/day (nominal) (male/female)

Developmental toxicity

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 12 of 18

Method: The prediction is done by using QSAR Toolbox Version 3.1

Species: rat (Sprague-Dawley) Route: oral: gavage

Exposure: 90 days (daily)

Results: NOAEL (teratogenicity): 332 mg/kg bw/day

Interpretation of results : From the NOAEL and LOAEL values obtained for Potassium iodate for toxicity to reproduction as well as developmental toxicity, it is considered that the chemical does not qualify for classification as a reproductive or developmental toxicant.

12. Ecological information

12.1 Toxicity

Aquatic toxicity:

EC50 (48 h) 222.61 mg/L (Daphnia magna) (static)

EC50 (96 h) 128.09 mg/L (Chlorella vulgaris) (flow-through)

LC50 (96 h) > 100 mg/L (Danio rerio) (OECD Guideline 203 (Fish, Acute Toxicity Test))

12.2 Persistence and degradability

Biodegradation in water

Test type: ready biodegradability

Modelling database

Results: % Degradation of test substance: 50 after 15 d (Half-life) (15 d = 360 hrs.) Interpretation: Readily biodegradable

Biodegradation in water and sediment:

Justification: In accordance with Column 2 information requirement 9.2.2.1 adaptation statement of REACH Annex VII, the study does not need to be conducted if the test substance is inorganic in nature Moreover given its high water solubility the substance is expected to inoise giving K⁺ and IO₃⁻.

Biodegradation in soil

Justification: Since the substance is inorganic in nature, the study need not be conducted. Secondly, the half- life period in case of soil is 720 hrs and based on this information it can be concluded that the substance will have a lower biodegradation in soil environment as compared to the other environment (air, water and sediment). But, since the exposure to the soil compartment is unlikely so the persistence level of the substance in soil is not considered. Therefore this study was considered for waiver.

12.3 Bioaccumulative potential

Justification: In accordance with column 2 point 9.3.2 of Annex IX,

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 13 of 18

The study does not need be conducted if, the substance has a low potential for bioaccumulation (for instance a $\log K_{ow} \leq 3$).

Since, $\log K_{ow}$ of potassium iodate is -1 it has low potential for bioaccumulation. Hence this study was considered for waiver

12.4 Mobility in soil

Justification: In accordance with column 2 point 9.3.3 of Annex IX, The study does not need be conducted if, the substance is expected to have a low potential for adsorption (for instance the substance has a low octanol water partition coefficient). Since, $\log K_{ow}$ of potassium iodate is -1 it has low potential for adsorption to soil. Hence this study was considered for waiver

Additional ecological information

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

12.5 Results of PBT and vPvB assessment

PBT: The substance is not PBT

vPvB: The substance is not vPvB.

12.6 Other adverse effects

No further relevant information available.

13. Disposal considerations

13.1 Waste treatment methods

Recommendation

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material

European waste catalogue

07 05: Wastes from the manufacture, Supply, Formulation and Use (MFSU) of pharmaceuticals.

Uncleaned packaging:

Recommendation:

Dispose of as unused product.

Disposal must be made according to official regulations.

Recommended cleansing agents:

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 14 of 18

Water, if necessary together with cleansing agents

14. Transport Information

14.1 UN-Number

ADR, IMDG, IATA UN 1479

14.2 UN proper shipping name

ADR 1479 OXIDIZING SOLID, N.O.S.
(potassium iodate)

IMDG, IATA

OXIDIZING SOLID, N.O.S.
(potassium iodate)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



**Class
Label**

5.1 Oxidizing substances
5.1

14.4 Packing group:

ADR, IMDG, IATA II

14.5 Environmental hazards:

Marine pollutant No

14.6 Special precautions for user

Warning: Oxidising substances.

Danger code (Kemler): 50

EMS Number: F-A, S-Q

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 15 of 18

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

14.8 Transport/Additional information

ADR

Limited quantities (LQ) 1 kg

Transport category 2

Tunnel restriction code E

UN "Model Regulation": UN1479, OXIDIZING SOLID, N.O.S. (potassium iodate)
5.1, II

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS03



GHS07

Signal word

Danger

Hazard statements

H272 May intensify fire; oxidiser.

H319 Causes serious eye irritation

H315 Causes skin irritation

H335 May cause respiratory irritation

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 16 of 18

Precautionary statements

Please refer section 2

- P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P220 Keep/Store away from clothing/combustible materials.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

Other regulations, limitations and prohibitive regulations

TSCA: Listed
Canada-DSL/NDSL: Listed
China-NEPA (IECSC): Listed
Japan-MITI: Listed
Philippines-PICCS: Listed
New Zealand (NZIoC): Listed
Australia-AICS: Listed

Substances of very high concern (SVHC) according to REACH, Article 57

The substance is not listed as SVHC.

15.2 Chemical safety assessment:

A Chemical Safety Assessment is applicable after a company registers the chemical within REACH. The Annex I of the e-SDS including the ES (Exposure Scenario) has been attached.

16. Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing MSDS: Product safety department.

Contact: Mr. Dhanesh Bhagia
dbhagia@calibrechem.com ; mail@calibrechem.com

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 17 of 18

Abbreviations and acronyms:

RID	: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO	: International Civil Aviation Organisation
ADR	: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	: International Maritime Code for Dangerous Goods
IATA	: International Air Transport Association
GHS	: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS	: European Inventory of Existing Commercial Chemical Substances
CAS	: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)
PNEC	: Predicted No-Effect Concentration (REACH)
LC50	: Lethal concentration, 50 percent
LD50	: Lethal dose, 50 percent
Ox. Sol. 2	: Oxidising Solids, Hazard Category 2
Skin Irrit. 2	: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2	: Serious eye damage/eye irritation, Hazard Category 2

Calibre Chemicals	e-SAFETY DATA SHEET
POTASSIUM IODATE	Doc. No. SDS/PI/R5
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006	Effective: 17/09/2018
	Next Review: 16/08/2020
Engineering Chemistry	Page 18 of 18

Sources

1. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on classification, labelling and packaging of substances and mixtures and amending Regulation (EC) No 1907/2006
2. Chemical safety report(CSR) of CAS-7758-05-6(Potassium iodate)
3. [http://iodine.trustpass.alibaba.com/product / 152923300-101271818 / KIO3 Potassium Iodate CAS 7758 05 6.html](http://iodine.trustpass.alibaba.com/product/152923300-101271818/KIO3%20Potassium%20Iodate%20CAS%207758%2005%206.html)
4. <http://echa.europa.eu/web/guest/candidate-list-table>

*Data compared to the previous version altered.

- Section 1 : Identification of the substance/mixture and of the company/undertaking
- Section 3 : Composition /Information on Ingredients
- Section 4 : First-aid measures
- Section 5 : Fire-fighting measures
- Section 6 : Accidental Release measures
- Section 7 : Handling and storage.
- Section 8 : Exposure Controls/Personal protection.
- Section 9 : Physical and Chemical properties.
- Section 10 : Stability and Reactivity.
- Section 11 : Toxicological Information.
- Section 12 : Ecological Information
- Section 13 : Disposal Considerations
- Section 15 : Regulatory Information