

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

GHS Product identifier

Trade Name : Phenoxyethanol P10

INCI Name : Phenoxyethanol

CAS Number : 122-99-6

EC Number : 204-589-7

Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Ingredient in Personal and Home Care products

Supplier's details : Galaxy Surfactants Limited
C-49/2, TTC Industrial Area
Pawne, Navi Mumbai, 400703, India
Tel: +91-22-27616666 / +91-22-65134444
Fax: +91-22-27615886 / +91-22-27615883
e-mail: galaxy@galaxysurfactants.com

Emergency phone number : +91-9867673376
(Language: English) +91-9867635963

2. HAZARD IDENTIFICATION

Classification of the substance or mixture:

Acute oral toxicity Category 4; H302

Eye irritation Category 2A; H319

GHS label elements, including precautionary statements

Hazard pictogram:

GHS07: Exclamation mark



Signal word: Warning

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

Hazard statement(s):

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330: Rinse mouth.

P337+P313: If eye irritation persists: Get medical advice / attention.

P501: Dispose off contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification : Not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical identity of the substance	: Ethylene glycol monophenyl ether
§Common name(s), Synonym(s)	: 2-phenoxyethanol; Ethylene glycol phenyl ether; beta-Hydroxyethyl phenyl ether; Glycol monophenyl ether; 2-Phenoxyethyl alcohol; Ethanol, 2-phenoxy
CAS Number	: 122-99-6
EC Number	: 204-589-7
Concentration	: 99.5 % minimum
§Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance	: Not known

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Inhalation	: No specific treatment is necessary since material is not likely to be hazardous by inhalation. If exposed to excessive levels of vapours /aerosol, remove to fresh air and get medical attention if cough or other symptoms develop
Skin contact	: Immediately flush skin with water for at least 15 minutes while removing contaminated clothing and shoes. Obtain medical attention without delay, if necessary. Wash clothing before reuse. Safety shower should be located in immediate work area
Eye contact	: Immediately flush eyes with water; remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Obtain medical attention without delay, preferably from an ophthalmologist. Eye wash fountain should be located in immediate work area
Ingestion	: Rinse mouth thoroughly with water. If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person
Most important symptoms/effects, acute and delayed	
Eye contact	: Causes irritation
Ingestion	: Harmful, if ingested
Indication of immediate medical attention and special treatment needed, if necessary	
Treatment	: Treat symptomatically

5. FIRE- FIGHTING MEASURES

Suitable extinguishing media	: Dry chemical powder, water fog or fine spray, carbon dioxide and foam
Unsuitable extinguishing media	: Do not use direct water stream, which may spread fire
Specific hazards arising from the chemical	: During a fire, smoke may contain the original material in addition to combustion products of varying composition, which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide, Carbon dioxide

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

Special protective equipment and precautions for fire-fighters : Wear positive-pressure self-contained breathing apparatus and protective fire-fighting clothing (includes fire-fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Wash hands after exposure with the substance. Restrict unnecessary and unprotected personnel from entering the area

Environmental precautions : Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. Contain contaminated water/ fire-fighting water. Do not discharge into drains/surface water/ground water

Methods and materials for containment and cleaning up : Steps to be taken if material is released or spilled: Small spill: Absorb with suitable absorbent material such as sand, vermiculite. Collect in suitable and properly labeled container. Large spill: Contain spilled material if possible. Pump into suitable and properly labeled containers. Dispose off absorbed material / collected material in accordance with regulations

7. HANDLING AND STORAGE

Precautions for safe handling : Follow general occupational hygiene such as wash hands before and after use. Do not eat, drink or smoke in work areas. Remove contaminated clothing. Avoid spill. Follow safe procedures for loading and un-loading of product

§Conditions for safe storage, including any incompatibilities : Store the material in a clean, dry place at 20-40°C away from direct heat and sunlight. Keep the container tightly closed after use. Since product is hygroscopic in nature, moisture content may increase if exposed to atmosphere. Once carboy/IBC is opened, consume the product within a week. Product solidifies, if stored below 14°C for prolonged time. If solidifies, it is recommended to heat ISO containers with hot water or steam with 1.0-1.5 kg/cm² pressure through jacket to bring the temperature of product to 30-40°C. If the product becomes frozen in IBC / HMHDPE carboys then keep the same in hot room of 30-40°C (avoid direct heating). In original sealed condition, when stored as suggested, shelf life of the product is at least 2.5 years.

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

Stacking of carboy: Palletized/non-palletized: 1+1, both while transport and during storage
Stacking of IBC: 1+1, both while transport and during storage

§Suitable packing materials : HMHDPE carboy, IBC, ISO container

Unsuitable packing materials : Mild steel

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

§Occupational exposure limits

Country	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Austria	20	110	20	110
Canada - Ontario	25	141	-	-
Finland	20	110	50 (15 minutes average value)	290 (15 minutes average value)
Germany (AGS)	20 (Inhalable aerosol and vapour)	110 (Inhalable aerosol and vapour)	40 (Inhalable aerosol and vapour) (15 minutes reference period)	220 (Inhalable aerosol and vapour) (15 minutes reference period)
Germany (DFG)	20 (Inhalable fraction and vapour)	110 (Inhalable fraction and vapour)	40 (Inhalable fraction and vapour) (15 minutes reference period)	220 (Inhalable fraction and vapour) (15 minutes reference period)
Poland	-	230	-	-
Switzerland	20	110	40	220

(Source: Based on GESTIS International Limit values Database via:
http://limitvalue.ifa.dguv.de/WebForm_ueliste2.aspx)

Biological limit values : Not known

Appropriate engineering controls : Proper plant design, technical measures and working operations should minimize human exposure

Individual protection measures, such as personal protective equipment (PPE) : Eye/face protection: Safety goggles
Skin protection: Apron, rubber gloves, shoes
Respiratory protection : Required when vapours/aerosols are generated

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

§9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	: Clear, low viscous liquid
Colour	: Colourless
Odour	: Faint aromatic
Odour threshold	: No data available
pH (1% aqueous solution)	: 5.5 - 7.0
Freezing point	: 14°C
Initial boiling point and boiling range	: 244.3°C (EU Method A.2/OECD Guideline 103)
Flash point	: 126°C at 101.23 kPa (EU Method A.9/ISO 2719:2002/ASTM D 93)
Evaporation rate	: No data available
Flammability (solid, gas)	: Non flammable
Upper/lower flammability or explosive limits	: Not applicable
Vapour pressure	: 0.01 hPa at 20°C (EU Method A.4/OECD Guideline 104)
Vapour density	: No data available
Relative density	: 1.105 - 1.110 at 20°C
Solubility(ies)	: Soluble in isopropyl palmitate, aqueous alkali, glycerin, propylene glycol, alcohol Water solubility: 24 g/l at 20°C
Partition coefficient: n-octanol/water	: Log K _{ow} : 1.2 at 23°C (EU Method A.8)
Auto-ignition temperature	: 475°C (Guideline: DIN 51 794)
Decomposition temperature	: > 350°C ((EU Method A.2/OECD Guideline 103)
Viscosity (Brookfield, LVT, #1, 12 rpm)	: < 100 cps at 25°C

10. STABILITY AND REACTIVITY

Reactivity	: No hazardous reactions, if stored and handled as prescribed (Refer Section 7)
Chemical stability	: Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

Possibility of hazardous reactions	: Not anticipated when used or handled as prescribed
Conditions to avoid	: Sunlight, heat, flame and other sources of ignition
Incompatible materials	: Strong acids, strong bases and strong oxidizing agents
Hazardous decomposition products	: Will not form, if stored or handled as prescribed

§11. TOXICOLOGICAL INFORMATION

Acute oral toxicity (Rat)	: LD ₅₀ : 1840 mg/kg bw (female) (Equivalent or similar to OECD Guideline 401)
Acute dermal toxicity (Rabbit)	: LD ₅₀ : > 2214 mg/kg bw (Draft IRLG (Interagency Regulatory Liaison Group) Guidelines for Selected Acute Toxicity Tests (August. 1979))
Acute inhalation toxicity (Rat) (Aerosol)	: LC ₅₀ : > 1000 mg/m ³ air (OECD Guideline 412)
Skin corrosion/irritation (Rabbit)	: No irritation (OECD Guideline 404)
Serious eye damage/irritation (Rabbit)	: Irritating (OECD Guideline 405)
Respiratory or skin sensitization (Guinea pig)	: No sensitization (OECD Guideline 406/EU Method B.6/EPA OPPTS 870.2600)
Germ cell mutagenicity	
Bacterial reverse mutation assay (in vitro)	: Negative (OECD Guideline 471/EU Method B.13/14)
Micronucleus assay (in vivo)	: Negative (OECD Guideline 474/EU Method B.12/EPA OPPTS 870.5395)
Carcinogenicity	: Carcinogenicity not expected Toxicity: Rat (Oral): NOAEL: 249 mg/kg bw/day Toxicity: Mouse (Oral): NOAEL: 468 mg/kg bw/day (OECD Guideline 451)
Reproductive toxicity	: Not classified Effects on fertility Mouse (Oral) male/female: NOAEL: 375 mg/kg bw/day (Reproductive Assessment by Continuous Breeding (RACB); protocol devised by the NTP)

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

	Maternal toxicity: Oral (Rat): NOAEL: 300 mg/kg bw/day Embryotoxicity/teratogenicity: Oral (Rat): NOAEL: 1000 mg/kg bw/day (OECD Guideline 414/EU Method B.31/EPA OPPTS 870.3700)
	Maternal toxicity: Dermal (Rabbit): NOAEL: 300 mg/kg bw/day Embryotoxicity/teratogenicity: Dermal (Rabbit): NOAEL: 600 mg/kg bw/day (Equivalent or similar to OECD Guideline 414)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
	Repeated dose toxicity: Oral (Rat): NOAEL: ≥ 700 mg/kg bw/day (OECD Guideline 408/EU Method B.26/EPA OPPTS 870.3100)
	Repeated dose toxicity: Dermal (Rabbit): NOAEL: 500 mg/kg bw/day (Equivalent or similar to OECD Guideline 411)
	Repeated dose toxicity: Inhalation (Rat): NOAEC: 48.2 mg/m ³ (OECD Guideline 412)
Aspiration hazard	: Not classified
Information on the likely routes of exposure	: Exposure by dermal and inhalation (limited due to low vapour pressure of substance)
Symptoms related to the physical, chemical and toxicological characteristics	: Eye contact: irritation, redness Ingestion: no specific data
Delayed and immediate effects and also chronic effects from short and long term exposure	: Short term exposure: local irritation on mucous membranes Long term exposure: irritation in upper respiratory tract due to inhalation exposure (Based on animal data)

§12. ECOLOGICAL INFORMATION

Toxicity	
Short-term toxicity to fish	: Pimephales promelas LC ₅₀ (96 h): 344 mg/l (ASTM Guideline)
Long-term toxicity to fish	: Pimephales promelas NOEC (34 d): 23 mg/l (based on mortality) (OECD Guideline 210/EPA OPP 72-4/EPA OPPTS 850.1400)

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

Short-term toxicity to aquatic invertebrates	: Daphnia magna LC ₅₀ (48 h): 488 mg/l (Equivalent or similar to EPA OPP 72-2)
Long-term toxicity to aquatic invertebrates	: Daphnia magna NOEC (21 d): 9.43 mg/l (based on reproduction) NOEC (21 d): 49.2 mg/l (based on growth) (OECD Guideline 211/EPA OPPTS 850.1300)
Toxicity to aquatic algae	: Desmodesmus subspicatus EC ₅₀ (72 h): 443 mg/l (Based on: biomass) EC ₁₀ (72 h): 159 mg/l (Based on: biomass) EC ₅₀ (72 h): 625 mg/l (Based on: growth rate) NOEC (72 h): 70 mg/l (Based on: growth rate) (EU Method C.3)
Persistence and degradability	: Readily biodegradable; > 90% after 15 days (DOC removal) OECD Test Guideline 301A (old version) (Ready Biodegradability: Modified AFNOR Test) / EPA OPPTS 835.3110
Bioaccumulative potential	: BCF value: 0.349, no potential for bioaccumulation is expected (Method: Calculation - Estimation software: EPIWIN program BCF (v2.15))
Mobility in soil	: Adsorption coefficient K _{oc} : 40.74 at 20°C, a low adsorption potential on solid material is expected (OECD Guideline 121/EU Method C.19)
Other adverse effects	: No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods	: Dispose off contents/container in accordance with local/regional/ national/international regulations
------------------	---

14. TRANSPORT INFORMATION

Not classified as dangerous according to transport regulations

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question	: None as per data available
---	------------------------------

Safety Data Sheet as per Globally Harmonized System (GHS)

Phenoxyethanol P10

Version No. 3 Date of revision: April 4, 2016

16. OTHER INFORMATION

Revision Number	: GHS / Revision 2
Indication of changes	: Indicated with symbol 'S'
Legend/acronym	: GHS - Globally Harmonized System STOT - Specific Target Organ Toxicity
Source of information	: In-house and literature

The information contained herein is based on data considered accurate. However, no warranty is expressed, or implied regarding the accuracy of this data, or the result to be obtained from the use thereof.

Galaxy assumes no responsibility for injury to the user, or third person proximately caused by the material, if reasonable safety procedures are not adhered to, as stipulated in the safety data sheet. Galaxy assumes no responsibility for injury to the user, or third person proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Further, user assumes the risk in his use of the material.