

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 11.09.2022
Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

1. Substance/preparation and manufacturer/supplier identification

Product name:
Polyquart® 149 A

Use: Raw material for the chemical-technical industry

Manufacturer/supplier:

BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Care Chemicals
Telephone: +49 621 60-57579
E-mail address: emd-ems-ehs-masterdata@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
Hazardous to the aquatic environment - acute: Cat.3
Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Hazard Statement:

H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.

BASF Safety data sheet
 Date / Revised: 11.09.2022
 Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Aqueous solution based on:

Methacryl amidopropyl trimethylammoniumchloride, Ethylacrylate and Acrylic acid, polymer

Hazardous ingredients

acrylic acid

Content (W/W): $\geq 0\%$ - $< 1\%$
 CAS Number: 79-10-7

Flam. Liq.: Cat. 3
 Acute Tox.: Cat. 4 (Inhalation - vapour)
 Acute Tox.: Cat. 4 (oral)
 Skin Corr./Irrit.: Cat. 1A
 Eye Dam./Irrit.: Cat. 1
 Aquatic Acute: Cat. 1
 Aquatic Chronic: Cat. 2
 M-factor acute: 1

Methacryl amidopropyl trimethylammoniumchloride, Ethylacrylate and Acrylic acid, polymer

Content (W/W): $\geq 20\%$ - $< 25\%$
 CAS Number: 192003-74-0

Aquatic Acute: Cat. 2
 Aquatic Chronic: Cat. 2

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

BASF Safety data sheet
Date / Revised: 11.09.2022
Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Specific hazards:
harmful vapours, carbon oxides
Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions:
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For large amounts: Dike spillage. Pump off product.
For residues: Pick up with suitable absorbent material.
Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

7. Handling and Storage

Handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:
No special precautions necessary.

Storage

Segregate from iron and aluminum.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4541, Stainless steel 1.4571, Stainless steel 1.4301 (V2)
Further information on storage conditions: Keep container tightly closed and in a cool place.

BASF Safety data sheet
Date / Revised: 11.09.2022
Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

Storage stability:
Storage temperature: 0 - 40 °C

Protect from temperatures below: 0 °C
Characteristics of the product are reversibly changed when falling below the limit temperature.
Protect from temperatures above: 40 °C
If transport time lasts more than 4 days the packed product must be protected against exceeding the indicated temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

acrylic acid, 79-10-7;
TWA value 2 ppm (ACGIHTLV)
TWA value 2 ppm (OEL (TH))
Skin Designation (ACGIHTLV)
Danger of cutaneous absorption
Skin Designation (ACGIHTLV)
Danger of cutaneous absorption

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:
Chemical resistant protective gloves
Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

BASF Safety data sheet
 Date / Revised: 11.09.2022
 Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

9. Physical and Chemical Properties

Form:	aqueous solution	
Colour:	yellowish	
Odour:	product specific	
Odour threshold:	not determined	
pH value:	approx. 6.5	(DIN 19268)
solidification temperature:	approx. -2 °C	
Boiling point:	> 100 °C (1.013 bar)	
Flash point:	A flash point determination is unnecessary due to the high water content., Aqueous preparation	
Evaporation rate:	not determined	
Flammability (solid/gas):	not flammable	
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	Based on the water content the product does not ignite.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Self ignition:	not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	approx. 23 hPa (20 °C)	(estimated)
Density:	1.05 g/cm ³ (20 °C)	(DIN 51757)
	1.03 g/cm ³ (50 °C)	(DIN 51757)
Relative density:	1.05 (20 °C)	
Relative vapour density (air):	not determined	

BASF Safety data sheet
Date / Revised: 11.09.2022
Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

Solubility in water: soluble
Hygroscopy: Non-hygroscopic
Partitioning coefficient n-octanol/water (log Pow):
Study does not need to be conducted.

Viscosity, dynamic: approx. 250 mPa.s (DIN EN 12092)
(23 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:

None known during use and storage if used according to instructions.

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg (OECD Guideline 401)

Acute inhalation toxicity

LC50 rat (by inhalation):

not determined

Acute dermal toxicity

ATE (dermal): > 5,000 mg/kg

calculated

Assessment of acute toxicity

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Information on: acrylic acid

Acute oral toxicity

Experimental/calculated data:

LD50 rat (oral): 1,000 - < 2,000 mg/kg (OECD Guideline 423)

Information on: acrylic acid

Acute inhalation toxicity

Experimental/calculated data:

LC50 rat (by inhalation): > 5.1 mg/l 4 h (OECD Guideline 403)

The vapour was tested.

Information on: acrylic acid

Acute dermal toxicity

Experimental/calculated data:

LD50 rabbit (dermal): > 2,000 mg/kg (OECD Guideline 402)

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Based on the ingredients, there is no suspicion of an irritating effect.

Experimental/calculated data:

Skin corrosion/irritation: non-irritant (OECD Guideline 404)

Serious eye damage/irritation: non-irritant (OECD Guideline 405)

Information on: acrylic acid

Assessment of irritating effects:

Corrosive! Damages skin and eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Germ cell mutagenicity

Experimental/calculated data:

negative (Directive 84/449/EEC, B.14)

Carcinogenicity

Assessment of carcinogenicity:

Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Toxicity to fish:

LC50 (96 h) > 10 - 100 mg/l, Fish

Aquatic invertebrates:

LC50 (48 h), daphnia
not determined

Aquatic plants:

EC50 (72 h), algae
not determined

Microorganisms/Effect on activated sludge:

EC0 > 1 - 10 mg/l

BASF Safety data sheet
Date / Revised: 11.09.2022
Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

Chronic toxicity to fish:
No data available.

Chronic toxicity to aquatic invertebrates:
No data available.

Assessment of terrestrial toxicity:
No data available concerning terrestrial toxicity.

Mobility

Assessment transport between environmental compartments:
The substance will not evaporate into the atmosphere from the water surface.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
Poorly biodegradable.

Information on: Methacryl amidopropyl trimethylammoniumchloride, Ethylacrylate and Acrylic acid, polymer

Elimination information:

8 % (28 d) (Directive 88/302/EEC, part C, p. 99) (activated sludge, domestic) other

Additional information

Add. remarks environm. fate & pathway:
Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:
The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components. Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

UN number or ID number	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable

BASF Safety data sheet
Date / Revised: 11.09.2022
Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information**Other regulations**

16. Other Information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 11.09.2022
Product: **Polyquart® 149 A**

Version: 2.0

(30712211/SDS_GEN_TH/EN)

Date of print): 06.10.2023

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED