

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
Polyquart® Pro A

Use: Raw material for the chemical-technical industry

Manufacturer/supplier:

BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
Hazardous to the aquatic environment - acute: Cat.3
Hazardous to the aquatic environment - chronic: Cat.2

Label elements and precautionary statement:

Pictogram:



Hazard Statement:

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

H402 Harmful to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):
P273 Avoid release to the environment.

Precautionary Statements (Response):
P391 Collect spillage.

Precautionary Statements (Disposal):
P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:
No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Aqueous solution based on:
Methacrylamidopropyltrimethylammonium chloride, polymer with N-Isopropylpropenamide, acrylic acid and Acrylamide tert-butylsulfonic

Hazardous ingredients

Methacrylamidopropyltrimethylammonium chloride, polymer with N-Isopropylpropenamide, acrylic acid and Acrylamide tert-butylsulfonic

Content (W/W): $\geq 20\%$ - $< 25\%$ Aquatic Acute: Cat. 3
CAS Number: 880345-00-6 Aquatic Chronic: Cat. 2

4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

Symptoms: (Further) symptoms and / or effects are not known so far

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Specific hazards:
harmful vapours, nitrogen oxides, carbon oxides
Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

For non-emergency personnel: Use personal protective clothing. Information regarding personal protective measures, see section 8.

For emergency responders: Take appropriate protective measures.

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For large amounts: Dike spillage. Pump off product.

For residues: Pick up with suitable absorbent material.

Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

7. Handling and Storage

Handling

No eating, drinking, smoking or tobacco use at the place of work. Wash hands before breaks and at end of work. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:
No special precautions necessary.

Storage

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

Suitable materials for containers: High density polyethylene (HDPE)
Further information on storage conditions: Keep container tightly closed and in a cool place.

Storage stability:
Storage temperature: 5 - 40 °C

Protect from temperatures below: 5 °C
Characteristics of the product are irreversibly changed below the limit temperature.
Protect from temperatures above: 40 °C
Properties of the product change reversibly on exceeding the limit temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Engineering Controls

Advice on system design:
No special precautions necessary.

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387 Type A-P2)

Hand protection:
Chemical resistant protective gloves
Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

9. Physical and Chemical Properties

Form:	liquid	
Colour:	colourless to yellowish	
Odour:	characteristic	
pH value:	approx. 6.5 (20 °C) (measured with the undiluted substance)	(DIN 19268)
pour point:	approx. -2 °C	(DIN ISO 3016)
Boiling point:	> 100 °C contains water	(estimated)
Flash point:	A flash point determination is unnecessary due to the high water content., Aqueous preparation	
Evaporation rate:	not determined	
Flammability (solid/gas):	not flammable	
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	Based on the water content the product does not ignite.	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Self ignition:	not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Radioactivity:		not radioactive for transport purposes
Vapour pressure:	approx. 23.4 hPa (20 °C) contains water	(estimated)
Density:	approx. 1.05 g/cm3 (20 °C)	(DIN 51757)

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

Relative density:	approx. 1.03 g/cm ³ (50 °C)	(DIN 51757)
Relative vapour density (air):	No data available. not determined	
Solubility in water:	miscible	
Hygroscopy:	Non-hygroscopic	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Viscosity, dynamic:	approx. 250 mPa.s (23 °C)	(DIN EN ISO 2555)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
------------------------	---

Substances to avoid:

water reactive substances, strong oxidizing agents, strong bases, strong acids

Hazardous reactions:

None if used for intended purpose.

Hazardous decomposition products:

No hazardous decomposition products known.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure**Acute oral toxicity**

Experimental/calculated data:

LD50 (oral): > 5,000 mg/kg (OECD Guideline 401)

Acute inhalation toxicity

LC50 rat (by inhalation):
not determined

Acute dermal toxicity

LD50 rat (dermal):
not determined

Assessment of acute toxicity

Virtually nontoxic after a single ingestion.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Not irritating to the eyes.

Not irritating to the skin.

Respiratory/Skin sensitization

Assessment of sensitization:
Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity:
Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:
Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

Reproductive toxicity

Assessment of reproduction toxicity:
Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:
Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Toxicity to fish:
LC50 (96 h), Fish
not determined

Aquatic invertebrates:
LC50 (48 h), daphnia
not determined

Aquatic plants:
EC50 (72 h) > 10 - 100 mg/l (growth rate)
acute Effect

No observed effect concentration (72 h) > 1 mg/l (growth rate)
long-term effect

Microorganisms/Effect on activated sludge:
EC0 > 10 - 100 mg/l

Chronic toxicity to fish:
No data available.

Chronic toxicity to aquatic invertebrates:
EC10 (21 d), > 0.1 - 1 mg/l, Daphnia magna (OECD Guideline 211)

Assessment of terrestrial toxicity:
No data available concerning terrestrial toxicity.

Mobility

Assessment transport between environmental compartments:
The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is possible.

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
Moderately/partially biodegradable.

Elimination information:
< 60 % DOC reduction (28 d) (OECD Guideline 302 B)

Bioaccumulation potential

Assessment bioaccumulation potential:
Significant accumulation in organisms is not to be expected.

Additional information

Add. remarks environm. fate & pathway:
Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:
The product has not been tested. The statement has been derived from the properties of the individual components. Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.
No disposal via sewage or waste water systems.

Contaminated packaging:
Uncontaminated packaging can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (ACRYLIC COPOLYMER)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes

Special precautions for user: None known

Sea transport

IMDG

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (ACRYLIC COPOLYMER)

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLIC COPOLYMER)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications

BASF Safety data sheet
Date / Revised: 13.03.2025
Product: **Polyquart® Pro A**

Version: 5.0

(30539214/SDS_GEN_TH/EN)

Date of print: 10.02.2026

should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED