

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
Pyranol

Use: Chemical, Chemical for detergents, Chemical for soaps, detergents and cosmetic

Manufacturer/supplier:

BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
Serious eye damage/eye irritation: Cat.2A

Label elements and precautionary statement:

Pictogram:



Signal Word:
Warning

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Hazard Statement:
H319 Causes serious eye irritation.

Precautionary Statements (Prevention):
P280 Wear eye protection.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical attention.

Other hazards which do not result in classification:
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixture of isomers
CAS Number: 63500-71-0

Hazardous ingredients

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixture of isomers
Content (W/W): >= 75 % - <= 100 % Eye Dam./Irrit.: Cat. 2A
CAS Number: 63500-71-0

D,L-alpha-tocopherol
Content (W/W): > 0 % - < 0.1 % Skin Sens.: Cat. 1B
CAS Number: 10191-41-0

4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

carbon dioxide, dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Methods for cleaning up or taking up:

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Further information on storage conditions: Keep container tightly closed and in a well-ventilated place. Protect from the effects of light.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with eyes. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	colourless	
Odour:	flowery	
Odour threshold:	< 100 ppm	
pH value:	5.3 (23.65 g/l, 23 °C)	(Directive 92/69/EEC, A.6)
Melting point:	< -100 °C (1,013 hPa)	(OECD Guideline 102)
Boiling point:	226.9 °C (1,013.25 hPa)	(measured)
Flash point:	106 °C	(Directive 92/69/EEC, A.9, closed cup)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability (solid/gas):	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	328 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	approx. 485 °C	(DSC (OECD 113))
Self ignition:	Based on its structural properties the product is not classified as self- igniting.	Test type: Spontaneous self- ignition at room-temperature.
Self heating ability:	not applicable, the product is a liquid	

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	0.01 hPa (20 °C)	(OECD Guideline 104)
	0.26 hPa (50 °C)	(OECD Guideline 104)
Density:	0.95 g/cm ³ (20 °C, 1,013 hPa)	(OECD Guideline 109)
Relative density:	0.95 (20 °C, 1,013 hPa)	(OECD Guideline 109)
Relative vapour density (air):	> 1 (20 °C) Heavier than air.	(calculated)
Solubility in water:	23.653 g/l (23 °C)	
Partitioning coefficient n-octanol/water (log Pow):	approx. 1.65 (23 °C; pH value: 6 - 7)	(Directive 84/449/EEC, A.8)
Adsorption/water - soil:	KOC: 41.48; log KOC: 1.62	(calculated)
Surface tension:	Based on chemical structure, surface activity is not to be expected.	
Viscosity, dynamic:	234 mPa.s (20 °C)	(OECD 114)
	39.8 mPa.s (40 °C)	(OECD 114)
Viscosity, kinematic:	247 mm ² /s (20 °C)	(OECD 114)
	42.6 mm ² /s (40 °C)	(OECD 114)
Molar mass:	172.27 g/mol	

10. Stability and Reactivity

Conditions to avoid:
Avoid heat. See SDS section 7 - Handling and storage.

Thermal decomposition: approx. 485 °C (DSC (OECD 113))

Substances to avoid:
strong acids, oxidizing agents

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 2,000 mg/kg (OECD Guideline 401)

Acute dermal toxicity

LD50 rabbit (dermal): > 2,000 mg/kg (OECD Guideline 402)

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

Carcinogenicity

Assessment of carcinogenicity:
No data available concerning carcinogenic effects.

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
In animal studies the substance did not cause malformations.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans. No adverse effects were observed after repeated dermal exposure in animal studies.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:
LC50 (96 h) 354 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)
The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:
EC50 (48 h) 320 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)
The details of the toxic effect relate to the nominal concentration.

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print: 25.02.2026

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), *Scenedesmus subspicatus* (OECD Guideline 201, static)
Nominal concentration.

Microorganisms/Effect on activated sludge:

EC50 (180 min) > 1,000 mg/l, activated sludge, domestic (OECD Guideline 209, aquatic)
The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

Study scientifically not justified.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.
Study scientifically not justified.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

Persistence and degradability

Elimination information:

0 - 10 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge, domestic)

64.8 % BOD of the ThOD (60 d) (OECD 301D; EEC 92/69, C.4-E) (aerobic, activated sludge, domestic)

Enhanced conditions: prolonged incubation

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulation potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

13. Disposal Considerations

Observe national and local legal requirements.

14. Transport Information

Domestic transport:

UN number or ID number	Not classified as a dangerous good under transport regulations Not applicable
------------------------	--

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

BASF Safety data sheet
Date / Revised: 07.08.2022
Product: **Pyranol**

Version: 2.0

(30221242/SDS_GEN_TH/EN)

Date of print): 25.02.2026

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED