

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 1 | dari 9

1. MATERIAL IDENTIFICATION

MATERIAL NAME IDENTIFIER : 48 % N - Methylol Acrylamide

MANUFACTURE / SUPPLIER : PT. TRIDOMAIN CHEMICALS

STREET ADDRES : Jl. Raya Merak Km. 117. DesaGeremKec. Grogol – Cilegon

CITY : Banten

Province : Banten,INDONESIA

POSTAL CODE : 42438,

EMERGENCY TEL : NO. + 62 (0254) 570-142

Telefax + 62 (0254) 571-458

2. HAZARD IDENTIFICATION**2.1 Classification of the substance or mixture**

Classification according to regulation (EC) No 1272/2008

Acute toxicity, Oral : Category 3, H301
Skin sensitisation : Category 1, H317
Germ cell mutagenicity : Category 1B, H340
Carcinogenicity : Category 1 B, H350
Reproductive toxicity : Category 2, H361
Specific target organ toxicity – repeated exposure : Category 1, H372
For the full text of the H-Statements mentioned in this section, see Section 16

2.2 Label elements

Labelling according Regulation (EC) no 1272/2008

Pictogram



Signal word



Danger

Hazard statemen(s)

H301

: Toxic if swallowed.

H317

: May cause an allergic skin Reaction

H340

: May cause genetic defect

H350

: May cause cancer

H361

: Suspected or damaging fertility or the unborn child

H372

: Causes damage to organs through prolonged or repeated exposure

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 2 | dari 9

Precautionary statement(s)

P201

: Obtain special instructions before use

P280

: Wear Protective gloves/protective clothing/eye protection/face protection

P301 + P310 + P330

: IF SWALLOWED : immediately call a POISON CENTER or doctor/physician, Rinse mouth.

Supplemental Hazard Statements

: None

Restricted to professional users.

2.3 Other hazard

This substance/mixture contains no component considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Mixture**

Formula

: $C_4H_7NO_2$

Molecular weight

: 101.10 g/mol

Hazardous ingredient according to regulation (EC) np 1272/2008

Component	Classification	% in Product
N-Methylol Acrylamide		
CAS-No. 924-42-5 EC-No. 213-103-2	Acute Tox.3; Skin Sens.1; Muta. 1B; Carc. 1B; Repr.2; STOT RE 1; H301, H317, H340, H350, H361, H372	48 %
Acrylamide Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)		
CAS-No. 79-06-1 EC-No. 201-173-7 Index-No. 616-003-00-0 Registration Number 01-2119463260-48-xxxx	Carc.1B; Muta.1B; Repr.2; Acute Tox.3; STOT RE 1; Acute Tox.4; Eye Irrit.2; Skin Irrit.2; Skin Sens.1; H350, H340, H361f, H301, H372, H332, H312, H319, H315, H317	1 %
Formaldehyde		
CAS-No. 50-00-0 EC-No. 200-001-8 Index-No. 605-001-00-5	Acute Tox.3; Skin Corr.1B; Skin Sens.1; Muta.2; Carc. 1B; H301, H331, H311, H314, H317, H341, H350 Concentration limits : >= 25 %: Skin Corr.1B , H314; <25 % : Skin Irrit.2, H315; <25 % : Eye Irrit.2, H319; >= 5 %: STOT SE 3 H335; > 0.2 % : Skin Sens.1, H317;	1 %
Water		
CAS-No 773-218-5		50 %

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 3 | dari 9

EC-No

231-791-2

SECTION 4 : FIRST AID MEASURE**4.1 Description of first aid measures****General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: FIRE FIGHTING MEASURES**5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 4 | dari 9

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components with workplace control parameters

8.2 Exposure controls**Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment**Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 5 | dari 9

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: PHYSICAL AND CHEMICAL PRPERTIES**9.1 Information on basic physical and chemical properties**

a) Appearance	Form: liquid
b) Odour	Colour: colourless, yellow formaldehyde-like
c) Odour Threshold	No data available
d) pH	6,0 - 7,0
e) Melting point/freezing point	Melting point/range: -10 °C
f) Initial boiling point and boiling range	No data available
g) Flash point	> 93 °C - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	31,68 hPa at 25 °C
l) Vapour density	No data available
m) Relative density	1,074 g/cm ³ at 25 °C
n) Water solubility	No data available
o) Partition coefficient: noctanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

9.2 Other safety information

No data available

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 6 | dari 9

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

Contains the following stabiliser(s):

Mequinol (30 ppm)

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products -

No data available

In the event of fire:

see section 5

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute toxicity**

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (Formaldehyde)

IARC: 2A - Group 2A: Probably carcinogenic to humans (Acrylamide)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (N - Methylol acrylamide)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 7 | dari 9

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence (Acrylamide)

Liver - Irregularities - Based on Human Evidence (Formaldehyde)

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product

SECTION 14: TRANSPORT INFORMATION**14.1 UN number**

ADR/RID: 2810

IMDG: 2810

IATA: 2810

14.2 UN proper shipping name

ADR/RID: TOXIC LIQUID, ORGANIC, N.O.S. (N-Methylol acrylamide, Acrylamide, Formaldehyde)

IMDG: TOXIC LIQUID, ORGANIC, N.O.S. (N-Methylol acrylamide, Acrylamide, Formaldehyde)

IATA: Toxic liquid, organic, N.O.S. (N-Methylol acrylamide, Acrylamide, Formaldehyde)

14.3 Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 8 | dari 9

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

No data available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

: Acrylamide

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Acrylamide

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3.**

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.

**PT. TRIDOMAIN CHEMICALS**

Jl. Raya Merak Km. 117 Desa Gerem Kec. Grogol, Cilegon – Banten

Phone : (0254) 570 142, 570 284

Fax: (0254) 571 458

**L-III
SUPPORT****MATERIAL SAFETY DATA SHEET**

No. Dokumen: SP/QHSE/PRO-01.14

Terbit: 01/11/2015

No. Perubahan: 01

Halaman: 9 | dari 9

FURTHER INFORMATION

Copyright 2016 PT.TRIDOMAIN CHEMICALS. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. PT.TRIDOMAIN CHEMICALS and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See the reverse side of invoice or packing slip for additional terms and conditions of sale.

ORIGINAL CONTROLLED