

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 10.02.2023
Product: **Cremophor® RH 40**

Version: 2.0

(30035134/SDS_COS_TH/EN)

Date of print: 27.05.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
Cremophor® RH 40

Use: Polymer, cosmetic ingredient

Manufacturer/supplier:
BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:
No specific dangers known, if the regulations/notes for storage and handling are considered.

BASF Safety data sheet
Date / Revised: 10.02.2023
Product: **Cremophor® RH 40**

Version: 2.0

(30035134/SDS_COS_TH/EN)

Date of print: 27.05.2026

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

INCI Name: PEG-40 Hydrogenated Castor Oil

castor oil, hydrogenated, ethoxylated
CAS Number: 61788-85-0

4. First-Aid Measures

General advice:

If adverse health effects develop seek medical attention.

If inhaled:

After inhalation of vapor: fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, carbon dioxide, dry powder

Specific hazards:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Suitable materials for containers: glass, High density polyethylene (HDPE), Low density polyethylene (LDPE), Stove-lacquer RDL 50, tinned carbon steel (Tinplate)

Unsuitable materials for containers: Paper/Fibreboard, Carbon steel (Iron)

Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place.

Storage stability:

Storage temperature: $\leq 25\text{ °C}$

Protect from temperatures above: 25 °C

Properties of the product change reversibly on exceeding the limit temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release.

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	paste-like	
Colour:	white to slightly yellow	
Odour:	almost odourless	
Odour threshold:	not determined	
pH value:	6.0 - 7.0 (100 g/l, 20 °C)	
melting range:	16 - 26 °C	
Boiling point:	not determined	
Flash point:	242 °C	(ISO 2592)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability (solid/gas):	not flammable	
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Ignition temperature:	375 °C	(DIN 51794)
Thermal decomposition:	approx. 300 °C	

BASF Safety data sheet
Date / Revised: 10.02.2023
Product: **Cremophor® RH 40**

Version: 2.0

(30035134/SDS_COS_TH/EN)

Date of print: 27.05.2026

Self ignition: Based on its structural properties the product is not classified as self-igniting.

Self heating ability: It is not a substance capable of spontaneous heating.

Explosion hazard: not explosive
Fire promoting properties: not fire-propagating

Vapour pressure: not determined

Density: 1.03 g/cm³ (DIN 51757)
(60 °C)
1.026 g/cm³
(20 °C)

Relative density: No data available.

Bulk density: approx. 1 kg/l
(20 °C)

Relative vapour density (air): not determined

Solubility in water: > 490 g/l
(23 °C)

Miscibility with water:

soluble

Solubility (qualitative) solvent(s): organic solvents
soluble

Partitioning coefficient n-octanol/water (log Pow): -0.76

Viscosity, dynamic: approx. 176 mPa.s
(60 °C)

Viscosity, kinematic: not determined

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.
No further information available.

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame.
See SDS section 7 - Handling and storage.

Thermal decomposition: approx. 300 °C

Substances to avoid:

No substances known that should be avoided.

BASF Safety data sheet
Date / Revised: 10.02.2023
Product: **Cremophor® RH 40**

Version: 2.0

(30035134/SDS_COS_TH/EN)

Date of print: 27.05.2026

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 20,000 mg/kg (BASF-Test)

Acute inhalation toxicity

LC50 rat (by inhalation): > 2.06 mg/l 4 h (OECD Guideline 403)

rat (by inhalation): 8 h (BASF-Test)

Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Acute toxicity other routes

LD50 rabbit (intravenous):

LD50 rabbit (intravenous):

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Inhalation-risk test (IRT):

No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing.

Germ cell mutagenicity**Assessment of mutagenicity:**

In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

Carcinogenicity**Assessment of carcinogenicity:**

The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity**Assessment of reproduction toxicity:**

The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity**Assessment of teratogenicity:**

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**Assessment of repeated dose toxicity:**

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information**Ecotoxicity****Assessment of aquatic toxicity:**

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

BASF Safety data sheet
Date / Revised: 10.02.2023
Product: **Cremophor® RH 40**

Version: 2.0

(30035134/SDS_COS_TH/EN)

Date of print: 27.05.2026

LC50 (48 h) > 10,000 mg/l, *Oryzias latipes* (YIK S 0102-1974 ITEM 55, static)
Limit concentration test only (LIMIT test). The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), *Desmodesmus subspicatus* (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) 700 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic)

Mobility

Assessment transport between environmental compartments:

Adsorption to solid soil phase is not expected.

Persistence and degradability

Elimination information:

80 - 90 % BOD of the ThOD (28 d) (OECD Guideline 301 F) (aerobic, activated sludge, domestic)

Readily biodegradable (according to OECD criteria).

(Annex III , part A) The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

Bioaccumulation potential

Bioaccumulation potential:

Accumulation in organisms is not to be expected.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

BASF Safety data sheet
Date / Revised: 10.02.2023
Product: **Cremophor® RH 40**

Version: 2.0

(30035134/SDS_COS_TH/EN)

Date of print: 27.05.2026

Special precautions for user None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 10.02.2023
Product: **Cremophor® RH 40**

Version: 2.0

(30035134/SDS_COS_TH/EN)

Date of print: 27.05.2026

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED