

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
Emulgade® A 6

Use: Polymer, cosmetic ingredient

Recommended use: Chemical

Manufacturer/supplier:

BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:
Hazardous to the aquatic environment - acute: Cat.1
Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026



Signal Word:
Warning

Hazard Statement:

H412 Harmful to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.

Precautionary Statements (Response):

P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

INCI Name: Ceteareth-6 (and) Stearyl Alcohol

Preparation based on:

Alcohols, C16-18, ethoxylated, octadecan-1-ol

Hazardous ingredients

Alkyl polyglycol ether C16-18 with EO

Content (W/W): >= 50 % - <= 100 %
CAS Number: 68439-49-6

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 3

4. First-Aid Measures

General advice:

If adverse health effects develop seek medical attention.

If inhaled:

not relevant.

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Seek medical attention.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Specific hazards:
harmful vapours

Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing.

Environmental precautions:
Do not discharge into drains/surface waters/groundwater.

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Suitable materials for containers: Stainless steel 1.4301 (V2), Stainless steel 1.4401, High density polyethylene (HDPE), Low density polyethylene (LDPE), glass, tinned carbon steel (Tinplate), Polypropylene (PP)

Unsuitable materials for containers: Paper/Fibreboard

Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place.

Protect from temperatures above: 70 °C

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Engineering Controls

Advice on system design:

No special precautions necessary.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release.

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

BASF Safety data sheet
 Date / Revised: 17.10.2025
 Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	solid, waxy type	
Colour:	white	
Odour:	almost odourless	
Odour threshold:	not applicable, odour not perceivable	
pH value:	5 - 7 (water, 5 %(m))	(DIN EN 1262)
drop point:	approx. 38 °C	(DIN 51801)
onset of boiling:	not determined	
Flash point:	190 °C	(DIN 51758)
Evaporation rate:	The product is a non-volatile solid.	
Flammability (solid/gas):	not flammable	
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Ignition temperature:	240 °C	(DIN 51794)
Thermal decomposition:	approx. 300 °C	
Self ignition:	not applicable	
Self heating ability:	It is not a substance capable of spontaneous heating.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	not applicable	
Density:	approx. 0.9 g/cm ³ (60 °C)	(DIN 51757)
Bulk density:	approx. 900 kg/m ³ (20 °C)	
Relative vapour density (air):	The product is a non-volatile solid.	

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

Solubility in water:

10 g/l
(50 °C)

Miscibility with water:

partly miscible

Solubility (qualitative) solvent(s): organic solvents
solublePartitioning coefficient n-octanol/water (log Pow):
not determinedViscosity, dynamic: < 20 mPa.s
(60 °C)

(DIN EN 12092)

Viscosity, kinematic:
not determined

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section., No further information available.

Particle characteristics

Particle size distribution: No data available. -

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: approx. 300 °C

Substances to avoid:

No substances known that should be avoided.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg (OECD Guideline 401)

Acute inhalation toxicity

rat (by inhalation): 8 h (BASF-Test)

Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Inhalation-risk test (IRT): No mortality within 8 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating. (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

A controlled medical study in humans did not reveal a skin sensitizing effect.

Experimental/calculated data:

Human Maximization Test human: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:

No data was available concerning toxicity to development.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 0.622 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) approx. 8 mg/l (growth rate), *Desmodesmus subspicatus* (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration > 0.1 - 1 mg/l (biomass), algae (calculated)

long-term effect The product has not been tested. The statement has been derived from the properties of the individual components.

Microorganisms/Effect on activated sludge:

EC50 > 10,000 mg/l, *Pseudomonas putida* (DIN 38412 Part 27 (draft), aquatic)

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

The details of the toxic effect relate to the nominal concentration. Tested above maximum solubility.

Mobility

Assessment transport between environmental compartments:
not applicable

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
Readily biodegradable (according to OECD criteria).

Elimination information:

90 - 100 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge)

> 60 % BOD of COD (28 d) (aerobic, activated sludge) Readily biodegradable (according to OECD criteria).

The product has not been tested. The statement has been derived from the properties of the individual components.

(Annex III , part A) The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

Bioaccumulation potential

Assessment bioaccumulation potential:
No data available.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Untamminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(FATTY ALCOHOL ETHOXYLATE)

Transport hazard class(es): 9, EHS

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

Sea transport

IMDG

UN number or ID number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(FATTY ALCOHOL ETHOXYLATE)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(FATTY ALCOHOL ETHOXYLATE)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF Safety data sheet
Date / Revised: 17.10.2025
Product: **Emulgade® A 6**

Version: 4.0

(30654242/SDS_COS_TH/EN)

Date of print: 31.05.2026

16. Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED