

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

GHS Product identifier

Trade Name : Galaxy CAPB SB-MB

Chemical identity of ingredients that contribute to classification : Cocamidopropyl Betaine

Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Ingredient in Personal and Home Care products

Supplier's details : Galaxy Surfactants Limited
C-49/2, TTC Industrial Area
Pawne, Navi Mumbai, 400703, India
Tel: +91-22-27616666/+91-22-39135500
e-mail: galaxy@galaxysurfactants.com

Emergency phone number : For product information: +91-9867673376 / +91-9867613368
(Language: English)
For Incident (Spill, Leak, Fire, Exposure, or Accident)
CHEMTREC (Day or Night): +1 703-741-5970 / 1-800-424-9300

2. HAZARD IDENTIFICATION

Classification of the substance or mixture:

Eye damage Category 1; H318

Acute aquatic toxicity Category 2; H401

Chronic aquatic toxicity Category 3; H412

GHS label elements, including precautionary statements

Hazard pictogram:



Signal word: Danger

Hazard statement(s)

H318: Causes serious eye damage.

H401: Toxic to aquatic life.

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

§P305 + P354 + P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

§P317: Get medical help.

P501: Dispose off contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification : Not known

§3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI/Chemical Name	Synonyms	CAS Number	EC Number	% Concentration
Cocamidopropyl Betaine	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts; 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-coco acyl derivs., hydroxides, inner salts	61789-40-0	263-058-8	≤ 38.0
Sodium Benzoate	Benzoic acid sodium salt	532-32-1	208-534-8	< 1.0

§4. FIRST- AID MEASURES

Description of necessary first-aid measures

Inhalation	: Remove to fresh air. Seek medical advice, if necessary
Skin contact	: Wash with plenty of water for at least 15 minutes. Seek medical advice, if necessary
Eye contact	: Immediately flush eyes with running water, keeping the eyelids open forcibly. Remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Seek medical attention
Ingestion	: Immediately rinse mouth and then drink plenty of water. Seek medical attention, if necessary

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

Most important symptoms/effects,
acute and delayed

Eye contact : Risk of serious damage to eyes

Indication of immediate medical attention and
special treatment needed, if necessary

Treatment : Treat symptomatically

5. FIRE- FIGHTING MEASURES

Suitable extinguishing media : Dry chemical powder, water, carbon dioxide, foam

Unsuitable extinguishing media : Not known

Specific hazards arising from the chemical : Development of hazardous combustion products like oxides
of carbon, nitrogen and vapours possible in the event of fire

Special protective equipment and precautions
for fire-fighters : Wear personal protective equipment and self-contained
breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment
and emergency procedures : Use personal protective equipment. Wash hands after exposure
with the product. Avoid contact with skin, eyes and clothing

§Environmental precautions : Do not discharge into drains, surface water or ground water

Methods and materials for containment
and cleaning up : Small spill: Absorb with suitable absorbent material. Collect
in suitable and properly labeled container.
Large spill: Contain spilled material if possible. Pump into
suitable and properly labeled containers. Dispose off absorbed
material/ collected material in accordance with regulations

§7. HANDLING AND STORAGE

Precautions for safe handling : Follow general occupational hygiene such as, wash hands
before and after use. Do not eat, drink or smoke in work
areas. Remove contaminated clothing. Avoid spill. Use
appropriate personal protective equipment while handling the
material. Follow safe procedures for loading and unloading of
product

Conditions for safe storage, including
any incompatibilities : Store the material in a clean, dry place preferably at 20-40°C,
away from direct heat and sunlight. In the original sealed
condition, when stored as suggested the shelf life of the product

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

is two years. Keep the container tightly closed. Once the HMHDPE carboy/IBC is opened, ensure airtight closure after usage and use the product within a week. When taken in ISO container/tanker/flexi bag, it is recommended that material be consumed within one month's time, after unloading in storage tank. Product may solidify, if stored at $< -5^{\circ}\text{C}$ for longer time. If solidifies, it is recommended to heat the jacketed ISO containers/tankers with hot water ($55-60^{\circ}\text{C}$) or low steam pressure ($< 1 \text{ kg/cm}^2$) to bring the temperature $30-40^{\circ}\text{C}$. In case of flexi bags, heat the flexi bags with heating pads for 4-8 hours with a steam of pressure $1-2 \text{ kg/cm}^2$. If the product freezes in IBC/HMHDPE carboys, then keep the same in hot room of 50°C (avoid direct heating). pH will not drop if stored as per prescribed.

Stacking of HMHDPE carboys (Palletized / non-palletized): 1+1, While transport and single pallet/single carboy during storage
Stacking of IBC: 1+1, both while transport and during storage

Suitable packing materials

: HMHDPE carboys/ IBC/ Flexi bags (with heating pads)/
Corrosion resistant ISO containers and jacketed SS tankers

Unsuitable packing materials

: Mild steel

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

§Occupational exposure limits

Occupational exposure limits for Sodium Benzoate (as Benzoate) (CAS Number: 532-32-1; EC Number: 208-534-8)

Country	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Germany (AGS)	-	10 (inhalable fraction) (skin)	-	20 (inhalable fraction) (skin) (15 minutes average value)

(Source: Based on GESTIS International Limit values Database via:
https://limitvalue.ifa.dguv.de/WebForm_ueliste2.aspx, as on date: 27.6.2022)

Biological limit values

: Not known

Appropriate engineering controls

: Proper plant design, technical measures and working operations should minimize human exposure

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

Individual protection measures, such as personal protective equipment (PPE)	: Eye/face protection: Safety goggles Skin protection: Apron, rubber gloves and shoes Respiratory protection: None required when adequate ventilation is available
---	--

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	: Clear low viscous liquid
Colour	: Colourless to pale yellow
Odour	: Fatty
Odour threshold	: No data available
pH (5% aqueous solution)	: 4.0 - 6.0
Freezing point	: < - 5°C
Initial boiling point and boiling range	: > 100°C (foam/overflow)
Flash point	: Not applicable (aqueous product)
Evaporation rate	: No data available
Flammability	: Not flammable
Upper/lower flammability or explosive limits	: Not applicable
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: 1.045 - 1.065 at 20°C
Solubility(ies)	: Soluble in water
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity (Brookfield, LVT, #1, 50 rpm)	: < 100 cP at 30°C

10. STABILITY AND REACTIVITY

Reactivity	: No hazardous reactions, if stored and handled as prescribed (Refer Section 7)
------------	---

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

Chemical stability	: Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure
Possibility of hazardous reactions	: Not anticipated when used or handled as prescribed
Conditions to avoid	: Heat, flame and other sources of ignition
Incompatible materials	: Do not subject to strong oxidizing agents
Hazardous decomposition products	: Will not form, if stored or handled as prescribed

§11. TOXICOLOGICAL INFORMATION

Toxicological information of Cocamidopropyl Betaine

Acute oral toxicity (Rat)	: LD ₅₀ : 2335 mg/kg bw (active ingredient) (Equivalent or similar to OECD Guideline 401 / US Guideline: Appraisal of the Safety of Chemicals in Food, Drugs and Cosmetics, FDA, 1959) Read-across approach
Acute dermal toxicity (Rat)	: LD ₅₀ : > 620 mg/kg bw (active ingredient) (OECD Guideline 402/EU Method B.3) Read-across approach
Acute inhalation toxicity	: No data available
Skin corrosion/irritation (Rabbit)	: Not irritating (OECD Guideline 404/EU Method B.4/ EPA OTS 798.4470/ M.A.F.F.No 4200 (1985)) Read-across approach
Serious eye damage/irritation (Rabbit)	: Irritating with effects not to be fully reversible within 21 days (OECD Guideline 405/EU Method B.5) Read-across approach
Respiratory or skin sensitization (Guinea pig)	: No sensitization (Equivalent or similar to OECD Guideline 406) Read-across approach
Germ cell mutagenicity	
Bacterial reverse mutation assay (in vitro)	: Negative (OECD Guideline 471/EU Method B.13/14) Read-across approach
Mammalian cell gene mutation assay (in vitro)	: Negative (OECD Guideline 476/EU Method B.17) Read-across approach

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

Micronucleus assay (in vivo)	: Negative (Equivalent or similar to OECD Guideline 474) Read-across approach
Carcinogenicity	: Carcinogenicity not expected
Reproductive toxicity	: Not classified Developmental toxicity (Rat) NOEL (maternal toxicity): 100 mg a.i./kg bw/day NOEL (embryotoxicity): 300 mg a.i./kg bw/day NOEL (teratogenicity): 1000 mg a.i./kg bw/day (Prenatal Developmental Toxicity Study) (OECD Guideline 414) Read-across approach
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified Repeated dose toxicity: Oral (Rat) NOEL (systemic effects): 300 mg a.i./kg bw/day (Repeated Dose 90-Day Oral Toxicity in Rodents) (OECD Guideline 408) Read-across approach
Aspiration hazard	: Not classified
Toxicological information of Sodium Benzoate	
Acute oral toxicity (Rat)	: LD ₅₀ : 3450 mg/kg bw
Acute dermal toxicity (Rabbit)	: LD ₅₀ : > 2000 mg/kg bw Read-across approach
Acute inhalation toxicity (Rat)	: LC ₅₀ (4 h): > 12200 mg/m ³ air (dust) Read-across approach
Skin corrosion/irritation (Rabbit)	: Not irritating (OECD Guideline 404/EU Method B.4)
Serious eye damage/irritation (Rabbit)	: Slightly irritating (OECD Guideline 405/EU Method B.5/EPA OPP 81-4)
Respiratory or skin sensitization (Guinea pig)	: Not sensitizing (EPA OPP 81-6) Read-across approach
Germ cell mutagenicity	
Bacterial reverse mutation assay (in vitro)	: Negative (Equivalent or similar OECD Guideline 471)

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

Chromosome aberration assay (in vivo)	: Negative (Equivalent or similar to OECD Guideline 475)
Carcinogenicity	: Not carcinogenic Carcinogenicity (Rat): NOAEL: > 1000 mg/kg bw/day Carcinogenicity (Mouse): NOAEL: > 4000 mg/kg bw/day
Reproductive toxicity	: Not classified Toxicity to reproduction (Rat): NOAEL: 500 mg/kg bw/day Read-across approach Maternal toxicity/developmental toxicity/ teratogenicity: (Rat/Mouse): NOAEL: ≥ 175 mg/kg bw/day (Equivalent or similar to OECD Guideline 414)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified Repeated dose toxicity: Oral (Rat): NOAEL: 1000 mg/kg/bw/day Repeated dose toxicity: Inhalation (Rat): NOAEL: 250 mg/m ³ air (dust) (Equivalent or similar to OECD Guideline 412) Read-across approach Repeated dose toxicity: Dermal (Rabbit): NOAEL: > 2500 mg/kg bw/day (nominal) (EPA OPP 82-2) Read-across approach
Aspiration hazard	: Not classified
Information on the likely routes of exposure	: Dermal and oral
Symptoms related to the physical, chemical and toxicological characteristics	: Eye contact: Risk of serious damage to eyes
Delayed and immediate effects and also chronic effects from short and long term exposure	: Short term exposure: Eye contact causes irritation Long term exposure: Not known

§12. ECOLOGICAL INFORMATION

Ecological information of Cocamidopropyl Betaine

Short-term toxicity to fish	: Pimephales promelas (freshwater fish) LC ₅₀ (96 h): 1.11 mg/L (OECD Guideline 203/EU Method C.1) Read-across approach
-----------------------------	---

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

	Cyprinodon variegatus (marine water fish) LC₅₀ (96 h): 1.1 mg/L (Equivalent or similar to OECD Guideline 203) Read-across approach
Long-term toxicity to fish	: Oncorhynchus mykiss NOEC (100 d): 0.135 mg/L (OECD Guideline 210/EPA OPPTS 850.1400) Read-across approach
Short-term toxicity to aquatic invertebrates	: Daphnia magna (freshwater invertebrate) EC₅₀ (48 h): 1.9 mg/L (OECD Guideline 202) Read-across approach
	Acartia tonsa (marine water invertebrate) LC₅₀ (48 h): 7.0 mg/L [ISO 14669 (1999)] Read-across approach
Long-term toxicity to aquatic invertebrates	: Daphnia magna NOEC (21 d): 0.32 mg/L (geometric mean, based on: reproduction) (OECD Guideline 211) Read-across approach
Toxicity to aquatic algae	: Freshwater/marine water algae EC₅₀ (72 h): 1.5 mg/L (geometric mean, based on: growth rate) NOEC (72 h): 0.3 mg/L (geometric mean, based on: growth rate) Read-across approach
Persistence and degradability	: Inherently biodegradable; 89.4% after 15 days (DOC removal) Method: DIN 38 412, Part 25 (1984), equivalent or similar to OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) Readily biodegradable; 91.6 % after 28 days (CO₂ evolution) OECD Guideline 301 B (Ready Biodegradability: CO₂ Evolution Test)
Bioaccumulative potential	: Log K_{ow}: 4.46 at 20°C (weighted mean) BCF: 3 L/kg (C8 fatty acid derivate) BCF: 71L/kg (C10-C18 and C18 unsaturated fatty acid derivatives) (Estimated by calculation QSAR: 'BCFWIN v2.15') A low potential for bioaccumulation is expected
Mobility in soil	: Adsorption coefficient: K_{oc}: 89.3 - 56000 (range for C8-C18 derivatives), a low to very high sorption onto soil organic matter is to be expected (Estimated by calculation)

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

Other adverse effects : No data available

Ecological information of Sodium Benzoate

Short-term toxicity to fish : Pimephales promelas
LC₅₀ (96 h): 484 mg/L
(EPA OPP 72-1)

Long-term toxicity to fish : Danio rerio
NOEC (144 h): 10 mg/L

Short-term toxicity to aquatic invertebrates : Daphnia magna
LC₅₀ (96 h): > 100 mg/L

Long-term toxicity to aquatic invertebrates : No data available

Toxicity to aquatic algae : Pseudokirchneriella subcapitata
EC₅₀ (72 h): > 30.5 mg/L (based on: growth rate)
NOEC (72 h): 0.09 mg/L (based on: growth rate)
(OECD Guideline 201)

Persistence and degradability : Readily biodegradable; 50-97% over 60 days
(Equivalent or similar to OECD Guideline 311)

Bioaccumulative potential : Log P_{ow}: 1.88 (Centrifugal partition chromatography)
Read-across approach

Mobility in soil : No data available

Other adverse effects : No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods : Dispose off contents/container in accordance with local/regional/
national/international regulations

14. TRANSPORT INFORMATION

Land transport

ADR/RID : Not classified as dangerous goods as per transport regulation
UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Environmental hazards : Not applicable

Inland water ways transport

ADN : Not classified as dangerous goods as per transport regulation

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy CAPB SB-MB

Version No. 2 Revised on: June 27, 2022

UN Number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Packing group	: Not applicable
Environmental hazards	: Not applicable

Sea transport

IMDG code	: Not classified as dangerous goods as per transport regulation
UN Number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Packing group	: Not applicable
Marine pollutant	: Not applicable

Air transport

ICAO-TI/IATA-DGR	: Not classified as dangerous goods as per transport regulation
UN Number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Packing group	: Not applicable
Environmental hazards	: Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question	: Refer to all applicable national, international and local regulations or provisions
---	---

16. OTHER INFORMATION

§Revision Number	: GHS / Revision 1
§Indication of changes	: Indicated with symbol '§'
Legend/acronym	: GHS - Globally Harmonized System STOT - Specific Target Organ Toxicity
Source of information	: In-house and literature

The information contained herein is based on data considered accurate. However, no warranty is expressed, or implied regarding the accuracy of this data, or the result to be obtained from the use thereof.

Galaxy assumes no responsibility for injury to the user, or third person proximately caused by the material, if reasonable safety procedures are not adhered to, as stipulated in the safety data sheet. Galaxy assumes no responsibility for injury to the user, or third person proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Further, user assumes the risk in his use of the material.