




Safety Data Sheet

Acetone



Code 10190003
Ref 1
Date 7/2/2023
Page 1/13

1 Identification of the substance or mixture and of the supplier

1.1. Product name or GHS product identifier

1.1.1. Common name :	Acetone
1.1.2. Chemical formula :	CH ₃ COCH ₃
1.1.3. Commercial name :	Acetone
1.1.4. CAS number :	67-64-1
1.1.5. Molecular weight :	58.08 g/mol

1.2. Other product identifier :

1.2.1. UN Number :	1090
1.2.2. Annex I, EU directive 67/948/EC :	606-001-00-8
1.2.3. EC number :	200-662-2

1.3. Recommendation for use and other prohibitions for use

Do not expose to heat

ORIGINAL CONTROLLED

1.4. Manufacturer or Supplier Details

1.4.1. Manufacturer or Supplier	1.4.2. Address
PTT Global Chemical Public Company Limited,	9, Soi G-9, Pakorn Songkhraorat Road ,Map Ta Phut , Muang Rayong, Rayong 21150, Thailand

1.4.3. Telephone number :	+6638643972
---------------------------	-------------

1.5. Emergency telephone number :	+6638643999
-----------------------------------	-------------

1.6. Other information

1.6.1. Hazardous substance	☒ Yes	☐ No
----------------------------	---	-----------------------------

1.6.2. Hazardous category	Hazard type 3
---------------------------	---------------

1.6.3. Max quantity storage	
-----------------------------	--

1.6.4. Uses


this product for process

1.6.5. Other



Safety Data Sheet

Acetone



Code 10190003

Ref 1

Date 7/2/2023

Page 2/13

2

Hazards identification

2.1. GHS classification of the substance/mixture and any national or regional information

2.1.1. Hazard classification according to the GHS

Flammable liquids - Category 2

Acute Toxicity: Skin - Category 2

Serious Eye Damage/ Eye Irritation - Hazard category 2A Irritant

Specific Target Organ Toxicity (Single Exposure) - Category 3

2.2. GHS label elements, including precautionary statements

2.2.1. Chemical name :

Acetone

2.2.2. Product name or GHS product identifier :

Acetone

2.2.3. Symbol and Hazard pictograms



2.2.4. Signal words :

Danger

2.2.5. Hazard statement

Highly flammable liquid and vapour

Fatal in contact with skin


Causes serious eye irritation

(respiratory tract irritation) May cause respiratory irritation or (Narcotic effects) May cause drowsiness or dizziness



Safety Data Sheet

Acetone



Code 10190003

Ref 1

Date 7/2/2023

Page 3/13

2**Hazards identification (cont.)****2.2.6. Precautionary information**

- Keep away from heat, [sparks] [and flame] [– No Smoking]
- Store in a tightly closed container
- Use CO₂, dry chemical, or foam
- Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapour etc) below recommended exposure limits
- Wear suitable [protective clothing] [gloves] [and eye/face protection]
- Avoid release to the environment
- Dispose of this container to hazardous or special waste collection point

2.2.7. Supplemental information

NA

2.3. Other hazards which do not result in classification or are not covered by the GHS

NA

2.3.1. Potential Chronic Health Effects**2.3.1.1. Carcinogen effects**

☐	Maybe-Carcinogen	☐	Carcinogen	☐	Non-Carcinogen	☒	N/A
-----------------------	------------------	-----------------------	------------	-----------------------	----------------	----------------------------------	-----

2.3.1.2. Mutagenic effects

☐	Mutagenic	☐	Non-Mutagenic	☒	N/A
-----------------------	-----------	-----------------------	---------------	----------------------------------	-----

2.3.1.3. Other information

NA


2.4. Environmental Hazards

NA



Safety Data Sheet

Acetone



Code 10190003

Ref 1

Date 7/2/2023

Page 4/13

3**Composition / information on ingredients****3.1. Homogeneous substance**

3.1.1. Chemical identity :	Acetone
3.1.2. Common name :	Acetone
3.1.3. Synonym :	Dimethyl ketone, Ketone propane, 2-Propanone
3.1.4. CAS number and other unique identifiers :	67-64-1

3.1.5. Impurities and stabilizing additives


None

ORIGINAL CONTROLLED



Safety Data Sheet

Acetone



Code 10190003

Ref 1

Date 7/2/2023

Page 5/13

4

First-aid measures

4.1. First-aid

4.1.1. Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

4.1.2. Skin contact

Remove contaminated clothes and rinse skin thoroughly with water.

4.1.3. Eyes contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

4.1.4. Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Do not induce vomiting. Rinse mouth with water. Get medical attention if any discomfort continues.

4.2. Most important symptoms/effects

4.2.1. Acute Effects

Treat Symptomatically. Do not give victim anything to drink if he is unconscious.

4.2.2. Delayed effects

NA

4.3. Indication of immediate medical attention

NA

4.4. Special treatment needed, if necessary.

NA


4.5. Other

NA



Safety Data Sheet

Acetone



Code 10190003

Ref 11

Date 7/2/2023

Page 6/13

5

Firefighting measures

5.1. Unsuitable extinguishing media :

Solid water jet ineffective as extinguishing medium.

5.2. Suitable extinguishing media :

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

5.3. Specific hazards arising from the chemical.

HIGHLY FLAMMABLE! Solvent vapours may form explosive mixtures with air. Fire creates: Carbon monoxide (CO) . Carbon dioxide (CO₂) .

5.4. Special protective equipment and precautions for fire-fighters.

Keep upwind. Mark the danger area. Consider evacuation. Seal off low-lying areas. Close doors and windows of adjacent premises. Stop engines and no smoking. SCBA requirement.

5.5. Precautions for fire fighters.

Cool tanks/drums with water spray/remove them into safety. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistent risk of physical explosion.

5.6. Other.

NA

ORIGINAL CONTROLLED**6**

Accidental release measures

6.1. Personal precautions

Ensure suitable personal protection (including respiratory protection) during removal of spillages in a confined area. Ventilate well. Stop leak if possible

6.2. Protective equipment



6.3. Emergency procedures

6.3.1. Large Spill

Evaporated from area leak Ensure suitable personal protection (including respiratory protection) during removal of spillages in a confined area.

6.3.2. Small Spill

Ventilate well. Stop leak if possible without risk. Avoid contact with skin and eyes. Do not breathe vapour.

6.4. Environmental precautions

Avoid discharge into drains, water courses or onto the ground


6.5. Methods and materials for containment and cleaning up.

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.



Safety Data Sheet

Acetone



Code 10190003
Ref 1
Date 7/2/2023
Page 7/13

7

Handling and storage

7.1. Precautions for safe handling.

Do not discharge the waste into the drain. Do not use compressed air for pumping over. Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat.

7.2. Incompatibility.

7.2.1. Safe storage condition.

DO NOT contact Strong bases. Strong acids .

7.2.2. Incompatible chemicals condition.

KEEP SUBSTANCE AWAY FROM: oxidizing agents. reducing agents. (strong) acids. (strong) bases. halogens. amines.

7.3. Storage area :

GC18

7.4. Incompatible chemicals condition.

Sources of ignition. Direct sunlight.

7.5. Hazard Class by UN :

7.6. Classification :

8

Exposure controls/personal protection

8.1. Occupational exposure limit values or biological limit values

Name	TLV-TWA	TLV-STEL	TLV-C	PEL	IDLH	Thai	biological limit values
Acetone	250 ppm	500 ppm		1,000 ppm or 2,420 mg/m3	750 ppm or 1815 mg/m3	100 ppm	IDLH =2500 ppm.

8.2. Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Personal protective equipment



8.4. Personal hygiene

Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.


8.5. Other protection

ORIGINAL CONTROLLED



Safety Data Sheet

Acetone



Code 10190003
Ref 1
Date 7/2/2023
Page 8/13

9

Physical and chemical properties

9.1. Appearance :	Liquid Colorless		
9.2. Odour :	Specific odor		
9.3. Odour threshold limit :	0.1-662.5 ppm		
9.4. pH-value :	5-6 acid		
9.5. Melting point &Freezing point :	Melting point	-94.7 °C	
	Freezing point	- °C	
9.6. Initial boiling point/Boiling range	Boiling/condensation point	56.05 °C	
	Evaporation rate	- °C – - °C	
9.7. Flash point :	-17.78 °C (Close cup)		
9.8. Evaporation rate :	- mg/sec		
9.9. Flammability (solid, gas) :	Burning time	- sec	
	Burning Rate	- mm/sec	
9.10. Upper/lower flammability or explosive limits :	2.5 % LEL and/or 12.8 %UEL		
9.11. Vapour pressure :	23.99 kPa at 20 °C		
9.12. Vapour density :	Respect to air	1.2 kPa	
9.13. Relative density :	0.7845		
9.14. Solubility(ies) :	Soluble in water. Soluble in ethanol & ether		
9.15. Partition coefficient : n-octanol/water :	-0.24		
9.16. Auto-ignition temperature :	465 °C		
9.17. Decomposition temperature :	- °C		
9.18. Viscosity :	0.34 mm ² /s at 40 oC		
9.19. Heat of Combustion :	- °C		
9.20. The ignition distance test :	- cm		
9.21. The enclosed space ignition test	- s/m ³		
9.22. The foam test :	Vapor density	-	cm
	Flames burning up	-	sec

Detail

Type of Substance

Other substance

Powders or
dusts

Unit

Use water spray to blanket fire, cool fire exposed containers, to stop leak, and burn

-

-

minute

Burning time

-

-

sec

Burning rate

-


-

mm/s



Safety Data Sheet

Acetone



Code 10190003

Ref 1

Date 7/2/2023

Page 9/13

10**Stability and reactivity**

10.1. Reactivity

Upon combustion: CO and CO₂ are formed. Violent to explosive reaction with many compounds. Prolonged storage: on exposure to light: release of harmful gases/vapours.

10.2. Chemical Stability :

☒ Stability ☐ Instability and emit gas ☐ N/A

10.3. Possibility of Hazardous reaction :

No reaction

10.4. Conditions to avoid :

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials :

Strong acids. Strong bases.

10.6. Hazardous decomposition products :

Fume. Carbon monoxide. Carbon dioxide.

10.7. Corrosively :

NA

11**Toxicological information**

11.1. Route of Exposure ☒ Inhalation ☒ Ingestion ☒ Skin contact ☒ Eye contact

11.2. Symptoms related to the physical, chemical and toxicological characteristics

11.2.1. Symptom related with physical characteristic

ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

11.2.2. Symptom related with chemical characteristic

NA

11.2.3. Symptom related with toxicology

EXPOSURE TO HIGH CONCENTRATIONS: Feeling of weakness. Irritation of the respiratory tract. Nausea. Vomiting. Headache. Central nervous system depression. Dizziness. Narcosis. Excited/restless. Drunkenness. Disturbed motor response. Respiratory difficulties. Disturbances of consciousness.

11. The impact of acute and delayed (delayed and immediate effects) including chronic (chronic effects) exposure (Contact delayed, immediate and chronic effects)


ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Red skin. Skin rash/inflammation. Dry/sore throat. Headache. Nausea. Feeling of weakness. Loss of weight. Possible inflammation of the respiratory tract.

11.4. Numerical measures of toxicity

11.4.1. Acute oral toxicity : 5800 mg/kg body weight in rat (OECD 401)

11.4.2. Acute dermal toxicity : >15800 mg/kg body weight in rat

11.4.3. Acute toxic of the vapour : 76 mg/L/4h in rat

	Safety Data Sheet		Code 10190003
	Acetone		Ref 1
			Date 7/2/2023
			Page 10/13

12

Ecological information

12.1. Eco toxicity (aquatic and terrestrial, where available)

12.1.1. Toxicity to fish : 96h LC50 (oncorhynchus mykiss)

12.1.2. Crustaceans / Toxicity to crustaceans : NA

12.1.3. Algae / Toxicity to algae : 8h NOEC (Microcystis aeruginosa): 530 mg/L/8 d.

12.2. Degradability and persistence

91%/28 day

12.3. Bio-accumulative potential : log Pow: 0.24

12.4. Mobility in soil : NA

12.5. Other adverse effects :

Do not allow to enter drains or soil.

13

Disposal considerations

13.1. Waste information : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste.

13.2. Remain materials : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste

13.3. Waste disposal : Transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Recycle by distillation.

13.4. Package contaminated disposal : NA

14

Transport information

14.1. UN Number : 1090

14.2. UN Proper Shipping Name : ACETONE

14.3. Transport Class/Division : 3.0

14.4. Package group (if any) : II

14.5. Marine pollution : ☐ Yes ☒ No ☐ N/A

14.6. Special precautionary for user : NA

14.7. Transport in bulk : IBC 02

14.8. Classification code :

14.9. Other :

NA


Pictogram





Safety Data Sheet

Acetone



Code 10190003
Ref 1
Date 7/2/2023
Page 11/13

15**Regulatory information****15.1. Safety, health and environmental regulations**

Avoid release to the environment.

16**Other information****16.1. Date of latest issue**

7/2/2023

16.2. Description of point of Safety Data Sheet changing**16.3. Abbreviation explanation**

NFPA Hazard Code	HMIS Hazard	Rating System
Hazardous decomposition products Health hazard Specific hazards	1 Health 3 Flammability 0 Reactivity	0 = No hazard 1 = Slight hazard 2 = Moderate hazard 3 = Serious hazard 4 = Severe hazard

16.4. Information Safety Data Sheet files

Primary Reference :

Secondary Reference :

16.5. Local Legislation Related**16.6. Reference****16.7. Other details**

Acetone

NFPA Rating



Emergency Call

+6638643999

UN Number : 1090 CAS Number : 67-64-1

Flash point : 17.78°C

TWA-TLV : 250 ppm

Hazard Statement

Highly flammable liquid and vapour, Causes serious eye irritation, (respiratory tract irritation) May cause respiratory irritation or (Narcotic effects) May cause drowsiness or dizziness



Health Effects

Causes skin irritation, Causes mild skin irritation, Causes serious eye damage, Causes serious eye irritation, Causes eye irritation, May cause allergy or asthma

Protective equipment

Protective clothing must be worn, Wear eye protection where appropriate, Respirators must be used where appropriate, Use hand protection in this area, Foot protection must be worn where appropriate



first aid

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues., Remove contaminated clothes and rinse skin thoroughly with water., Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues., NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Do not induce vomiting. Rinse mouth with water. Get medical attention if any discomfort



Unsuitable extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.



Hazardous Materials Handling and Storage

Avoid sources of ignition. Direct sunlight., Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work., Do not discharge the waste into the drain. Do not use compressed air for pumping over. Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat



Methods and materials for containment and cleaning up

Ventilate well. Stop leak if possible without risk. Avoid contact with skin and eyes. Do not breathe vapour., Avoid discharge into drains, water courses or onto the ground, Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

For more information please contact :

Code No. 10190003

Number of Revision :

0 3864 3972

1

Warning : DANGER

Acetone

UN No : 1090


CAS No : 67-64-1



Signal words : Danger

Hazard statement :

Highly flammable liquid and vapour, Causes serious eye irritation, (respiratory tract irritation) May cause respiratory irritation or (Narcotic effects) May cause drowsiness or dizziness



First Aid :

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues., Remove contaminated clothes and rinse skin thoroughly with water., Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues., NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Do not induce vomiting. Rinse mouth with water. Get medical attention if any discomfort continues., Treat Symptoma

ORIGINAL CONTROLLED

Precautionary information :

- Keep away from heat, [sparks] [and flame] [- No Smoking]
- Store in a tightly closed container
- Use CO2, dry chemical, or foam
- Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapour etc) below recommended exposure limits
- Wear suitable [protective clothing] [gloves] [and eye/face protection]
- Avoid release to the environment
- Dispose of this container to hazardous or special waste collection point

Emergency number :

+6638643999

Manufacturer or Supplier Details

Company : PTT Global Chemical Public Company Limited,

Address : 9, Soi G-9, Pakorn Songkhraorat Road ,Map Ta Phut ,
Muang Rayong, Rayong 21150, Thailand

Telephone number : +6638643972

Protective equipment

