



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Address/Telephone number	Hunan Resun Auway Industrial Co Ltd. 399,Shetang Road,Quantang Avenue, Changsha Economic Technological Development District,Changsha,Hunan, China. Tel: (+86)731-85255885 Fax: (+86)731-85255505
Emergency telephone number	(+86)731-85255885
Issue date	2022.1.25
Trade name	RSAW EAC70/ZA
Use	Sales product

2. HAZARDS IDENTIFICATION

Eye contact	May cause significant eye irritation.
Skin contact	May cause significant skin irritation especially If exposure is prolonged and/or repeated.
Inhalation	Inhalation of vapors or mists of the product may be irritating to the respiratory system.
Ingestion	Ingestion of large amounts may produce gastrointestinal disturbances including irritation, nausea, and diarrhea.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Product description.	Ammonium Laureth Sulfate 70% Aqueous Solution
CAS Number	67762-19-0
EINECS Number	500-172-1

4 FIRST AID MEASURES

Eye contact	Immediately flush eyes with water for at least 15 minutes while holding eyelids open. If irritation persists get medical attention.
Skin contact	For skin contact flush with large amounts of water.If irritation persists, get medical attention.
Inhalation	If symptoms are experienced, remove source of contamination or move victim to fresh air.If symptoms persist, get medical attention.If the affected person is not breathing, apply

Ingestion

artificial respiration. If breathing is difficult, give oxygen. Seek medical attention. If ingestion of a large amount does occur, seek medical attention. Do not induce vomiting.

5 FIRE-FIGHTING MEASURES

Extinguishing Media

Powder, foam, sand, water spray.

Unsuitable Extinguishing Media

Avoid using large quantities of water.

Special fire-fighting protective equipment

In case of fire, self contained breathing apparatus should be worn.

Combustion products

Fumes containing carbon dioxide, carbon monoxide, sulphur dioxide may be formed in large fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Refer to section 8 for proper personal protective equipment.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Large Spills: Dike ahead of liquid spill for later disposal.

Dispose of in accordance with Federal, State and local authority regulations.

Other information

Surfaces may become slippery after spillage.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin and eyes. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

Storage

Store in plastic, plastic lined or stainless steel, tightly closed containers at 15~40 °C.

Do not store close to strong oxidizing agents which could aggravate any fire situation.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering measures

Provide adequate ventilation.

Eye protection

Safety goggles recommended.

Skin protection

Protective overalls and safety shoes/boots recommended.

Hand protection

Impervious gloves recommended.

Respiratory protection

Not required.

Other

Eyewash and safety shower easily accessible

to the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Flowing white to pale viscous paste, free from foreign matter
Odor:	Characteristic
Boiling Range/Point	> 100 °C
Relative Density (20 °C):	ca. 1.03
Water Solubility (20 °C):	ca. 350g/l
Solubility in ethanol (20 °C):	Soluble
pH(25 °C)(36g/L):	6.0-6.9
Flash Point (°C) :	X

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions. The ammonia odor releases if it gets too hot.
Conditions to Avoid	Avoid strong oxidizing agents.
Incompatibility	This product may react with strong acids or oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield sulfur dioxide and oxides of sulfur.
Hazardous Polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

LD50 Value	Oral LD50 (rat) >2000mg/kg
May cause some irritation of the mouth and upper digestive tract.	
May produce significant skin irritation after prolonged contact.	
May cause significant eye irritation.	

12. ECOLOGICAL INFORMATION

Do not release into surface waters.

13. DISPOSAL CONSIDERATIONS

Methods of Disposal	Dispose of in accordance with all applicable local and national regulation.
Contaminated packaging	Empty container retains product residue. Observe all hazard precautions.

14. TRANSPORT INFORMATION

Not classified as hazardous for transport.

15. REGULATORY INFORMATION

16. OTHER INFORMATION

The information contained in this document is intended to describe the product only in terms of health, safety and environmental requirements for the purposes of its safe handling, use and disposal and is to the best of Hunan Resun Auway's knowledge and belief correct. Hunan Resun Auway's technical services will be pleased to give further advice and assistance but customers must satisfy themselves (by appropriate testing if necessary) that the product is suitable for their purpose and conditions of use and that their facilities and arrangements are suitable for handling or using the product.

The information does not comprise a technical or performance specification for the product and customers are preferred to any relevant product technical information or specification issued by Hunan Resun Auway.

ORIGINAL CONTROLLED