

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

§1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

GHS Product identifier

Trade Name : Sparkle 660

Chemical identity of ingredients that contribute to classification : Sodium Laureth Sulfate, Cocamide MEA, Methylchloroisothiazolinone and Methylisothiazolinone

Recommended use of the chemical and restrictions on use

Use of the substance/mixture : In preparation of Personal care and Home care formulations

Supplier's details : Galaxy Surfactants Limited
C-49/2, TTC Industrial Area
Pawne, Navi Mumbai, 400703, India
Tel: +91-22-27616666/+91-22-39135500
e-mail: galaxy@galaxysurfactants.com

Emergency phone number : For product information: +91-9867673376 / +91-9867613368
(Language: English)
For Incident (Spill, Leak, Fire, Exposure, or Accident)
CHEMTREC (Day or Night): +1 703-741-5970 / 1-800-424-9301

2. HAZARD IDENTIFICATION

Classification of the substance or mixture:

Skin irritation Category 2 H315: Causes skin irritation.

Skin sensitization Category 1 H317: May cause an allergic skin reaction.

Eye damage Category 1 H318: Causes serious eye damage.

Acute aquatic toxicity Category 3 H402: Harmful to aquatic life.

Chronic aquatic toxicity Category 3 H412: Harmful to aquatic life with long lasting effects.

GHS label elements, including precautionary statements

Hazard pictogram:



Signal word: Danger

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Hazard statement(s)

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s):

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose off contents/container in accordance with local/regional/ national/international regulations.

Other hazards which do not result in classification : Not known

§3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI/Chemical Name	Synonyms	CAS Number	EC Number	% concentration
Sodium Laureth Sulfate	Alcohols, C12-14, ethoxylated, sulfates, sodium salts; Poly(oxy-1,2-ethanediyl),a-sulfo-w-hydroxy-, C12-14 alkyl ethers, sodium salts; Sodium Lauryl Ether Sulfate	68891-38-3	500-234-8	< 25
Cocamide MEA	Amides, C8-18 and C18-unsatd., N-(hydroxyethyl); Cocomonoethanolamide; Coconut fatty acid Monoethanolamide; Coco fatty acid amide; Amides, coco, N-(hydroxyethyl)	68140-00-1	268-770-2	< 10
Sodium Chloride	Sodium Chloride	7647-14-5	231-598-3	< 1

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Citric Acid	2-hydroxypropane-1,2,3-tricarboxylic acid	77-92-9	201-069-1	< 1
Methylchloroisothiazolinone and Methylisothiazolinone	5-Chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	26172-55-4 and 2682-20-4	247-500-7 and 220-239-6	≤ 0.0015

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Inhalation	: Remove to fresh air
Skin contact	: Flush with plenty of water for at least 15 minutes. Seek medical advice, if necessary
Eye contact	: Immediately flush eyes with running water, keeping the eyelids open forcibly. Remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Seek medical attention
Ingestion	: Immediately rinse mouth and then drink plenty of water. Seek medical attention, if necessary
Most important symptoms/effects, acute and delayed	
Skin contact	: Causes irritation. May cause an allergic skin reaction
Eye contact	: Risk of serious damage to eyes
Indication of immediate medical attention and special treatment needed, if necessary	
Treatment	: Treat symptomatically

5. FIRE- FIGHTING MEASURES

Suitable extinguishing media	: Dry chemical powder, foam, carbon dioxide, water spray
Unsuitable extinguishing media	: Not known
Specific hazards arising from the chemical	: Development of hazardous combustion products like oxides of carbon, sulfur, nitrogen and various hydrocarbons possible in the event of fire
Special protective equipment and precautions for fire-fighters	: Wear personal protective equipment and self- contained breathing apparatus

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3

Date of revision: August 21, 2020

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment. Wash hands after exposure with the product. Avoid contact with skin, eyes and clothing

Environmental precautions

: Do not discharge into drains

Methods and materials for containment and cleaning up

: Small spill: Absorb with suitable absorbent material. Collect in suitable and properly labeled container.
Large spill: Contain spilled material if possible. Pump into suitable and properly labeled containers. Dispose off absorbed material/collected material in accordance with regulations

7. HANDLING AND STORAGE

Precautions for safe handling

: Follow general occupational hygiene such as, wash hands after use. Do not eat, drink or smoke in work areas. Remove contaminated clothing. Avoid spill. Follow safe procedures for loading and un-loading of product

§Conditions for safe storage, including any incompatibilities

: Store the material in a clean and dry place at 25-35°C, away from direct heat and sunlight. Keep containers tightly closed. In the original sealed condition, when stored as suggested, the shelf life of product is one year. Once the carboy is opened, ensure airtight closure after usage and it is recommended to use the product within a week. Slight separation may occur during storage, which can be reversed by stirring, without affecting the pearlizing property of the product. Product tends to have thin layer of foam and scum at the top of container as the inherent nature. However, this would not affect the quality of product. On prolonged storage below 10°C, if the product gets solidified, it is recommended to keep the carboys in hot room or temperature 25-35°C (avoid direct heating). Product should be processed at temperatures between 15-35°C. Outside this range, the viscosity may increase, making it difficult to pump. This characteristic property can be reversed by stirring the product at 25-35°C. To avoid possibility of melting of wax dispersion, the recommended temperature during transport is maximum 35°C. Metal containers are not suitable for storing the material, as it can corrode the container. Storage tanks made of stainless steel (SS 316) or FRP (Fibre - Reinforced Plastic) are suitable for storing this product.
Stacking of carboys: palletized and non-palletized: 1+1, both while transport and during storage



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Suitable packing materials : HMHDPE carboys
Unsuitable packing materials : Mild steel

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

§Occupational exposure limits

Occupational exposure limits for Sodium Chloride (CAS Number: 7647-14-5; EC Number: 231-598-3)

Country	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Latvia	-	5	-	-

Occupational exposure limits of Citric Acid (CAS No: 77-92-9 and EC No: 201-069-1)

Country	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Germany (AGS)	-	2 (Inhalable fraction)	-	4 (Inhalable fraction) (15 minutes average value)
Germany (DFG)	-	2 (Inhalable fraction and vapour)	-	4 (Inhalable fraction and vapour) (15 minutes average value)
Switzerland	-	2 (Inhalable fraction)	-	4 (Inhalable fraction) (15 minutes average value)

Occupational exposure limits for Kathon - mixture (3:1) (Methylchloroisothiazolinone and Methylisothiazolinone) (CAS Number: 26172-55-4 and 2682-20-4; EC Number: 247-500-7 and 220-239-6)

Country	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Austria	-	0.05	-	-
Germany (DFG)	-	0.2 (Inhalable fraction)	-	0.4 (Inhalable fraction) (15 minutes average value)
Switzerland	-	0.2 (Inhalable fraction)	-	0.4 (Inhalable fraction)

(Source: Based on GESTIS International Limit Values via: <https://limitvalue.ifa.dguv.de/>, as on date: 21.08.2020)

Biological limit values : Not known

Appropriate engineering controls : Proper plant design, technical measures and working operations should minimize human exposure

Individual protection measures, such as personal protective equipment (PPE) :
 Eye/face protection: Safety goggles
 Skin protection: Apron, rubber gloves, shoes
 Respiratory protection : None required when adequate ventilation is available



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3

Date of revision: August 21, 2020

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : Pearly viscous liquid

Colour : White

Odour : Fatty

Odour threshold : No data available

pH (10% in distilled water) : 5.0 - 7.0

Freezing point : 0°C

Initial boiling point and boiling range : 100°C (foam / overflow)

§Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or explosive limits : No data available

Vapour pressure : No data available

Vapour density : No data available

Relative density : 0.9500 - 1.0500 at 30°C

Solubility(ies) : Partially soluble in water

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

§Viscosity (Brookfield, LVT, #4, 30 rpm) : 10,000 cP maximum, at 30°C

10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions, if stored and handled as prescribed (Refer Section 7)

Chemical stability : Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure

Possibility of hazardous reactions : Not anticipated when used or handled as prescribed

Conditions to avoid : Sunlight, heat, flame and other sources of ignition

Incompatible materials : Strong acids and oxidizing agents



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Hazardous decomposition products : Will not form, if stored or handled as prescribed

§11. TOXICOLOGICAL INFORMATION

Toxicological information of Sodium Laureth Sulfate

Acute oral toxicity (Rat)	: LD ₅₀ : 2870 mg/kg bw (active ingredient) (OECD Guideline 401)
Acute dermal toxicity (Rat)	: LD ₅₀ : > 2000 mg/kg bw (OECD Guideline 402)
Acute inhalation toxicity	: No test data available
Skin corrosion/irritation (Rabbit)	: Irritating (OECD Guideline 404)
Serious eye damage/irritation (Rabbit)	: Highly irritating (Equivalent or similar to OECD Guideline 405)
Respiratory or skin sensitization (Guinea pig)	: No sensitization (OECD Guideline 406)
Germ cell mutagenicity	
Mammalian cell gene mutation assay (in vitro)	: Negative (OECD Guideline 476)
Mammalian Bone Marrow Chromosome Aberration Test (in vivo)	: Negative (OECD Guideline 475)
Carcinogenicity	: Not carcinogenic
Reproductive toxicity	: Non-reprotoxic Effects on fertility (Rat) NOAEL: > 300 mg/kg bw/day (Equivalent or similar to OECD Guideline 416) Developmental toxicity / maternal toxicity (Rat): NOAEL: > 1000 mg/kg bw/day (OECD Guideline 414)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified Repeated dose toxicity: Oral (Rat): NOAEL: 300 mg/kg bw/day Repeated dose toxicity: Oral (Rat): NOAEL: > 225 mg/kg bw/day (OECD Guideline 408)
Aspiration hazard	: Not classified

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Toxicological information of Cocamide MEA

Acute oral toxicity (Rat)	: LD ₅₀ : > 2000 mg/kg bw (OECD Guideline 401 / EU Method B.1)
Acute dermal toxicity (Rabbit)	: LD ₅₀ : > 2000 mg/kg bw
Acute inhalation toxicity	: No data available
Skin corrosion/irritation (Rabbit)	: Irritating (OECD Guideline 404)
Serious eye damage/irritation (Rabbit)	: Highly irritating (OECD Guideline 405)
Respiratory or skin sensitization (Guinea pig)	: Not sensitizing (OECD Guideline 406)
Germ cell mutagenicity	
Bacterial reverse mutation assay (in-vitro)	: Negative (OECD Guideline 471 / EU Method B.13/14)
Mammalian cell gene mutation assay (in-vitro)	: Negative (OECD Guideline 476 / EU Method B.17)
Carcinogenicity	: Not classified Dermal (Rat) NOEL: 100 mg/kg bw/day Read-across approach
Reproductive toxicity	: Not classified Developmental/parental toxicity Oral (Rat): NOAEL: 1000 mg/kg bw/day (OECD Guideline 414) Read-across approach
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified Repeated dose toxicity: oral (Rat): NOAEL: > 750 mg/kg bw/day (Equivalent or similar to OECD Guideline 407) Read-across approach Repeated dose toxicity: dermal (Rat): NOAEL: ca. 50 mg/kg bw/day Read-across approach
Aspiration hazard	: Not classified

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Toxicological information of Sodium Chloride

Acute oral toxicity (Rat)	: LD ₅₀ : 3550 mg/kg bw
Acute dermal toxicity (Rabbit)	: LD ₅₀ : > 10000 mg/kg bw
Acute inhalation toxicity (Rat)	: LC ₅₀ (1 h): > 42 mg/l
Skin corrosion/irritation (Rabbit)	: Not irritating
Serious eye damage/irritation (Rabbit)	: Moderately irritating (Equivalent or similar to OECD Guideline 405)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	
Bacterial reverse mutation assay (In vitro)	: Negative (Equivalent or similar to OECD Guideline 471)
Carcinogenicity	: Not carcinogenic Oral (Rat): LOEL: 2533 mg/kg/day (approximately) (Equivalent or similar to OECD Guideline 453)
Reproductive toxicity	: Not classified Developmental toxicity Maternal toxicity (Mouse): NOAEL: 2500 mg/kg bw/day Teratogenicity (Mouse): NOAEL: < 1900 mg/kg bw/day
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified Repeated dose toxicity: Oral (Rat): LOEL: 2533 mg/kg/day (approximately) (Equivalent or similar to OECD Guideline 453)
Aspiration hazard	: Not classified

Toxicological information of Citric Acid

Acute oral toxicity (Mouse)	: LD ₅₀ : 5400 mg/kg bw (Equivalent or similar OECD Guideline 401)
Acute dermal toxicity (Rat)	: LD ₅₀ : > 2000 mg/kg (OECD Guideline 402)
Acute inhalation toxicity	: No data available
Skin corrosion/irritation (Rabbit)	: Not irritating (OECD Guideline 404)
Serious eye damage/irritation (Rabbit)	: Irritant within 14 days observation period (OECD Guideline 405)



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Respiratory or skin sensitization	: No data available
Germ cell mutagenicity	
Bacterial reverse mutation assay (in vitro)	: Negative (Equivalent or similar to OECD Guideline 471)
Chromosome aberration assay (in vivo)	: Negative (Equivalent or similar OECD Guideline 475)
Carcinogenicity	: No data available
Reproductive toxicity	: Not classified Developmental toxicity: (Hamsters): NOAEL: > 272 mg/kg bw/day (Rat): NOAEL: > 295 mg/kg bw/day (Rabbit): NOAEL: > 425 mg/kg bw/day (Mouse): NOAEL: > 241 mg/kg bw/day
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified Repeated dose toxicity: Oral (Rat): NOAEL: 4000 mg/kg bw/day
Aspiration hazard	: Not classified
Toxicological information of Methylchloroisothiazolinone and Methylisothiazolinone	
Acute oral toxicity (Rat)	: LD ₅₀ : 2630 mg/kg (female) LD ₅₀ : 3350 mg/kg (male)
Acute dermal toxicity (Rabbit)	: LD ₅₀ : > 5000 mg/kg
Acute inhalation toxicity (Rat)	: LC ₅₀ (4 h): 0.33 mg/l (active ingredient)
Skin corrosion/irritation (Rabbit)	: Corrosive
Serious eye damage/irritation (Rabbit)	: Corrosive
Respiratory or skin sensitization (Guinea pig)	: Causes sensitization
Germ cell mutagenicity	: Non-mutagenic (active ingredient)
Carcinogenicity	: Non-carcinogenic in both a mouse dermal and rat oral carcinogenicity study (active ingredient)
Reproductive toxicity	: Product is not a reproductive hazard (active ingredient) Did not show teratogenic effects in animal experiments (active ingredient)
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Aspiration hazard	: No data available
Information on the likely routes of exposure	: Oral and dermal
Symptoms related to the physical, chemical and toxicological characteristics	: Skin contact: Causes irritation. May cause an allergic skin reaction Eye contact: Risk of serious damage to eyes
Delayed and immediate effects and also chronic effects from short and long term exposure	: Short term exposure: No data available Long term exposure: No data available

§12. ECOLOGICAL INFORMATION

Ecological information of Sodium Laureth Sulfate

Short-term toxicity to fish	: Danio rerio LC ₅₀ (96 h): 7.1 mg/l (OECD Guideline 203 / EG Guideline 92/69 C.1)
Long-term toxicity to fish	: (QSAR model) NOEC: 1.2 mg/l Oncorhynchus mykiss NOEC (28 d): 0.2 mg/l (based on mortality and sublethal effects) (OECD Guideline 204 / Equivalent or similar to OECD Guideline 215)
Short-term toxicity to aquatic invertebrates	: Daphnia magna EC ₅₀ (48 h): 7.4 mg/l (OECD Guideline 202 / EG Guideline 92/69/EWG)
Long-term toxicity to aquatic invertebrates	: (QSAR model) NOEC: 1.2 mg/l Daphnia magna NOEC (21 d): 0.27 mg/l (Equivalent or similar to OECD Guideline 211) Read-across approach
Toxicity to aquatic algae	: Desmodesmus subspicatus EC ₅₀ (72 h): 27.7 mg/l NOEC (72 h): 0.95 mg/l (OECD Guideline 201 / EU-Guideline 92/69 EWG)
Persistence and degradability	: Readily biodegradable 100% after 28 days (DOC removal) EU Method C.4-A (Determination of the "Ready" Biodegradability - Dissolved Organic Carbon (DOC) Die-Away Test) 77-79% after 28 days (O ₂ consumption) OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Bioaccumulative potential	: Log P_{ow} : 0.3 at 23°C (OECD Guideline 123) Bioaccumulation in aquatic organisms is not expected as the substance has low log $P_{ow} \leq 3$
Mobility in soil	: K_{oc} (adsorption): 2.2 (calculated, QSAR); Soil is not expected to be a compartment of concern
Other adverse effects	: No data available
Ecological information of Cocamide MEA	
Short-term toxicity to fish	: Oncorhynchus mykiss LC ₅₀ (96 h): > 3 mg/l NOEC (96 h): > 3 mg/l (OECD Guideline 203)
Long-term toxicity to fish	: Oncorhynchus mykiss NOEC (28 d): 0.32 mg/l (OECD Guideline 204 / OECD Guideline 215) Read-across approach
Short-term toxicity to aquatic invertebrates	: Daphnia magna EC ₅₀ (48 h): 3 mg/l NOEC (48 h): 1.8 mg/l (OECD Guideline 202)
Long-term toxicity to aquatic invertebrates	: Daphnia magna NOEC (21 d): 0.07 mg/l (OECD Guideline 211) Read-across approach
Toxicity to aquatic algae	: Desmodesmus subspicatus EbC ₅₀ (72 h): 1.1 mg/l (based on: biomass) ErC ₅₀ (72 h): 8.7 mg/l (based on: growth rate) EbC ₀ (72 h): 0.3 mg/l (based on: biomass) (Equivalent or similar to OECD Guideline 201) Read-across approach
Persistence and degradability	: Readily biodegradable; 88.3% within 28 days (OECD Guideline 301 B)
Bioaccumulative potential	: Log P_{ow} : 3.38 (estimated by KOWWIN v 1.67 using EPI Suite v 4) BCF: 64.04 L/kg wet-wt [BCFBAF v3.00 (EPIWEB v 4.0)]
Mobility in soil	: K_{oc} : 1410.3 L/kg [KOCWIN v2.00 program (EPIWEB v 4.0)]
Other adverse effects	: Not known



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

Ecological information of Sodium Chloride

Short-term toxicity to fish	: Lepomis macrochirus LC ₅₀ (96 h): 5840 mg/l (Equivalent or similar to ASTM E729)
Long-term toxicity to fish	: Pimephales promelas NOEC (33 d): 252 mg/l (Equivalent or similar to OECD Guideline 210)
Short-term toxicity to aquatic invertebrates	: Daphnia magna LC ₅₀ (48 h): 4136 mg/l (Equivalent or similar to OECD Guideline 202)
Long-term toxicity to aquatic invertebrates	: Daphnia pulex NOEC (21 d): 314 mg/l (Equivalent or similar to OECD Guideline 211)
Toxicity to aquatic algae	: Nitzschia linearis EC ₅₀ (120 h): 2430 mg/l (Equivalent or similar to OECD Guideline 201)
Persistence and degradability	: Not applicable
Bioaccumulative potential	: Not applicable
Mobility in soil	: No data available
Other adverse effects	: No data available

Ecological information of Citric Acid

Short-term toxicity to fish	: Leuciscus idus melanotus LC ₅₀ (48 h): 440 mg/l and 760 mg/l (Equivalent or similar to OECD Guideline 203)
Long-term toxicity to fish	: No data available
Short-term toxicity to aquatic invertebrates	: Daphnia magna EC ₅₀ (24 h): 1535 mg/l (Bringmann and Kuhn (1977))
Long-term toxicity to aquatic invertebrates	: No data available
Toxicity to aquatic algae	: Scenedesmus quadricauda Toxicity Threshold (8 d): 640 mg/l NOEC (8 d): 425 mg/l (Bringmann and Kuhn (1974))
Persistence and degradability	: Readily biodegradable 97% in 28 days (CO ₂ evolution) (OECD Guideline 301 B)



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

	100% in 19 days (DOC removal) (OECD Guideline 301 E)
	85% in 14 days (DOC removal) (OECD Guideline 302 B)
Bioaccumulative potential	: BCF: 3.2 L/kg (estimated by calculation)
Mobility in soil	: No data available
Other adverse effects	: No data available
Ecological information of Methylchloroisothiazolinone and Methylisothiazolinone	
Short-term toxicity to fish	: Oncorhynchus mykiss LC ₅₀ (96 h): 0.19 mg/l (active ingredient) (Equivalent or similar to OECD Guideline 203)
	Lepomis macrochirus LC ₅₀ (96 h): 0.28 mg/l (active ingredient) (Equivalent or similar to OECD Guideline 203)
Long-term toxicity to fish	: No data available
Short-term toxicity to aquatic invertebrates	: Daphnia magna EC ₅₀ (48 h): 0.16 mg/l (active ingredient) (FIFRA 77-2)
	Daphnia magna EC ₅₀ (48 h): 0.126 mg/l (Equivalent or similar to OECD Guideline 202)
Long-term toxicity to aquatic invertebrates	: No data available
Toxicity to aquatic algae	: Pseudokirchneriella subcapitata EC ₅₀ (72 h): 0.003 mg/l (active ingredient) (OECD Guideline 201)
	Selenastrum capricornutum ErC ₅₀ (72 h): 0.003 mg/l (active ingredient) (OECD Guideline 201)
Persistence and degradability	: Not readily biodegraded 0.3%; 10-day Window: Fail (Equivalent or similar to OECD Guideline 301B)
Bioaccumulative potential	: No data available
Mobility in soil	: No data available
Other adverse effects	: No data available



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

13. DISPOSAL CONSIDERATIONS

Disposal methods : Dispose off contents/container in accordance with local/regional national/international regulations

§14. TRANSPORT INFORMATION

Land transport

ADR/RID : Not classified as dangerous goods as per transport regulation
 UN Number : Not applicable
 UN proper shipping name : Not applicable
 Transport hazard class(es) : Not applicable
 Packing group : Not applicable
 Environmental hazards : Not applicable

Inland water ways transport

ADN : Not classified as dangerous goods as per transport regulation
 UN Number : Not applicable
 UN proper shipping name : Not applicable
 Transport hazard class(es) : Not applicable
 Packing group : Not applicable
 Environmental hazards : Not applicable

Sea transport

IMDG code : Not classified as dangerous goods as per transport regulation
 UN Number : Not applicable
 UN proper shipping name : Not applicable
 Transport hazard class(es) : Not applicable
 Packing group : Not applicable
 Marine pollutant : Not applicable

Air transport

ICAO-TI/IATA-DGR : Not classified as dangerous goods as per transport regulation
 UN Number : Not applicable
 UN proper shipping name : Not applicable
 Transport hazard class(es) : Not applicable
 Packing group : Not applicable
 Environmental hazards : Not applicable

§15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question : Refer to all applicable national, international and local regulations or provisions



Safety Data Sheet as per Globally Harmonized System (GHS)

Sparkle 660

Version No. 3 Date of revision: August 21, 2020

16. OTHER INFORMATION

Revision Number	: GHS / Revision 2
Indication of changes	: Indicated with symbol 'S'
Legend/acronym	: GHS - Globally Harmonized System STOT - Specific Target Organ Toxicity
Source of information	: In-house and literature

The information contained herein is based on data considered accurate. However, no warranty is expressed, or implied regarding the accuracy of this data, or the result to be obtained from the use thereof.

Galaxy assumes no responsibility for injury to the user, or third person proximately caused by the material, if reasonable safety procedures are not adhered to, as stipulated in the safety data sheet. Galaxy assumes no responsibility for injury to the user, or third person proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Further, user assumes the risk in his use of the material.

