

SAFETY DATA SHEET**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Name	Penguin Primer 435-72
Manufacturer Name	Sunstar Chemical (Thailand) Co., Ltd.
Address	624 Moo 4 Bangpoo Industrial Estate Soi 7A Sukhumvit Rd., Praksa, Muang Samutprakarn, Samutprakarn 10280 Thailand
Telephone Number	+66 2709 4531
Fax Number	+66 2709 4541

2. HAZARDS IDENTIFICATION**PHYSICAL HAZARDS**

Category 2 (Flammable liquids)

HEALTH HAZARDS

Acute toxicity: oral	Category 5
Acute toxicity: skin	Not classified
Acute toxicity: inhalation(gas)	Not applicable
Acute toxicity: inhalation(vapor)	Category 5
Acute toxicity: inhalation(mist)	Classification not possible
Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2
Respiratory sensitization	Classification not possible
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Category 2
Toxic to reproduction	Category 1
Specific target organ systemic toxicity (single exposure)	Not classified
Specific target organ systemic toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

ENVIRONMENTAL HAZARDS

Aquatic toxicity (acute)	Not classified
Aquatic toxicity (chronic)	Not classified
Hazardous to the ozone layer	Classification not possible

ALLOCATION OF LABEL ELEMENTS**Hazard symbol****Signal word**

Danger

Hazard statement

H225 Highly flammable liquid and vapour
H303 May be harmful if swallowed
H316 Cause mild skin irritation
H319 Causes serious eye irritation
H333 May be harmful if inhaled.
H351 Suspected of causing cancer.
H360 May damage fertility or the unborn child

Precautionary statements**Prevention**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surface, sparks, open flames, and other ignition. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof (electric equipment, ventilator etc.) equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P370+P378 In case of fire: Use appropriate media to extinguish.
 P303+P361+P353 IF ON SKIN(or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P308+P313 IF exposed or concerned: Get medical attention/advice.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to..... (in accordance with local/regional/national/international regulation)

3.COMPOSITION/INFORMATION ON INGREDIENTS**Substance/Preparation** Preparation**General Name** Primer**Components Contributing to the Hazard**

Components	Cas No	%WT
Ethyl acetate	141-78-6	92
Xylene	1330-20-7	1-5

4.FIRST AID MEASURES**Inhalation**

Remove to fresh air and get immediate medical attention

Skin Contact

Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use.

If skin irritation occurs, seek medical advice/attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center or doctor/physician.

Ingestion

Rinse mouth.

Call a poison center or doctor/physician if you feel unwell.

5.FIRE-FIGHTING**Extinguishing Media**

Carbon dioxide, dry chemical, foam

Special Hazards

Toxic gases will form upon combustion

Special Methods

Evacuate non essential personnel

Move container from fire areas if it can be done without risk

Keep personnel removed from and upwind of fire

Protection of Firefighters

Wear self-contained breathing apparatus

6.ACCIDENTAL RELEASE MEASURES**Personal Precautions**

Wear protective equipment and avoid contact with skin

Environmental Precautions

Do not allow to enter sewers/surface or groundwater

Methods for Cleaning up

Absorb with liquid - binding materials (sand, sawdust etc)

Scoop material into containers for disposal

7.HANDLING AND STORAGE**Handling****Technical Measures**

Keep away from sources of ignition

Avoid eye and skin contact

Keep containers closed when not in use

Precautions

Use in the well - ventilated areas

Storage**Suitable Storage Conditions**

Keep container closed
Store in a cool and well ventilated place
Protect material from direct sunlight

8.EXPOSURE CONTROLS/PERSONAL PROTECTION**Control Parameters****Components**

Ethyl acetate
Xylene

ACGIH (2018,TLV)

400 ppm
100 ppm

Personal Protective Equipment**Hand Protection**

Protective gloves

Eye Protection

Safety glasses

Skin and Body Protection

Avoid contact with skin

Hygiene Measures

Wash hands before breaks and at the end of work

9.PHYSICAL AND CHEMICAL PROPERTIES**Physical State****Appearance**

Liquid

Color

Clear

Odour

Solvent Odor

pH

N/A

Melting point/freezing point

N/D

Initial boiling point and boiling range

N/D

Flashpoint

-4°C

Evaporation rate

N/D

Flammability

N/D

Upper/lower flammability or explosive limits

N/D

Vapour pressure

N/D

Relative density

About 1.0

Solubility

Soluble in organic solvents

Partition coefficient:n-octanol/water

N/D

Auto-ignition temperature

N/D

Viscosity

N/D

10.STABILITY AND REACTIVITY**Stability**

Stable under normal conditions

Possible Hazardous Reactions

Reactive with water and amine compound

Conditions to Avoid

Avoid water and amine compound

Hazardous Decomposition Products

Nitrogen oxides

(in addition to CO , CO₂ , H₂O)

11.TOXICOLOGICAL INFORMATION**Acute toxicity**

Ethyl acetate	LD50 (Oral)	Rat	4,940 mg/kg	PATTY (5th, 2001)
	LD50 (Dermal)	Rabbit	18000 mg/kg	DFGOT vol. 12 (1999)
Xylene	LD50 (Oral)	Rat	3,500-8,800 mg / kg	NITE Hazard Assessment Report (2008)
	LD50 (Dermal)	Rabbit	1,700 mg / kg	EPA Pesticide (2005)

Skin corrosion

Ethyl acetate	Not classified
Xylene	Category 2

Serious Eye Damage/Irritation

Ethyl acetate	Category 2B
Xylene	Category 2

Skin Sensitisation

Ethyl acetate	Not classified
---------------	----------------

Germ Cell Mutagenicity

Ethyl acetate Not classified

Reproductive toxicity

Xylene Category 1B

Specific target organ systemic toxicity (single exposure)

Ethyl acetate Category3 (Respiratory tract irritation, Narcotic effects)

Xylene Category1 (central nervous system, respiratory system, liver, kidney)
Class 3 (narcotic effects)**Specific target organ toxicity (Repeated exposure)**

Xylene Category 1 (nervous system, respiratory system)

Aspiration hazard

Xylene Category 1

12. ECOLOGICAL INFORMATION**Aquatic toxicity (acute)**

Ethyl acetate	LC50(96H)	Fish (fathead minnow)	230 mg / L	SIDS, 2008
	LC50(24H)	Shellfish (Daphnia magna)	2,500 mg / L	SIDS, 2008
Xylene	LC50(96H)	Fish (rainbow trout)	3.3 mg / L	NITE initial risk assessment report, 2005

Aquatic toxicity (chronic)

Ethyl acetate	water solubility	-	80000 mg / L	PHYSPROP Database, 2009
Xylene	NOEC	Fish (rainbow trout)	1.3 mg / L	SIAP (Conclusions agreed Not classified because it is SIAM 16, 2003

13. DISPOSAL CONSIDERATIONS**Waste from Residues**

Follow the all regulations in your country.

Contaminated Packaging

Follow the all regulations in your country.

14. TRANSPORT INFORMATION

UN Class	3
UN No	1133
Packing group	II

Specific Precautionary Transport Measures and Conditions

Follow the all regulations in your country.

15. REGULATORY INFORMATION

Follow the all regulations in your country.

16. OTHER INFORMATION

The information herein is given in good faith, but no warranty, express or implied, is made.

The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to there circumstances.