

SAFETY DATA SHEET**1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Name	Penguin Primer 435-73A
Manufacturer Name	Sunstar Chemical (Thailand) Co.,Ltd.
Address	624 Moo 4 Bangpoo Industrial Estate Soi7A Sukhumvit Rd., Praksa, Muang Samutprakarn, Samutprakarn 10280 Thailand
Telephone Number	+66 2709 4531
Fax Number	+66 2709 4541

2.HAZARDS IDENTIFICATION**PHYSICAL HAZARDS**

Category 2 (Flammable liquids)

HEALTH HAZARDS

Acute toxicity: oral	Category 5
Acute toxicity: skin	Not classified
Acute toxicity: inhalation(gas)	Not applicable
Acute toxicity: inhalation(vapor)	Category 5
Acute toxicity: inhalation(mist)	Classification not possible
Skin corrosion/irritation	Not classified
Serious eye damage/ eye irritation	Category 2B
Respiratory sensitization	Classification not possible
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Classification not possible
Toxic to reproduction	Classification not possible
Specific target organ systemic toxicity (single exposure)	Category 3 (Respiratory system)
Specific target organ systemic toxicity (repeated exposure)	Classification not possible
Aspiration hazard	Classification not possible

ENVIRONMENTAL HAZARDS

Aquatic toxicity (acute)	Not classified
Aquatic toxicity (chronic)	Not classified
Hazardous to the ozone layer	Classification not possible

ALLOCATION OF LABEL ELEMENTS**Hazard symbol****Signal word**

Danger

Hazard statement

- H225 Highly flammable liquid and vapour
- H303 May be harmful if swallowed.
- H333 May be harmful if inhaled.
- H320 Causes eye irritation
- H335 May cause respiratory irritation

Precautionary statements**Prevention**

- P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof equipment (electric equipment, ventilator etc.).
- P242 Use only non-sparking tools.
- P243 Take action to prevent static discharges.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P271 Use only outdoors or in well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P303+P361+P353 IF ON SKIN(or hair): Take off immediately all contaminated clothing Rinse skin with water/shower.
- P370+P378 In case of fire: Use appropriate media to extinguish.
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER or doctor/physician if you feel unwell.

Storage

- P405 Store locked up.
- P403+P233+P235 Store container tightly closed in well-ventilated place. Keep cool. Keep container tightly closed.

Disposal

- P501 Dispose of contents/container to..... .
(in accordance with local/regional/national/international regulation)

3.COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation Preparation

General Name Primer

Components Contributing to the Hazard

Components	Cas No	%WT
Ethyl acetate	141-78-6	73
Butyl acetate	123-86-4	11

4.FIRST AID MEASURES**Inhalation**

Remove to fresh air and get immediate medical attention

Skin Contact

Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use.

If skin irritation occurs, seek medical advice/attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a poison center or doctor/physician.

Ingestion

Rinse mouth.

Call a poison center or doctor/physician if you feel unwell.

5.FIRE-FIGHTING

Extinguishing Media

Carbon dioxide , dry chemical , foam

Special Hazards

Toxic gases will foam upon combustion

Special Methods

Evacuate non essential personnel

Move container from fire areas if it can be done without risk

Keep personnel removed from and upwind of fire

Protection of Firefighters

Wear self-contained breathing apparatus

6.ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective equipment and avoid contact with skin

Environmental Precautions

Do not allow to enter sewers/surface or groundwater

Methods for Cleaning up

Absorb with liquid - binding materials (sand, sawdust etc)

Scoop material into containers for disposal

7.HANDLING AND STORAGE

Handling

Technical Measures

Keep away from sources of ignition

Avoid eye and skin contact

Keep containers closed when not in use

Precautions

Use in the well - ventilated areas

Storage

Suitable Storage Conditions

Keep container closed

Store in refrigerator (5-10°C)

Protect material from direct sunlight

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Components

Ethyl acetate

Butyl acetate

NIOSH (REL)

400ppm

150ppm

Personal Protective Equipment

Hand Protection

Protective gloves

Eye Protection

Safety glasses

Skin and Body Protection

Avoid contact with skin

Hygiene Measures

Wash hands before breaks and at the end of work

9.PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Appearance

Liquid

Color

Clear Pink

Odour

Solvent Odor

pH	N/A
Melting point/freezing point	N/D
Initial boiling point and boiling range	N/D
Flashpoint	-4°C
Evaporation rate	N/D
Flammability	N/D
Upper/lower flammability or explosive limits	N/D
Vapour pressure	N/D
Relative density	About 1.0
Solubility	Soluble in organic solvents
Partition coefficient:n-octanol/water	N/D
Auto-ignition temperature	N/D
Viscosity	N/D

10.STABILITY AND REACTIVITY

Stability

Stable under normal conditions

Possible Hazardous Reactions

Reactive with water and amine compound

Conditions to Avoid

Avoid water and amine compound

Hazardous Decomposition Products

(in addition to CO , CO₂ , H₂O)

Nitrogen oxides

11.TOXICOLOGICAL INFORMATION

Acute toxicity

Ethyl acetate	LD50 (Oral)	Rat	4,940 mg/kg	PATTY (5th, 2001)
	LD50 (Dermal)	Rabbit	18000 mg/kg	DFGOT vol. 12 (1999)
Butyl acetate	LD50 (Oral)	Rat	3,200-14,130 mg / kg	SIDS (2009)
	LD50 (Dermal)	Rabbit	5,000 mg / kg	ACGIH (7th, 2001)

Skin corrosion

Ethyl acetate	Not classified
Butyl acetate	Not classified

Serious Eye Damage/Irritation

Ethyl acetate	Category 2B
Butyl acetate	Category 2B

Skin Sensitisation

Ethyl acetate	Not classified
---------------	----------------

Germ Cell Mutagenicity

Ethyl acetate	Not classified
---------------	----------------

Specific target organ systemic toxicity (single exposure)

Ethyl acetate	Category 3 (Respiratory tract irritation, Narcotic effects)
Butyl acetate	Category 3 (Respiratory tract irritation, Narcotic effects)

12.ECOLOGICAL INFORMATION

Aquatic toxicity (acute)

Ethyl acetate	LC50(96H)	Fish (fathead minnow)	230 mg / L	SIDS, 2008
	LC50(24H)	Shellfish	2,500 mg / L	SIDS, 2008
		(Daphnia magna)		
Butyl acetate	LC50(96H)	Fish (Fathead Minnow)	18 mg / L	CICAD 64, 2005

Aquatic toxicity (chronic)

Ethyl acetate	water solubility -	80000 mg / L	PHYSPROP Database, 2009
Butyl acetate	EC10(72H)	Algae (Senedesmus) 296 mg / L	CICAD 64, 2005
	LC50(96H)	Fish (Fathead Minnow) 18 mg / L	CICAD 64, 2005

13.DISPOSAL CONSIDERATIONS**Waste from Residues**

Follow the all regulations in your country.

Contaminated Packaging

Follow the all regulations in your country.

14.TRANSPORT INFORMATION

UN Class	3
UN No	1133
Packing group	II

Specific Precautionary Transport Measures and Conditions

Follow the all regulations in your country.

15.REGULATORY INFORMATION

Follow the all regulations in your country.

16.OTHER INFORMATION

The information herein is given in good faith , but no warranty , express or implied , is made.

The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to there circumstances.