

SAFETY DATA SHEET**1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Name	Body Primer 435-98
Manufacturer Name	Sunstar Chemical (Thailand) Co., Ltd.
Address	624 Moo 4 Bangpoo Industrial Estate Soi7A Sukhumvit Rd., Praksa, Muang Samutprakarn, Samutprakarn 10280 Thailand
Telephone Number	+66 2709 4531
Fax Number	+66 2709 4541

2.HAZARDS IDENTIFICATION**PHYSICAL HAZARDS**

Category 2 (Flammable liquids)

HEALTH HAZARDS

Acute toxicity: oral	Category 5
Acute toxicity: skin	Not classified
Acute toxicity: inhalation(gas)	Not applicable
Acute toxicity: inhalation(vapor)	Category 5
Acute toxicity: inhalation(mist)	Classification not possible
Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2
Respiratory sensitization	Classification not possible
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Category 2
Toxic to reproduction	Category 1
Specific target organ systemic toxicity (single exposure)	Category 1 (Respiratory system, Central nervous system) Category 3 (Respiratory system)
Specific target organ systemic toxicity (repeated exposure)	Category 1
Aspiration hazard	Not classified

ENVIRONMENTAL HAZARDS

Aquatic toxicity (acute)	Category 3
Aquatic toxicity (chronic)	Not classified
Hazardous to the ozone layer	Classification not possible

ALLOCATION OF LABEL ELEMENTS**Hazard symbol****Signal word**

Danger

Hazard statement

H225 Highly flammable liquid and vapour
H303 May be harmful if swallowed
H316 Causes mild skin irritation.
H319 Causes serious eye irritation
H333 May be harmful if inhaled
H335 May cause respiratory irritation.

- H351 Suspected of causing cancer
 H360 May damage fertility or the unborn child.
 H370 Causes damage to organs.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H402 Harmful to aquatic life

Precautionary statements

Prevention

- P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P210 Keep away from heat, hot surface, sparks, open flames and other ignition on sources. No smoking.
 P223 Keep container tightly closed.
 P240 Ground and bond container and receiving equipment.
 P241 Use explosion-proof (electric equipment, ventilator etc.) equipment.
 P242 Use only non-sparking tools.
 P243 Take action to prevent static discharge.
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 Wash hands thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

- P303+P361+P353 IF ON SKIN(or hair): Take off immediately all contaminated clothing Rinse skin with water/shower.
 P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
 P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P370+P378 In case of fire: Use appropriate media to extinguish.
 P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P308+P313 IF exposed or concerned: Get medical attention/advice.
 P308+P311 IF exposed or concerned: call a POISON CENTER/doctor/...
 P314 Get medical attention if you feel unwell.
 P312 Call a POISON CENTER or doctor/physician if you feel unwell.

Storage

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

Disposal

- P501 Dispose of contents/container to..... (in accordance with local/regional/national/international regulation).

3.COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation Preparation

General Name Primer

Components Contributing to the Hazard

Components	Cas No	%WT
Carbon Black	1333-86-4	<5
Ethyl acetate	141-78-6	66
Toluene	108-88-3	8
Diethyl malonate	105-53-3	<1
Butyl acetate	123-86-4	3

4.FIRST AID MEASURES

Inhalation

Remove to fresh air and get immediate medical attention
Call a poison center or doctor/physician if you feel unwell.

Skin Contact

Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use.
If skin irritation occurs, seek medical advice/attention.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. Immediately call a poison center or doctor/physician.

Ingestion

Call a poison center or doctor/physician if you feel unwell.
Rinse mouth.

5.FIRE-FIGHTING

Extinguishing Media

Carbon dioxide, foam, dry sand

Special Hazards

No data

Special Methods

Evacuate non essential personnel
Move container from fire areas if it can be done without risk
Keep personnel removed from and upwind of fire

Protection of Firefighters

Wear self-contained breathing apparatus

6.ACCIDENTAL RELEASE MEASURES

Personal Precautions

Wear protective equipment and avoid contact with skin and eye

Environmental Precautions

Do not allow to enter sewers/surface or groundwater

Methods for Cleaning up

Absorb with liquid - binding materials (sand, sawdust etc)
Scoop material into containers for disposal

7.HANDLING AND STORAGE

Handling

Technical Measures

Keep away from sources of ignition
Avoid eye and skin contact
Keep containers closed when not in use

Precautions

Use in the well - ventilated areas

Storage

Suitable Storage Conditions

Keep container closed
Store in refrigerator (5-10 °C)
Protect material from direct sunlight

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Components

Carbon Black
Ethyl acetate
Toluene
Diethyl malonate
Butyl acetate

ACGIH (2018,TLV)

3.5mg/m³
400ppm
20ppm
-
150ppm

Personal Protective Equipment**Hand Protection**

Protective gloves

Eye Protection

Safty glasses

Skin and Body Protection

Avoid contact with skin

Hygiene Measures

Wash hands before breaks and at the end of work

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical State**

Appearance	Liquid
Color	Black
Odour	Slight odor
pH	Not applicable
Melting point/freezing point	No data
Initial boiling point and boiling range	No data
Flashpoint	-4°C
Evaporation rate	No data
Flammability	No data
Upper/lower flammability or explosive limits	No data
Vapour pressure	No data
Relative density	About 1.0
Solubility	Soluble in solvent
Partition coefficient:n-octanol/water	No data
Auto-ignition temperature	No data
Viscosity	No data

10. STABILITY AND REACTIVITY**Stability**

Stable under normal conditions

Possible Hazardous Reactions

No data

Conditions to Avoid

High Heat

Hazardous Decomposition ProductsChlorine gas (in addition to CO , CO₂ , H₂O)**11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Carbon Black	LD50 (Oral)	Rat	8,000 mg/kg	SIDS (2007)
Ethyl acetate	LD50 (Oral)	Rat	4,940 mg/kg	PATTY (5th, 2001)
	LD50 (Dermal)	Rabbit	18,000 mg/kg	DFGOT vol. 12 (1999)
Toluene	LD50 (Oral)	Rat	5,000 mg / kg	MOE Risk Assessment Volume 1 (2002)
	LD50 (Dermal)	Rat	12,000 mg / kg	ACGIH (2007)
Diethyl malonate	LD50 (Oral)	Rat	15,794 mg/kg	SIDS (2006)
	LD50 (Dermal)	Rabbit	16,960 mg/kg	SIDS (2006)
Butyl acetate	LD50 (Oral)	Rat	3,200-14,130 mg / kg	SIDS (2009)
	LD50 (Dermal)	Rabbit	5,000 mg / kg	ACGIH (7th, 2001)

Skin corrosion

Carbon Black	Not classified
Ethyl acetate	Not classified
Toluene	Category 2
Diethyl malonate	Not classified
Butyl acetate	Not classified

Serious eye damage/eye irritation

Carbon Black	Not classified
Ethyl acetate	Category 2B
Toluene	Category 2B
Diethyl malonate	Category 2A
Butyl acetate	Category 2B

Skin Sensitisation

Ethyl acetate	Not classified
Toluene	Not classified

Germ Cell Mutagenicity

Ethyl acetate	Not classified
Toluene	Not classified

Carcinogenicity

Carbon Black	Category 2
--------------	------------

Reproductive toxicity

Toluene	Category 1A
---------	-------------

Specific target organ systemic toxicity (single exposure)

Ethyl acetate	Category3 (Respiratory tract irritation, Narcotic effects)
Toluene	Category1 (central nervous system)
	Category 3(Respiratory tract irritation, Narcotic effects)
Butyl acetate	Category 3(Respiratory tract irritation, Narcotic effects)

Specific target organ toxicity (Repeated exposure)

Carbon Black	Category 1 (respiratory organ)
Toluene	Category1 (central nervous system, kidney)

Aspiration hazard

Toluene	Category 1
---------	------------

12.ECOLOGICAL INFORMATION**Aquatic toxicity (acute)**

Carbon Black	EC50(72H)	Algae (Cenedesmus)	> 10000 mg / L	HSDB, 2009
	EC50(24H)	Crustacean	> 5600 mg / L	HSDB, 2009
Ethyl acetate	LC50(96H)	Fish (fathead minnow)	230 mg / L	SIDS, 2008
	LC50(24H)	Shellfish	2,500 mg / L	SIDS, 2008
Toluene	EC50(48H)	Crustacea	3.78 mg / L	NITE Initial Risk Assessment
		(Ceriodaphnia dubia)		Report, 2006
Diethyl malonate	LC50(96H)	Fish (Fathead Minnow)	12 mg / L	SIDS, 2006
Butyl acetate	LC50(96H)	Fish (fathead minnow)	18 mg / L	CICAD 64, 2005

Aquatic toxicity (chronic)

Ethyl acetate	water solubility -		80000 mg / L	PHYSPROP Database, 2009
Toluene	NOEC (7Day)	Crustaceans	0.74mg / L	NITE Initial Risk Assessment
		(Ceriodaphnia dubia)		Report, 2006
Diethyl malonate	NOEC (21Day)	crustacea	10 mg / L	Environmental Agency Ecological
		(Daphnia magna)		Effects Test, 1999
Butyl acetate	EC10(72H)	Algae (Senedesmus)	296 mg / L	CICAD 64, 2005

13.DISPOSAL CONSIDERATIONS

Waste from Residues

Follow the all regulations in your country.

Contaminated Packaging

Follow the all regulations in your country.

14.TRANSPORT INFORMATION

UN Class	Class 3
UN No	1133 (Adhesive)
Packing group	II

Specific Precautionary Transport Measures and Conditions

Follow the all regulations in your country.

15.REGULATORY INFORMATION

Follow the all regulations in your country.

16.OTHER INFORMATION

The information herein is given in good faith , but no warranty , express or implied , is made.

The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to there circumstances.