

ORIGINAL**Safety Data Sheet**Issued Date: November 13, 2008
Revised Date: April 22, 2010**1. IDENTIFICATION**

PRODUCT NAME ThreeBond 5211E
 ISSUED NUMBER kenkyukanri 912-3
 ISSUED NUMBER Three Bond Co.,Ltd
 NAME OF MANUFACTURER 1456, Hazama-cho, Hachioji-shi, Tokyo, Japan
 ADDRESS Administration Department Research Division
 NAME OF SECTION 81-42-661-1367/81-42-669-7235
 TEL / FAX NUMBER 81-42-661-1367
 EMERGENCY TEL NUMBER Adhesive and sealant

COPY**2. HAZARDS IDENTIFICATION****GHS CLASSIFICATION**

PHYSICAL HAZARDS Flammable liquids Category 4

*Not above mentioned hazard classification items; Not classified or Not classifiable.

SIGNAL WORD Warning

HAZARD STATEMENT H227 Combustible liquid

NOTICE

SAFETY MEASURE Keep away from heat/sparks/open flames/other ignition source. -No smoking
 Wear appropriate chemical protectors; gloves, glasses when handling
 Use personal protection and ventilation equipment to avoid exposure, if necessary.

FIRST-AID MEASURE If you feel unwell, remove victim to fresh air and keep at rest in a position comfortable for breathing.
 IF ON SKIN: Wash with plenty of soap and water. Remove contaminated clothing.
 If skin irritation or rash occurs: Get medical advice, attention.
 IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice, attention.

STORAGE Keep container tightly closed. Protect from direct sunlight. Store the product at moderate temperature.

DISPOSAL Dispose by qualified waste disposal experts.

GHS Hazard Communication is mentioned in accordance with Japanese Law.

3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE Mixture

CHEMICAL COMPOSITION

INGREDIENTS	Wt%	Formula	CAS Number
Silicone resin, Additive	> 90	—	—
Silica	1 — 10	SiO ₂	—
Carbon black	< 1	C	1333-86-4
Methylethylketoxim	Cracked gas	C ₄ H ₉ NO	96-29-7

IMPURITIES AND STABILIZING ADDITIVES WHICH ARE THEMSELVES CLASSIFIED
 AND WHICH CONTRIBUTE TO THE CLASSIFICATION OF THE SUBSTANCE No information

4. FIRST-AID MEASURES

IF INHALED In case of poisoning, remove victim to fresh air, calm down, keep warm then get medical advice, attention.

IF ON SKIN Wash soap and water. Remove contaminated clothing.
 If skin irritation or rash occurs: get medical advice, attention.

IF IN EYES Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing, then

RECEIVED
 16 JUL 2012
 NATIPAT ONGSAWANG
 155555 000010

Safety Data Sheet

Issued Date: November 13, 2008

Revised Date: April 22, 2010

IF SWALLOWED

get medical advice, attention.

Rinse mouth.

Get medical advice, attention.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Dry powder, alcohol-resistant foam and carbon dioxide extinguisher, dry sand, water spray

SPECIFIC HAZARDS

May produce poisonous and irritated gasses upon a fire.

SPECIFIC FIRE-FIGHTING MEASURES

Workers should wear appropriate protection (safety glasses, protective clothes, mask for organic poisonous gasses, etc.), then extinguish from up wind position.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear appropriate protective equipment (refer to 8. Exposure Control/Personal Protection) to avoid contact to eyes, skin and inhalation.

ENVIRONMENTAL PRECAUTIONS, RECOVERY/NEUTRALIZATION

Caution not to allow product flow into rivers and not to effect to environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

In case of a small spill, absorb with dry sand, soil, sawdust, cloth, etc., then place in a sealable container.

In case of large spills, dike and prevent overflow. Guide to a safe place then dispose properly.

SECONDARY ACCIDENT PREVENTION MEASURE

All ignition sources should be quickly removed. (No smoking in vicinity, prohibit sparks or fire sources)

7. HANDLING AND STORAGE

HANDLING

ENGINEERING MEASURES

Wear protective equipment. Perform engineering measures in accordance with 「8. Exposure Control / Personal Protection」.

LOCAL VENTILATION /GENERAL VENTILATION

Perform local and general ventilation in accordance with 「8. Exposure Control/Personal Protection」.

SAFETY HANDLING PRECAUTIONS

Take precautions against fire

STORAGE

ENGINEERING MEASURES

Keep container tightly closed. Protect from direct sunlight. Store the product moderate temperature.

Refer to the technical data, specifications, and a product label about handling range of temperature.

CONTAINER AND PACKAGING MATERIALS

Keep only in original container. Do not transfer the product to another bottle.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

Silica

ACGIH TLV

OSHA PEL

Not established

Not established

Methylethylketoxim

Not established

Not established

Carbon black

3.5 mg/m³

3.5 mg/m³

ENGINEERING MEASURES

If handling this product indoors, seal off sources or use a local mechanical ventilation system, etc.

Place a safety shower, hand washing sink and an eye wash shower near work area with clearly markings.

Safety Data Sheet

Issued Date: November 13, 2008
Revised Date: April 22, 2010

PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION	Wear mask to prevent organic gas poisoning, if necessary.
HAND PROTECTION	Wear appropriate protective gloves (Polyethylene, rubber, etc., solvent impervious materials).
EYE PROTECTION	Use eye protection. (preferably goggles)
SKIN AND BODY PROTECTION	Wear personal protection apron, boots, if necessary. Do not work with short sleeve shirts.
SANITARY MEASURES	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE

APPEARANCE	Paste
COLOR	Black — Japanese
ODOR	Distinctive odor
FLASHPOINT	84°C
SPECIFIC GRAVITY (DENSITY)	1.04
SOLUBILITY	Slightly soluble in water

PHYSICAL STATE as Silica

MELTING POINT/FREEZING POINT	1710 °C, 1600–1750 °C(Sublimation at 1750 °C)
BOILING POINT (INITIAL AND RANGE)	2230°C
SPECIFIC GRAVITY (DENSITY)	2.65(20°C)
SOLUBILITY	Water: 0.2g(100ml, 3N Ammonia water, 18 °C). Slightly soluble in water.

10. STABILITY AND REACTIVITY

STABILITY	Stable in normal handling..
POSSIBLY HAZARDOUS REACTION	Reacts to air moisture, slowly generates Methyleneethyloxime.
CONDITION TO AVOID	No data.
HAZARDOUS DECOMPOSITION	Incineration may produce poisonous gasses (Carbon monoxide, etc.) upon condition.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS

ACUTE TOXICITY	No data as product
SKIN CORROSION/IRRITATION	No data as product

Information on GHS Hazard Communication is in accordance with Japanese Law

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS

HAZARDS TO THE AQUATIC ENVIRONMENT	No data as product
MOBILITY	No data

Information on GHS Hazard Communication is in accordance with Japanese Law

13.DISPOSAL CONSIDERATIONS

METHOD OF DISPOSAL	To dispose product, solicit waste disposal management experts. Do not discharge waste nor cleaning agents containing this product into rivers, etc. And do not bury or landfill as is. Handle in used container and cloth same as above.
--------------------	--

14.TRANSPORT INFORMATION

INTERNATIONAL REGULATION

SEA TRANSPORTATION	Not applicable
UN number	Not applicable

Safety Data Sheet

Issued Date: November 13, 2008
Revised Date: April 22, 2010

AIR TRANSPORTATION

Not applicable

UN number

Not applicable

15. REGULATORY INFORMATION

Handle in accordance with applicable laws and regulations.

16. OTHER INFORMATION

Portions of the above evaluation of dangerous and harmful effects may be insufficient, please perform adequate investigation.

The content in this report is based on information which was available as of the Effective date.

But Three Bond Co.,Ltd. and its affiliates are not responsible for guaranteeing the above data and evaluations.

The above data assumes usage under normal working conditions.

In case of special handling is required, please handle with suitable safety measures according to the application and usage.

The content in this report may change due to new evaluation and tests, etc.

In case there are differences in the translation, the Japanese language version takes precedence.