

Safety Data Sheet

Issued Date: October 09, 2008

COPY**1. IDENTIFICATION**

PRODUCT NAME	ThreeBond 7737
ISSUED NUMBER	kenkyukanri 351-1
NAME OF MANUFACTURER	Three Bond Co., Ltd.
ADDRESS	1456, Hazama-cho, Hachioji-shi, Tokyo, Japan
NAME OF SECTION	Administration Department Research Division
TEL / FAX NUMBER	+81-42-661-1367 / +81-42-669-7235
EMERGENCY TEL NUMBER	+81-42-661-1367
RECOMMENDED USE AND RESTRICTION ON USE	Adhesive and sealant

2. HAZARDS IDENTIFICATION**GHS CLASSIFICATION****PHYSICAL HAZARDS****HEALTH HAZARDS**

Flammable liquids	Category
Skin corrosion/irritation	Category
Serious eye damage/Eye irritation	Category
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity after single exposure	Category 3 (Respiratory tract irritation)
	Category 3

ENVIRONMENTAL HAZARDS

Acute hazards to the aquatic environment

*Not above mentioned hazard classification items; Not classified or Not classifiable.

LABEL ELEMENTS**SYMBOL****SIGNAL WORD**

Danger

HAZARD STATEMENT

H	Flammable liquid and combustible liquid, etc
H315	Causes skin irritation
H320	Causes eye irritation
H317	May cause an allergic skin reaction
H340	May cause genetic defects
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H335+	May cause respiratory irritation or may cause drowsiness and dizziness
H402	Harmful to aquatic life

NOTICE**SAFETY MEASURE**

Keep away from heat, sparks, open flames or other ignition source. -No smoking

Wear appropriate chemical protectors; gloves, glasses when handling
Use personal protection and ventilation equipment to avoid exposure, if necessary.**FIRST AID MEASURE**

If you feel unwell, remove victim to fresh air and keep at rest in a position comfortable for breathing.

If on skin: Do not remove by force. While immersed in warm water, gently rub affected skin then remove.

If skin irritation or rash occurs: Get medical advice, attention.

If in eyes: Flush eyes repeatedly and seek medical treatment. Absolutely do not rub or use removing agent or solvent

STORAGE

Keep container tightly closed. Protect from direct sunlight. Store the product at moderate temperature.

DISPOSAL

Solicit waste disposal management experts.

GHS Hazard Communication is mentioned in accordance with Japanese Law.



Safety Data Sheet

Issued Date: October 09, 2008

3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE	Mixture		
CHEMICAL COMPOSITION			
INGREDIENTS	Wt%	Formula	CAS Number
2-Ethyl cyanoacrylate	85 — 95	C ₆ H ₇ NO ₂	7085-85-0
Silica	1 — 10	—	—
Hydroquinone	< 1	C ₆ H ₆ O ₂	123-31-9
IMPURITIES AND STABILIZING ADDITIVES WHICH ARE THEMSELVES CLASSIFIED AND WHICH CONTRIBUTE TO THE CLASSIFICATION OF THE SUBSTANCE	No information		

4. FIRST-AID MEASURES

IF INHALED	In case of poisoning, remove victim to fresh air, calm down, keep warm then get medical advice, attention.
IF ON SKIN	Do not remove by force. While immersed in warm water gently rub affected skin then remove.
IF IN EYES	If skin irritation or rash occurs, get medical advice, attention. Flush eyes repeatedly and immediately get medical advice, attention.
IF SWALLOWED	Absolutely do not rub or use removing agent or solvent Rinse mouth. Get medical advice, attention.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA	Dry powder, alcohol-resistant foam and carbon dioxide extinguisher, dry sand, water spray
SPECIFIC HAZARDS ARISING FROM SPECIFIC FIRE FIGHTING MEASURES	May produce poisonous and irritated gasses upon a fire. Workers should wear appropriate protectors (glasses, cloths, mask for poisonous gasses, etc.), then extinguish should be performed up wind.

6. ACCIDENTAL RELEASE

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	Wear appropriate protective equipment (refer to 8. Exposure Control/Personal Protection) to avoid contact to eyes, skin and inhalation.
ENVIRONMENTAL PRECAUTIONS, RECOVERY/NEUTRALIZATION	Take precaution to prevent product to flow into rivers and effect environment.
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Wear polyethylene gloves then quickly wipe up the spill with cloth. In case of large spills, do not wipe all at once because soaking with a large quantity of adhesive causes rapidly polymerization and generates heat.
SECONDARY ACCIDENT PREVENTION MEASURE	All ignition sources should be quickly removed. (No smoking in vicinity, prohibit sparks or fire sources)

7. HANDLING AND STORAGE

HANDLING	
ENGINEERING MEASURES	Wear protective equipment. Perform engineering measures in accordance with 「8. Exposure Control / Personal Protection」.
LOCAL VENTILATION /GENERAL VENTILATION	Perform local and general ventilation in accordance with 「8. Exposure Control/Personal Protection」.
SAFETY HANDLING PRECAUTIONS	Fire strictly prohibited
STORAGE	
ENGINEERING MEASURES	Keep container tightly closed. Protect from direct sunlight. Store the product at moderate temperature. Refer to the technical data, specifications, and a product label about handling range of temperature.
CONTAINER AND PACKAGING MATERIALS	Keep only in original container. Do not transfer the product to another container.

Safety Data Sheet

Issued Date: October 09, 2008

8. EXPOSURE CONTROL / PERSONAL PROTECTION

CONTROL PARAMETERS

2-Ethyl cyanoacrylate	ACGIH TLV	OSHA PEL
Silica	0.2 ppm	Not established
Hydroquinone	Not established	Not established
	2 mg/m ³	2 mg/m ³

ENGINEERING MEASURES

If handling this product indoors, seal off sources or use a local mechanical ventilation system, etc.

Place a safety shower, hand washing sink and an eye bath near work area and clearly marked.

PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION

Wear mask to prevent organic gas poisoning, if necessary.

HAND PROTECTION

Wear appropriate protective gloves (Polyethylene, rubber, etc., solvent impervious materials).

EYE PROTECTION

Use eye protection. (preferably goggles)

SKIN AND BODY PROTECTION

Wear personal protection apron, boots, if necessary. Do not work with short sleeve shirts.

SANITARY MEASURES

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE

APPEARANCE

Liquid

COLOR

Light transparent yellow

ODOR

Irritating odor

FLASHPOINT

88°C

AUTOIGNITION TEMPERATURE

Over 200°C

EXPLOSION LIMIT

No data

SPECIFIC GRAVITY (DENSITY)

1.07

SOLUBILITY

Slightly soluble in water

VISCOSITY

2.0 Pa·s

PHYSICAL STATE as Hydroquinone

MELTING POINT/FREEZING POINT

169°C

BOILING POINT

287 °C(730mmHg)

(INITIAL AND RANGE)

SOLUBILITY

Soluble in water, Ethanol, Ether, slightly soluble in cooling Benzene

10. STABILITY AND REACTIVITY

STABILITY

May cause sudden polymerization.

POSSIBLY HAZARDOUS REACTION

Exposure to high temperature, high humidity and/or direct sunlight may cause sudden polymerization reaction.

CONDITION TO AVOID

Heating, high humidity, direct sunlight.

INCOMPATIBLE MATERIALS

Water, basic substances.

HAZARDOUS DECOMPOSITION

Incineration may produce poisonous gasses (Carbon monoxide, Cyanide gas, etc.) upon condition.

11. TOXICOLOGICAL INFORMATION

HEALTH HAZARDS

ACUTE TOXICITY

No data as product

SKIN CORROSION/IRRITATION

No data as product

Information on GHS Hazard Communication is in accordance with Japanese Law

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS

HAZARDS TO THE AQUATIC

No data as product

ENVIRONMENT

ECOTOXICITY

No data

Information on GHS Hazard Communication is in accordance with Japanese Law

Safety Data Sheet

Issued Date: October 09, 2008

13. DISPOSAL CONSIDERATIONS

METHOD OF DISPOSAL

To dispose product, solicit waste disposal management experts.
Prohibited that to dispose the waste or waste liquid containing the product in the river, etc., to reclaim, to dump the product as it is.
Handle in used container and cloth same as above.

CONTAMINATED CONTAINERS AND PACKAGING

14. TRANSPORT INFORMATION

INTERNATIONAL REGULATION

SEA TRANSPORTATION

Not applicable

UN number

3334

Proper shipping name

Aviation regulated liquid, n. o. s.

UN Classification

9

AIR TRANSPORTATION

Follows ICAO/IATA regulation

UN number

3334

Proper shipping name

Aviation regulated liquid, n. o. s.

UN Classification

9

JAPAN DOMESTIC REGULATION

LAND TRANSPORTATION

In accordance with Japanese Law

SEA TRANSPORTATION

Not applicable

UN number

3334

Proper shipping name

Aviation regulated liquid, n. o. s.

UN Classification

9

AIR TRANSPORTATION

In accordance with Japanese Law

UN number

3334

Proper shipping name

Aviation regulated liquid, n. o. s.

UN Classification

9

EMERGENCY ACCIDENTAL MEASURE

Yellow card number

171

15. REGULATORY INFORMATION

Handle in accordance with applicable laws and regulations.

16. OTHER INFORMATION

Portions of the above evaluation of dangerous and harmful effects may be insufficient, please perform adequate investigation.

The content in this report is based on information which was available as of the Effective date.

But Three Bond Co., Ltd. and its affiliates are not responsible for guaranteeing the above data and evaluations.

The above data assumes usage under normal working conditions.

In case of special handling is required, please handle with suitable safety measures according to the application and usage.

The content in this report may change due to new evaluation and tests, etc.

In case there are differences in the translation, the Japanese language version takes precedence.