

Safety Data Sheet

Kolliccoat® MAE 30 DP

Revision date : 2025/09/23

Version: 7.0

Page: 1/11

(30057597/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Kolliccoat® MAE 30 DP

Recommended use of the chemical and restriction on use

Recommended use*: pharmaceutical excipient

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Synonyms: Polymer based on: ethyl acrylate, methacrylic acid;

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 4 (Inhalation - mist) Acute toxicity

Label elements

Pictogram:

Safety Data Sheet

Kolliccoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 2/11
(30057597/SDS_GEN_US/EN)



Signal Word:
Warning

Hazard Statement:
H332 Harmful if inhaled.

Precautionary Statements (Prevention):
P271 Use only outdoors or in a well-ventilated area.
P261 Avoid breathing mist.

Precautionary Statements (Response):
P312 Call a POISON CENTER or physician if you feel unwell.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Hazards not otherwise classified

No data available.

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Sodium lauryl sulfate
CAS Number: 151-21-3
Content (W/W): 0.5 - 5.0%
Synonym: Dodecylhydrogensulfat-Natriumsalz

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:
Remove contaminated clothing.

If inhaled:
If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention. Keep warm, calm and covered up.

If on skin:
Wash thoroughly with soap and water

Safety Data Sheet

Kollicoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 3/11
(30057597/SDS_GEN_US/EN)

If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.
Seek medical attention.

Most important symptoms and effects, both acute and delayed

Information on: Polysorbate 80

Symptoms: Overexposure may cause: vomiting, respiratory disorders, nausea, diarrhea

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Additional information:

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are sufficient.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
Non-flammable (aqueous solution).

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Safety Data Sheet

Kolliccoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 4/11
(30057597/SDS_GEN_US/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/aerosol/spray mists. Use breathing apparatus if exposed to vapours/dust/aerosol. Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material.

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of dusts/mists/vapours. Avoid aerosol formation. Wear respiratory protection when spraying.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Wear a NIOSH-certified (or equivalent) organic vapour respirator.

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen based on level of activity and exposure.

Safety Data Sheet

Kollicoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 5/11
(30057597/SDS_GEN_US/EN)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. When using, do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Physical state:	liquid
Form:	dispersion
Odour:	faint, acidic
Odour threshold:	Not determined since harmful by inhalation.
Colour:	milky white
pH value:	2.1 - 3.0 (20 °C)
Freezing point:	< 0 °C
Melting point:	No data available.
Boiling point:	approx. 100 °C (1,013 hPa)
Flash point:	Information applies to the solvent. A flash point determination is unnecessary due to the high water content.
Flammability:	not flammable
Lower explosion limit:	For liquids not relevant for classification and labelling.
Upper explosion limit:	For liquids not relevant for classification and labelling.
Autoignition:	not determined Based on the water content the product does not ignite.
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
Vapour pressure:	approx. 23 mbar (20 °C)
Density:	1.06 - 1.07 g/cm3 (20 °C)
Bulk density:	not applicable
Relative vapour density:	contains water
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures
Self-ignition temperature:	Based on the water content the product does not ignite.
Thermal decomposition:	>= 180 °C (DSC (DIN 51007))
Viscosity, dynamic:	100 mPa.s (20 °C)
Viscosity, kinematic:	No data available.
Solubility in water:	(20 °C) miscible
Solubility (qualitative):	soluble solvent(s): organic solvents,
Molecular weight:	No data available.
Evaporation rate:	not determined

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form.

Safety Data Sheet

Kolliccoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 6/11
(30057597/SDS_GEN_US/EN)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid contamination. Avoid extreme heat. See SDS section 7 - Handling and storage.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

$\geq 180\text{ }^{\circ}\text{C}$ (DSC (DIN 51007))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Of moderate toxicity after short-term inhalation.

Oral

Type of value: LD50

Species: rat (male/female)

Value: $> 2,000\text{ mg/kg}$ (Guideline 92/69/EEC, B.1)

Inhalation

Type of value: LC50

Species: rat (male/female)

Safety Data Sheet

Kolliccoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 7/11
(30057597/SDS_GEN_US/EN)

Value: 1.03 mg/l (OECD Guideline 403)
Exposure time: 4 h
An aerosol was tested.

Dermal

No data available.

Assessment other acute effects

No data available.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Skin

Species: rabbit
Result: non-irritant
Method: OECD Guideline 404

Eye

Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig
Result: Non-sensitizing.
Method: OECD Guideline 406

Aspiration Hazard

No data available.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No data available.
Experimental/calculated data: No data available.

Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from the properties of the individual components.
Genetic toxicity in vitro: No data available.

Carcinogenicity

Assessment of carcinogenicity: Based on the ingredients there is no suspicion of a carcinogenic effect in humans.
Experimental/calculated data: No data available.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Safety Data Sheet

Kollicoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 8/11
(30057597/SDS_GEN_US/EN)

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.

Other Information

The data on toxicology refer to the active ingredient.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants

EC50 (72 h) > 100 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

Assessment of terrestrial toxicity

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

OECD Guideline 209 aerobic

activated sludge, domestic/EC20 (0.5 h): > 1,000 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Not readily biodegradable (by OECD criteria). Poorly biodegradable.

Elimination information

< 10 % DOC reduction (28 d) (OECD Guideline 302 B) (aerobic, activated sludge, domestic)

Bioaccumulative potential

Safety Data Sheet

Kolliccoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 9/11
(30057597/SDS_GEN_US/EN)

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

No data available.

Mobility in soil

Assessment transport between environmental compartments

Adsorption to solid soil phase is not expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice:

The ecological data given are those of the active ingredient.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of container and any rinsate in an environmentally safe manner.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Pharma TSCA, US released / exempt

Chemical TSCA, US released / listed

Chemical TSCA, US

Safety Data Sheet

Kollicoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 10/11
(30057597/SDS_GEN_US/EN)

All substances are TSCA listed and active.

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
1000 LBS	140-88-5	ethyl acrylate

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHYL ACRYLATE, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 2 Flammability: 1 Physical hazard: 0

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox. 4 (Inhalation - mist) Acute toxicity

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2025/09/23

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Kollicoat® MAE 30 DP is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED

Safety Data Sheet

Kolliccoat® MAE 30 DP

Revision date: 2025/09/23
Version: 7.0

Page: 11/11
(30057597/SDS_GEN_US/EN)

A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Date / Revised: 2025/09/23
Date / Previous version: 2025/07/03

Version: 7.0
Previous version: 6.0

END OF DATA SHEET

ORIGINAL CONTROLLED