

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 29.05.2023
Product: **Kollicream® OD**

Version: 3.0

(30554460/SDS_GEN_TH/EN)

Date of print: 17.05.2026

1. Substance/preparation and manufacturer/supplier identification

Product name:
Kollicream® OD

Use: pharmaceutical excipient

Manufacturer/supplier:

BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

| No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

| High risk of slipping due to leakage/spillage of product.

BASF Safety data sheet
Date / Revised: 29.05.2023
Product: **Kollicream® OD**

Version: 3.0

(30554460/SDS_GEN_TH/EN)

Date of print: 17.05.2026

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

| 1-Dodecanol, 2-octyl-

CAS Number: 5333-42-6

4. First-Aid Measures

General advice:

| Remove contaminated clothing.

If inhaled:

| Keep patient calm, remove to fresh air.

On skin contact:

| Wash thoroughly with soap and water

On contact with eyes:

| Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

| Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

| Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

carbon dioxide, foam, dry powder, water spray

Specific hazards:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Further information on storage conditions: Keep container tightly sealed.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

BASF Safety data sheet
 Date / Revised: 29.05.2023
 Product: **Kollicream® OD**

Version: 3.0

(30554460/SDS_GEN_TH/EN)

Date of print: 17.05.2026

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Ensure adequate ventilation. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	colourless	
Odour:	odourless	
pH value:	not applicable, substance/mixture is non-soluble (in water)	
Melting point:	-21 °C (1,017 hPa)	(ASTM D97)
Boiling point:	223.0 °C (20 hPa)	(Directive 84/449/EEC, A.2)
Flash point:	188 °C	(Directive 92/69/EEC, A.9, open cup)
Flammability (solid/gas):	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	241 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Self heating ability:	not applicable, the product is a liquid	
Explosion hazard:	not explosive	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	< 0.001 hPa (38 °C)	(measured)

BASF Safety data sheet
 Date / Revised: 29.05.2023
 Product: **Kollicream® OD**

Version: 3.0

(30554460/SDS_GEN_TH/EN)

Date of print: 17.05.2026

Density:	0.84 g/cm ³ (20 °C)	(Directive 84/449/EEC, A.3)
	0.83 - 0.85 g/cm ³ (20 °C)	
Relative density:	0.84 (20 °C)	(other)
Relative vapour density (air):	> 1 (20 °C)	(calculated)
	Heavier than air.	
Solubility in water:	< 1 mg/l (23 °C)	
Hygroscopy:	Non-hygroscopic	
Partitioning coefficient n-octanol/water (log Pow):	> 8 (23 °C; pH value: 7.1)	(OECD Guideline 117)
	The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Adsorption/water - soil:	log KOC: 2.33 - 3.62	(OECD Guideline 106)
Surface tension:	Study scientifically not justified.	
Viscosity, dynamic:	61.5 mPa.s (20 °C)	(ASTM D 7042)

10. Stability and Reactivity

Conditions to avoid:

Avoid heat. Avoid freezing. See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:

None known during use and storage if used according to instructions.

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 5,000 mg/kg (OECD Guideline 401)

Acute dermal toxicity

LD50 rat (dermal): > 2,000 mg/kg (similar to OECD guideline 402)

Assessment of acute toxicity

| Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

| May cause slight irritation to the eyes. May cause slight irritation to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (other)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

| Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

| Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

| The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

| The information available on the product provides no indication of reproductive toxicity.

Developmental toxicity

Assessment of teratogenicity:

| No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

| Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

| Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

| Study not necessary due to exposure considerations.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

| There is a high probability that the product is not acutely harmful to aquatic organisms.
| No toxic effects occur within the range of solubility.

Toxicity to fish:

| LC50 (48 h) 5,500 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)
| No toxic effects occur within the range of solubility.

Aquatic invertebrates:

| EC50 (48 h) > 0.035 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)
| No toxic effects occur within the range of solubility.

| No observed effect concentration (48 h) 0.035 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

| No toxic effects occur within the range of solubility.

Aquatic plants:

| EC50 (72 h) > 100 mg/l (growth rate), *Desmodesmus subspicatus* (DIN 38412 Part 9, static)
| No toxic effects occur within the range of solubility.

| No observed effect concentration (72 h) 11,3 µg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

| No toxic effects occur within the range of solubility.

| EC50 (72 h) > 11,3 µg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

| No toxic effects occur within the range of solubility.

Microorganisms/Effect on activated sludge:

| EC0 (3 h) > 1,000 mg/l, municipal sewage treatment plant effl. (OECD Guideline 209, static)

Chronic toxicity to fish:

| Study technically not feasible.

Chronic toxicity to aquatic invertebrates:

| Study not necessary due to exposure considerations.

Assessment of terrestrial toxicity:

| Study not necessary due to exposure considerations.

Soil living organisms:

| Study not necessary due to exposure considerations.

Terrestrial plants:

| Study not necessary due to exposure considerations.

Other terrestrial non-mammals:

| Study not necessary due to exposure considerations.

Mobility

Assessment transport between environmental compartments:

| Adsorption to solid soil phase is expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

| Readily biodegradable (according to OECD criteria).

Elimination information:

| 64 % CO₂ formation relative to the theoretical value (28 h) (ISO 14593) (aerobic, activated sludge, domestic, non-adapted)

Assessment of stability in water:

| Study scientifically not justified.

Assessment photodegradation:

| No data available.

Bioaccumulation potential

Assessment bioaccumulation potential:

| Significant accumulation in organisms is not to be expected.

Bioaccumulation potential:

| Bioconcentration factor: 53 - 539 (calculated)

13. Disposal Considerations

Observe national and local legal requirements.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

BASF Safety data sheet
Date / Revised: 29.05.2023
Product: **Kollicream® OD**

Version: 3.0

(30554460/SDS_GEN_TH/EN)

Date of print: 17.05.2026

UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

BASF Safety data sheet
Date / Revised: 29.05.2023
Product: **Kollicream® OD**

Version: 3.0

(30554460/SDS_GEN_TH/EN)

Date of print: 17.05.2026

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

ORIGINAL CONTROLLED