

Safety Data Sheet

Kolliphor® SLS Fine

Revision date : 2025/11/10
Version: 6.0

Page: 1/14
(30554762/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Kolliphor® SLS Fine

Recommended use of the chemical and restriction on use

Recommended use*: pharmaceutical excipient

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Synonyms: Sodium dodecyl sulphate

2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Flam. Sol.	1	Flammable solids
Acute Tox.	4 (Inhalation - dust)	Acute toxicity
Combustible Dust	Combustible Dust (1)	Combustible Dust
Aquatic Acute	2	Hazardous to the aquatic environment - acute

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 2/14
(30554762/SDS_GEN_US/EN)

Aquatic Chronic	3	Hazardous to the aquatic environment - chronic
Acute Tox.	4 (oral)	Acute toxicity
Skin Irrit.	2	Skin irritation
Eye Dam.	1	Serious eye damage

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:
H228

Flammable solid.
May form combustible dust concentration in air.

H318

Causes serious eye damage.

H315

Causes skin irritation.

H335

May cause respiratory irritation.

H302 + H332

Harmful if swallowed or if inhaled.

H412

Harmful to aquatic life with long lasting effects.

H401

Toxic to aquatic life.

Precautionary Statements (Prevention):

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280

Wear protective gloves and eye protection or face protection.

P271

Use only outdoors or in a well-ventilated area.

P261

Avoid breathing dust.

P273

Avoid release to the environment.

P261

Avoid breathing dust or fume.

P241

Use explosion-proof electrical, ventilating and lighting equipment.

P240

Ground and bond container and receiving equipment.

P270

Do not eat, drink or smoke when using this product.

P264

Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P310

Immediately call a POISON CENTER or physician.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P330

Rinse mouth.

P370 + P378

In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

P362 + P364

Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

Precautionary Statements (Disposal):

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 3/14
(30554762/SDS_GEN_US/EN)

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion. Fine dust can form an inflammable mixture together with air.

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 5 %

3. Composition / Information on Ingredients

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

| Sodium lauryl sulfate
| CAS Number: 151-21-3
| Content (W/W): 80.0 - 100.0%
| Synonym: Dodecylhydrogensulfat-Natriumsalz

The actual concentration is withheld as a trade secret.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary. Keep patient calm, remove to fresh air.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Seek medical attention.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 4/14
(30554762/SDS_GEN_US/EN)

Information on: Sodium lauryl sulfate

Symptoms: Overexposure may cause:; corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps
Inhalation may provoke the following symptoms:; irritation of respiratory tract, coughing

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours, sulfur oxides, carbon oxides

The substances/groups of substances mentioned can be released in case of fire. Flammable solid.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Cool endangered containers with water-spray. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 5/14
(30554762/SDS_GEN_US/EN)

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation. Ensure adequate ventilation. Do not breathe dust. Wear respiratory protection if ventilation is inadequate. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust. Cleaning operations should be carried out only while wearing breathing apparatus.

Nonsparking tools should be used.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly closed.

Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 660 (2025) Standard for Combustible Dust and Particulate Solids. NFPA 660 is a combination of Standards NFPA 61 (Agriculture and Food), NFPA 484 (Metals), NFPA 652 (Fundamentals of Combustible Dusts), NFPA 654 (Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids), NFPA 65 (Sulfur), and NFPA 664 (Woodworking/Processing). Consult NFPA 660 standard for relevant commodity-specific and general safety information.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep only in the original container. Keep container tightly sealed.

Storage stability:

Storage temperature: $\leq 30\text{ }^{\circ}\text{C}$

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Local exhaust ventilation preferred. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 6/14
(30554762/SDS_GEN_US/EN)

no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Wear a NIOSH-certified (or equivalent) respirator as necessary.

Hand protection:

Wear impermeable chemical resistant protective gloves.

Eye protection:

Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. Do not breathe dust. Avoid ingestion. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Physical state:	solid	
Form:	powder	
Odour:	odourless	
Odour threshold:	not applicable, odour not perceivable	
Colour:	white	
pH value:	9.1 (1 %(m))	
melting range:	204 - 207 °C (1,013 hPa) Literature data.	(other)
Freezing point:	No data available.	
decomposition point:	> 216 °C (1,022 hPa) The substance / product decomposes.	(OECD Guideline 103)
Flash point:	not applicable, the product is a solid	
Flammability:	Flammable solid. Keep away from heat, spark, and open flames.	(UN Test N.1 (ready combustible solids))
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Vapour pressure:	<= 0.18 Pa (20 °C)	(OECD Guideline 104)
Density:	0.63 g/ml	
Bulk density:	200 - 300 kg/m3	(DGF-H-II 1b)

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 7/14
(30554762/SDS_GEN_US/EN)

Relative vapour density:	not applicable, The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	≤ -2 (20 °C)	(OECD Guideline 107)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting. 221 °C	(VDI 2263, sheet 1, 1.4.1 (May 1990))
Thermal decomposition:	345 °C (DSC (DIN 51007))	
Viscosity, dynamic:	not applicable, the product is a solid	
Viscosity, kinematic:	No data available.	
Solubility in water:	> 130 g/l (20 °C)	
Solubility (quantitative):	partly soluble	
Solubility (qualitative):	soluble solvent(s): distilled water,	
Molecular weight:	not applicable	
Evaporation rate:	not applicable, The product is a non-volatile solid.	

Particle characteristics

Particle size distribution: typically > 100 µm (D50, Volumetric Distribution, ISO 13320-1)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
No data available.

Oxidizing properties:
not fire-propagating

Minimum ignition energy:

The product is capable of dust explosion.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.
Reacts with oxidizing agents. Reacts with bases. Reacts with strong acids.

Conditions to avoid

Avoid dust formation. Avoid electro-static charge. Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

No substances known that should be avoided.

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 8/14
(30554762/SDS_GEN_US/EN)

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

345 °C (DSC (DIN 51007))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of low toxicity after short-term skin contact. Of moderate toxicity after short-term inhalation.

Oral

Type of value: LD50

Species: rat (male/female)

Value: 1,200 mg/kg (OECD Guideline 401)

Inhalation

The inhalation of dusts represents a potential acute hazard. Literature data.

Dermal

Type of value: LD50

Species: other

Value: > 2,000 mg/kg (other)

Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Irritation / corrosion

Assessment of irritating effects: Skin contact causes irritation. May cause severe damage to the eyes. Inhalation of particulates may cause respiratory tract irritation.

Skin

Species: rabbit

Result: Irritant.

Method: similar to OECD guideline 404

Eye

Species: rabbit

Result: irreversible damage

Method: OECD Guideline 405

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 9/14
(30554762/SDS_GEN_US/EN)

Data refer to a diluted aqueous solution of the substance.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Guinea pig maximization test

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

Analogous: Assessment derived from products with similar chemical character.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Buehler test

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

Analogous: Assessment derived from products with similar chemical character.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the liver after repeated ingestion.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not genotoxic in a test with mammals.

Genetic toxicity in vitro: OECD Guideline 471 Ames-test Salmonella typhimurium: with and without metabolic activation negative

OECD Guideline 476 Mouse lymphoma assay L5178Y cells: with and without metabolic activation negative

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: Repeated oral uptake of the substance did not cause damage to the reproductive organs.

Teratogenicity

Assessment of teratogenicity: The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 10/14
(30554762/SDS_GEN_US/EN)

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic organisms based on long-term (chronic) toxicity study data. Acutely toxic for aquatic organisms.

Toxicity to fish

LC50 (96 h) 29 mg/l, Pimephales promelas (OECD Guideline 203, Flow through.)

The details of the toxic effect relate to the nominal concentration.

LC50 (96 h) 4.1 mg/l, Cyprinodon variegatus (other, static)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates

LC50 (48 h) 5.55 mg/l, Ceriodaphnia dubia (Daphnia test acute, Flow through.)

LC50 (48 h) 3.15 mg/l, Artemia salina (other, static)

Aquatic plants

EC50 (72 h) > 120 mg/l (growth rate), Desmodesmus subspicatus (DIN 38412 Part 9, static)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (96 h) 30 mg/l (biomass), Scenedesmus subspicatus (DIN 38412 Part 9, static)

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish

No observed effect concentration (42 d) $\geq$ 1.36 mg/l, Pimephales promelas (other, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

Chronic toxicity to aquatic invertebrates

No observed effect concentration (7 d) 0.88 mg/l, Ceriodaphnia dubia (other, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

Assessment of terrestrial toxicity

Toxic effects have been observed in studies with terrestrial plants.

Soil living organisms

Toxicity to soil dwelling organisms:

No data available.

Toxicity to terrestrial plants

No data available.

Other terrestrial non-mammals

No data available.

Microorganisms/Effect on activated sludge

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 11/14
(30554762/SDS_GEN_US/EN)

Toxicity to microorganisms

Oxygen consumption test aquatic
activated sludge, domestic/EC50 (3 h): 135 mg/l
The details of the toxic effect relate to the nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)
Readily biodegradable (according to OECD criteria).

Elimination information

95 % CO₂ formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge, domestic, non-adapted) Based on OECD criteria the product is readily biodegradable.

Assessment of stability in water

In contact with water the substance will hydrolyse slowly.

Information on Stability in Water (Hydrolysis)

Study scientifically not justified. No data available.

Bioaccumulative potential

Assessment bioaccumulation potential
Does not accumulate in organisms.

Bioaccumulation potential

Bioconcentration factor: approx. 5 (24 h), Cyprinus carpio (other)
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is not expected.

Additional information

Other ecotoxicological advice:
No data available.

13. Disposal considerations

Waste disposal of substance:

Observe national and local legal requirements.

Container disposal:

Dispose of in accordance with national, state and local regulations.

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 12/14
(30554762/SDS_GEN_US/EN)

14. Transport Information

Land transport

USDOT

Hazard class: 4.1
Packing group: II
ID number: UN 1325
Hazard label: 4.1
Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (contains SODIUM DODECYL SULPHATE)

Sea transport

IMDG

Hazard class: 4.1
Packing group: II
ID number: UN 1325
Hazard label: 4.1
Marine pollutant: NO
Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (contains SODIUM DODECYL SULPHATE)

Air transport

IATA/ICAO

Hazard class: 4.1
Packing group: II
ID number: UN 1325
Hazard label: 4.1
Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (contains SODIUM DODECYL SULPHATE)

15. Regulatory Information

Federal Regulations

Registration status:

Pharma TSCA, US released / exempt

Chemical TSCA, US released / listed

Chemical TSCA, US

All substances are TSCA listed and active.

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK

PA

CAS Number

7757-82-6

Chemical name

Sodium sulfate

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 13/14
(30554762/SDS_GEN_US/EN)

NFPA Hazard codes:

Health: 2 Fire: 2 Reactivity: 0 Special:

HMIS III rating

Health: 2 Flammability: 2 Physical hazard: 0

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Acute Tox.	4 (oral)	Acute toxicity
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Acute Tox.	5 (dermal)	Acute toxicity
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Acute Tox.	4 (Inhalation - dust)	Acute toxicity
Flam. Sol.	1	Flammable solids

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2025/11/10

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Kolliphor® SLS Fine is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/11/10

Version: 6.0

Date / Previous version: 2023/07/19

Previous version: 5.0

Safety Data Sheet

Kolliphor® SLS Fine

Revision date: 2025/11/10
Version: 6.0

Page: 14/14
(30554762/SDS_GEN_US/EN)

END OF DATA SHEET

ORIGINAL CONTROLLED