

Safety data sheet

Page: 1/11

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 03.08.2022

Version: 1.2

Product: **Kollisolv® PG**

(ID no. 30554051/SDS_GEN_00/EN)

Date of print 30.05.2026

1. Identification

Product identifier

Kollisolv® PG

Chemical name: Propane-1,2-diol

CAS Number: 57-55-6

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: pharmaceutical excipient

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Nutrition and Health

Telephone: +49 621 60-48434

E-mail address: EN-global-safety-data@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Chemical nature

Propane-1,2-diol

CAS Number: 57-55-6

EC-Number: 200-338-0

Hazardous ingredients (GHS)

According to UN GHS criteria

| No particular hazards known.

Mixtures

Not applicable

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures**Extinguishing media**

Suitable extinguishing media:
carbon dioxide, dry powder, foam, water spray

Special hazards arising from the substance or mixture

carbon oxides, harmful vapours
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
Cool endangered containers with water-spray.

6. Accidental Release Measures**Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage**Precautions for safe handling**

Ensure thorough ventilation of stores and work areas. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 03.08.2022
Product: **Kollisolv® PG**

Version: 1.2

(ID no. 30554051/SDS_GEN_00/EN)

Date of print 30.05.2026

Unsuitable materials for containers: zinc

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from atmospheric humidity. Protect contents from the effects of light.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

fluoroelastomer (FKM) - 0.7 mm coating thickness

Polyethylene-Laminate (PE laminate) - ca. 0.1 mm coating thickness

butyl rubber (butyl) - 0.7 mm coating thickness

polyvinylchloride (PVC) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	colourless, clear	
Odour:	odourless	
Odour threshold:		
	not determined	
pH value:	6,4	
	(50 %(m), 20 °C)	
Melting point:	-59 °C	(other)
	Literature data.	
Boiling point:	184 °C	(Directive 92/69/EEC, A.2)
	(1.003,2 hPa)	
Flash point:	104 °C	(Directive 92/69/EEC, A.9, closed cup)
Flammability:	hardly combustible	(derived from flash point)
Lower explosion limit:		
	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:		
	For liquids not relevant for classification and labelling.	
Ignition temperature:	> 400 °C	(Directive 84/449/EEC, A.15)
Vapour pressure:	0,2 hPa	(Directive 92/69/EEC, A.4)
	(25 °C)	
Density:	1,03 g/cm ³	(Regulation 440/2008/EC, A.3)
	(20 °C)	
Relative density:	1,03	(Directive 92/69/EEC, A.3)
	(20 °C)	
Relative vapour density (air):	> 1	(calculated)
	(20 °C)	
	Heavier than air.	
Solubility in water:	Literature data.	(other)
	1.000 g/l	
	(20 °C)	
Solubility (qualitative) solvent(s):	polar solvents soluble	
Partitioning coefficient n-octanol/water (log Kow):	-1,07	(Directive 92/69/EEC, A.8)
	(20,5 °C; pH value: 6,2 - 6,4)	
Thermal decomposition:	400 °C (DSC (DIN 51007))	
Viscosity, dynamic:	43,428 mPa.s	
	(25 °C)	
	Literature data.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	

Other information

Hygroscopy: hygroscopic

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 03.08.2022
Product: **Kollisolv® PG**

Version: 1.2

(ID no. 30554051/SDS_GEN_00/EN)

Date of print 30.05.2026

Surface tension: 71,6 mN/m
(21,5 °C; 1,01 g/l)

(Directive 92/69/EEC, A.5,
OECD harmonized ring
method)

Grain size distribution: The substance / product is marketed or used in a non solid or granular form.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid extreme heat. Avoid electro-static charge. See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
Zinc, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. In animal studies the substance is virtually nontoxic after short-term inhalation.

LC50 rabbit (by inhalation): > 317042 mg/m³ 2 h

LD50 rabbit (dermal): > 2.000 mg/kg
No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. Aerosol exposure may cause temporary irritation of eyes, nose and throat.

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 03.08.2022
Product: **Kollisolv® PG**

Version: 1.2

(ID no. 30554051/SDS_GEN_00/EN)

Date of print 30.05.2026

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (Draize test)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in studies with mammals.

Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

not applicable

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Toxicity to fish:

LC50 (96 h) 46.500 mg/l, *Pimephales promelas* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 18.800 mg/l, *Mysidopsis bahia*

Aquatic plants:

EC50 (72 h) 24.200 mg/l (growth rate), *Selenastrum capricornutum* (OECD Guideline 201)

Microorganisms/Effect on activated sludge:

EC0 (18 h) > 20.000 mg/l, *Pseudomonas putida* (aquatic)

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (7 d) 13.020 mg/l, *Ceriodaphnia* sp.

Assessment of terrestrial toxicity:

Study does not need to be conducted.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Readily biodegradable (according to OECD criteria).

Elimination information:

90 - 100 % DOC reduction (8 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)

Bioaccumulative potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Study scientifically not justified.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

Safety data sheet according to UN GHS 4th rev.
 Date / Revised: 03.08.2022
 Product: **Kollisolv® PG**

Version: 1.2

(ID no. 30554051/SDS_GEN_00/EN)

Date of print 30.05.2026

Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

13. Disposal Considerations

Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 03.08.2022
Product: **Kollisolv® PG**

Version: 1.2

(ID no. 30554051/SDS_GEN_00/EN)

Date of print 30.05.2026

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 03.08.2022

Version: 1.2

Product: **Kollisolv® PG**

(ID no. 30554051/SDS_GEN_00/EN)

Date of print 30.05.2026

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

ORIGINAL CONTROLLED