

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date : 2025/10/23

Version: 5.0

Page: 1/11

(30554719/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

#### Kolliwax® CSA 50

#### Recommended use of the chemical and restriction on use

Recommended use\*: pharmaceutical excipient

Unsuitable for use: Not intended for sale to or use by the general public.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Synonyms: Alcohols, C16-18

### 2. Hazards Identification

According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

| No need for classification according to GHS criteria for this product.

#### Label elements

| The product does not require a hazard warning label in accordance with GHS criteria.

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 2/11

(30554719/SDS\_GEN\_US/EN)

### Hazards not otherwise classified

Fine dust produced by abrasion can form explosive mixtures with air.

HAZARDS ASSOCIATED WITH A CHANGE IN PHYSICAL FORM ACCORDING TO OSHA HCS 29 CFR § 1910.1200:

Presents a combustible hazard in dust form when used downstream. Combustible Dust. Warning.

May form combustible dust concentrations in air if small particles are generated during further processing, handling or by other means.

### 3. Composition / Information on Ingredients

#### According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

Remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air.

##### If on skin:

Wash thoroughly with soap and water

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

##### If swallowed:

Rinse mouth and then drink 200-300 ml of water.

#### Most important symptoms and effects, both acute and delayed

Symptoms: No data available.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

### 5. Fire-Fighting Measures

#### Extinguishing media

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 3/11

(30554719/SDS\_GEN\_US/EN)

Suitable extinguishing media:  
foam, dry powder, water spray

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

## 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.  
Avoid dust formation.

### Environmental precautions

Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Pick up spilled material and containerize for recovery or disposal. Vacuum area or flush with water to remove residues. Nonsparking tools should be used.

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 660 (2025) Standard for Combustible Dust and Particulate Solids. NFPA 660 is a combination of Standards NFPA 61 (Agriculture and Food), NFPA 484 (Metals), NFPA 652 (Fundamentals of Combustible Dusts), NFPA 654 (Standard for the Prevention of Fire and Dust Explosions from the

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 4/11

(30554719/SDS\_GEN\_US/EN)

Manufacturing, Processing, and Handling of Combustible Particulate Solids), NFPA 65 (Sulfur), and NFPA 664 (Woodworking/Processing). Consult NFPA 660 standard for relevant commodity-specific and general safety information.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Protect containers from physical damage. Keep in a cool place. Keep container dry.

## 8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

### Advice on system design:

Ensure adequate ventilation. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

### Personal protective equipment

#### Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary.

#### Hand protection:

Wear impermeable chemical resistant protective gloves.

#### Eye protection:

Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

#### Body protection:

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

## 9. Physical and Chemical Properties

|                  |                                             |         |
|------------------|---------------------------------------------|---------|
| Physical state:  | solid                                       |         |
| Form:            | beads                                       |         |
| Odour:           | almost odourless                            |         |
| Odour threshold: | not applicable, odour not perceivable       |         |
| Colour:          | white                                       |         |
| pH value:        | substance/mixture is non-soluble (in water) |         |
| melting range:   | 48 - 53 °C                                  | (other) |
|                  | ( 1,013 hPa)                                |         |
| freezing range:  | No data available.                          |         |

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 5/11

(30554719/SDS\_GEN\_US/EN)

|                                                     |                                                                                                                                            |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Boiling range:                                      | 300 - 350 °C<br>( 1,013 hPa)                                                                                                               |
| Flammability:                                       | The product is not combustible.                                                                                                            |
| Lower explosion limit:                              | For solids not relevant for classification and labelling.                                                                                  |
| Upper explosion limit:                              | For solids not relevant for classification and labelling.                                                                                  |
| Autoignition:                                       | not applicable, the product is a solid                                                                                                     |
| SADT:                                               | Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.                                             |
| Vapour pressure:                                    | 0.001 Pa<br>( 25 °C) (calculated)                                                                                                          |
| Density:                                            | No information is available for the absolute density. Instead the bulk density was determined as a more relevant value.                    |
| Relative density:                                   | 0.8<br>( 20 °C)<br>Literature data.                                                                                                        |
| Bulk density:                                       | 460 - 510 kg/m <sup>3</sup>                                                                                                                |
| Relative vapour density:                            | The product is a non-volatile solid.                                                                                                       |
| Partitioning coefficient n-octanol/water (log Pow): | 6.73<br>( 25 °C) (calculated)                                                                                                              |
| Self-ignition temperature:                          | not self-igniting<br><br>The value has not be determined because of the low risk of self-ignition in consequence of the low melting point. |
| Thermal decomposition:                              | 140 °C, > 170 kJ/kg (DSC (DIN 51007))<br>It is not a self-decompositionable substance.                                                     |
| Viscosity, dynamic:                                 | No data available.                                                                                                                         |
| Viscosity, kinematic:                               | approx. 16 mm <sup>2</sup> /s<br>( 49 °C) (ASTM D445)                                                                                      |
| Solubility in water:                                | insoluble                                                                                                                                  |
| Solubility (qualitative):                           | soluble                                                                                                                                    |
|                                                     | solvent(s): Ethanol, dichloromethane, trichloromethane                                                                                     |
| Molecular weight:                                   | No data available.                                                                                                                         |

### Particle characteristics

Particle size distribution: typically > 200 µm

(D50, Volumetric Distribution, ISO 13320-1)

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 6/11

(30554719/SDS\_GEN\_US/EN)

Formation of  
flammable gases:

Remarks:

Forms no flammable gases in the  
presence of water.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated. Dust can form an explosive mixture with air.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static discharge. Avoid dust formation.

### Incompatible materials

oxidizing agents, bases, strong acids

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

140 °C (DSC (DIN 51007))

It is not a self-decomposable substance.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: LD50

Species: rat (male/female)

Value: > 10,000 mg/kg (OECD Guideline 401)

other TS

No mortality was observed.

#### Inhalation

Type of value: LC50

Species: rat (male/female)

Value: (other)

Exposure time: 6 h

The vapour was tested.

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 7/11

(30554719/SDS\_GEN\_US/EN)

No mortality was observed.

### Dermal

Type of value: LD50

Species: rabbit (no data)

Value: > 8,000 mg/kg (OECD Guideline 402)

No mortality was observed.

### Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

### Skin

Species: rabbit

Result: non-irritant

Method: Draize test

### Eye

Species: rabbit

Result: non-irritant

Method: Draize test

### Sensitization

Assessment of sensitization: No sensitizing effect.

Guinea pig maximization test

Species: guinea pig

Result: Non-sensitizing.

Method: other

### Aspiration Hazard

not applicable

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

### Genetic toxicity

Assessment of mutagenicity: Based on available data, the classification criteria are not met. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Carcinogenicity

Assessment of carcinogenicity: Based on available data, the classification criteria are not met. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Reproductive toxicity

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 8/11

(30554719/SDS\_GEN\_US/EN)

### Teratogenicity

Assessment of teratogenicity: Based on available data, the classification criteria are not met. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms. No toxic effects occur within the range of solubility. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Toxicity to fish

LC50 (96 h) > 0.4 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, semistatic)

No toxic effects occur within the range of solubility. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Aquatic invertebrates

LC50 (48 h) 1,700 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Aquatic plants

EC50 (96 h) 0.64 mg/l (growth rate), *Desmodesmus subspicatus* (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration. No toxic effects occur within the range of solubility. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

EC10 (96 h) > 10 mg/l (growth rate), *Desmodesmus subspicatus* (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration. No toxic effects occur within the range of solubility. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Chronic toxicity to fish

No observed effect concentration (7 d) 1.5 mg/l, *Pimephales promelas* (OECD Guideline 210, Flow through.)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) 0.98 mg/l, *Daphnia magna* (OECD Guideline 211, semistatic)

The details of the toxic effect relate to the nominal concentration. No toxic effects occur within the range of solubility. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 9/11

(30554719/SDS\_GEN\_US/EN)

### Assessment of terrestrial toxicity

No toxic effects have been observed in terrestrial studies.

### **Microorganisms/Effect on activated sludge**

#### Toxicity to microorganisms

Oxygen consumption test static

bacterium/EC10 (30 min): > 10,000 mg/l

The details of the toxic effect relate to the nominal concentration. No toxic effects occur within the range of solubility. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Persistence and degradability**

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

Readily biodegradable (according to OECD criteria).

#### Elimination information

81 - 100 % BOD of COD (28 d) (ISO Draft) (aerobic, activated sludge, domestic, adapted)

#### Assessment of stability in water

Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.

### **Bioaccumulative potential**

#### Assessment bioaccumulation potential

May be accumulated in organisms.

The product has not been tested. The statement has been derived from the structure of the product.

#### Bioaccumulation potential

Bioconcentration factor: 544.4, Fish (calculated)

The product has not been tested. The statement has been derived from the structure of the product.

### **Mobility in soil**

#### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

The product has not been tested. The statement has been derived from the structure of the product.

### **Additional information**

Other ecotoxicological advice:

No data available.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Dispose of in accordance with national, state and local regulations.

### **Container disposal:**

Dispose of in accordance with national, state and local regulations.

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 10/11

(30554719/SDS\_GEN\_US/EN)

### 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

#### Federal Regulations

##### Registration status:

Pharma TSCA, US released / exempt

Chemical TSCA, US released / listed

Chemical TSCA, US

All substances are TSCA listed and active.

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### CERCLA RQ

5000 LBS

#### CAS Number

67-56-1

#### Chemical name

Methanol

#### **Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:**

**WARNING:** This product can expose you to chemicals including METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### **NFPA Hazard codes:**

Health: 0 Fire: 1 Reactivity: 0 Special:

#### **HMIS III rating**

Health: 0 Flammability: 1 Physical hazard: 0

### 16. Other Information

#### **SDS Prepared by:**

BASF NA Product Regulations

# Safety Data Sheet

## Kolliwax® CSA 50

Revision date: 2025/10/23

Version: 5.0

Page: 11/11

(30554719/SDS\_GEN\_US/EN)

SDS Prepared on: 2025/10/23

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Kolliwax® CSA 50 is a registered trademark of BASF Corporation or BASF SE  
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/10/23

Version: 5.0

Date / Previous version: 2021/11/08

Previous version: 4.0

END OF DATA SHEET